

WWW.ACTIVEFOAM.COM

2019

CHICAGO, ILLINOIS

MILWAUKEE, WISCONSIN

EASTPOINTE, MICHIGAN

NORTH LIMA, OHIO



TABLE OF CONTENTS

Introduc	TION /	Maps / Photos	1-7
SECTION	1	FOAM	8-60
SECTION	2	CUSHION WRAPS: BONDED and SEWN DACRONS	61-65
SECTION	3	POLYESTER PILLOW FILLS	66
SECTION	4	Polyester Paddings / Densified Fibers	67-68
SECTION	5	COTTON PADDINGS	69
SECTION	6	THREADS	70-74
SECTION	7	Twines	75
SECTION	8	ZIPPERS (Furniture)	76
SECTION	9	Webbing	77-79
SECTION	10	Weltcord	80-81
SECTION	11	BURLAPS / BARRIER FABRICS	82
SECTION	12	Accord / Linings / Denims / Muslin / Tickings / Flame Barriers	83-86
SECTION	13	ROLL-EDGE / EDGINGS	87
SECTION	14	PILLOWS: KAPOK and DOWN	88-89
SECTION	15	S PRINGS	90-95
SECTION	16	Casters	96-99
SECTION	17	Adhesives	100-107
SECTION	18	CLEANERS / SILICONES	108-109
SECTION	19	STAPLES / GUNS / TACKS / NAILS / PLI-GRIP	110-117
SECTION	20	DECORATIVE NAILS	118-122
SECTION	21	Виттомѕ	123-127
SECTION	22	Legs / Glides	128-133
SECTION	23	Refinishing	134-135
SECTION	24	Tools / Sewing Machine Needles	136-149
SECTION	25	GIMPS / CANES	150-151
SECTION	26	CANVAS / DUCKS / NYLONS / MISC. FABRICS	152-157
SECTION	27	SUNBRELLA: MARINE and OUTDOOR FABRICS	157-163
SECTION	28	V INYLS	164-205
SECTION	29	Urethanes	206-209
SECTION	30	Leathers	210-211
SECTION	31	FABRICS: VELVETS / TAPESTRIES / CONTRACT	212-215
SECTION	32	ZIPPERS (Marine) / VELCROS	216-218
SECTION	33	AUTO AND MARINE SUPPLIES	219-235
SECTION	34	CONVERTIBLE TOPS: WINDOWS AND ORIGINALS	236-239
SECTION	35	Auto and Marine Supplies	240-244
SECTION	36	Index	245-252
SECTION	37	Terms and Conditions	253
SECTION	38	CREDIT APPLICATION / TAX FORM (tear-off form)	254-255



Mission

We are committed to bringing our customers the most valued line of products and services in the industry. Going beyond the basics is what separates Active Foam from our competitors. Our goal is to fully support your efforts in your custom trade enabling greater success and enjoyment, by increasing your profitability.

ABOUT Us Active Foam is an American owned and operated company for over half a century!

A ctive Foam Products was established in Chicago, Illinois in 1958. Originally, our emphasis centered on fabricated foam for the custom upholstery market; with the acquisition of Illinois Upholstery Supply Company in 1963, the primary focus was expanded to include distribution of upholstery supplies. In 1982, Active Foam came into its current ownership. With the goal of better meeting the needs of a growing customer base, we began the process of developing our company into one of the premiere suppliers for the custom upholstery trade.

By 1992, active Foam Products expanded into Milwaukee, Wisconsin, by establishing not only a fully stocked upholstery supply warehouse, but an additional foam fabricating facility. This geographic expansion also brought with it an addition of many new product lines; most notably, Spradling Vinyls. This expansion proved so successful, that within three (3) short years, we moved into a 21,000 square foot facility adding new machines and capabilities to meet with growing demands.

The 90's were fairly busy for our main plant in Chicago as well, so by 1998, we were ready for another expansion. Our 43,000 square foot warehouse met this need admirably. More space for additional equipment enabled more efficiency and cost effectiveness; plus the ability to add new services previously unseen before in this industry.

The purchase of Foam Distributing in 2003, a foam fabricator with over 20 years of established roots in Detroit, Michigan, brought our locations up to three (3) facilities. This location also became an upholstery supply line bringing to market a full line supply house to serve eastern Michigan. Then in 2006, per market demand, we expanded into Eastpointe suburb with a 21,000 foot facility.

In our ongoing efforts to provide state of the art customizing for our clients, we added computerized cutting equipment to our Chicago and Milwaukee locations in 2007. Now, with the equipment and capabilities typically found only with large manufacturers, but with the more "attention to detail" personal touch and atmosphere; no job is too small.

The next year brought more options for our customers when we added Enduratex Vinyls to our inventory in both Chicago and Eastpointe. This enabled us to support your residential, marine, automotive and contract needs, and by early 2009, we had acquired Century Fabrics adding their fabric lines to our Chicago plant. These Boltaflex, Nassimi, Morbern, and Naugahyde vinyls have made it possible for us to offer a large variety of options for our customers.

In September of 2009, we purchased Fabric Service of Chicago; an automotive and trim supply house. This acquisition added the distribution capabilities of OEM and aftermarket products for auto trimmers' interior and exterior requirements.

By 2010, we had acquired yet another upholstery supply company, Simko, just outside of Youngstown, Ohio, in the town of Poland. Founded by Tom Simko in 1991, Simko Upholstery Supply serviced northeastern Ohio and western Pennsylvania upholsterers.

Today, we have a 240+ page catalog listing products and services second to none. Our current service area covers most of the Midwest, and our market is expanding daily.

Whatever your custom upholstery or fabrication needs may be, no matter how small a job, our skilled staff can make it happen. If you do not find a particular part in our catalog you need, give us a call; if it exists, we will find it for you!



SPECIAL SERVICES

SPECIAL SERVICES	<u>PAGE</u>
CUSTOM MADE MATTRESSES	42
Custom Shaped Foams	14, 45-49, 52-59
CUSTOM BONDED FIBERFILL and DACRON WRAPS	68
Custom Cutting of Fiberfills and Paddings to size and patterns	68
CUSTOM MADE PILLOW INSERTS	89
SPECIAL BUTTON MAKING SERVICE	123
Custom Embossing & Perforating for Vinyl and Leather	211, 239

FOAM HIGHLIGHTS

50+ Foam types Conventional urethanes HR urethanes Flotation foam Neoprenes Visco elastic foams **Urethane** sponge Ester foam Reticulated foams **Bonded foams** Cross-link polyethylene Polyethylene plank Polyethylene rolls **Buffing foams** Marine foams Slow recovery foams **Urethane cloth-backed** Neoprene cloth-backed FAA foams Fast dry foams Anti-microbial foams Sound deadening

FABRICATING HIGHLIGHTS

Cut-to-size patterns
Multi-piece assemblies
Profile pattern cutting
Wedged pattern cutting
Buffed and beveled edging
Cloth backings
Round bolsters
Custom mattress cores
Specialized seating

MARKET HIGHLIGHTS

Upholstered furniture
Restaurant booths
Marine seating
Theater seating
Church pews
Health-care devices
Novelty products
Consumer products
Automotive interiors
Case inserts
Industrial applications
Motorcycle seating

SUPPLY HIGHLIGHTS

Sewn dacron cushion wraps

Bonded fiberfill cushion wraps Low melt bonded cushion wraps Threads Webbings Weltcords Woven and non-woven tickings Pillows: polyester and down filled Natural and synthetic downs Springs and accessories Casters Adhesives: over 20 types Staples and fasteners Decorative nails **Buttons** Tools and needles Canvas: cotton and synthetics **Contract vinyls Contract fabrics** Industrial fabrics and vinyls Leather



CHICAGO KEY CONTACTS

PRESIDENT
OFFICE MANAGER
INSIDE SALES SPECIALIST
PURCHASING MANAGER
PLANT MANAGER
CUSTOMER SERVICE MANAGER
ACCOUNTS PAYABLE
SALES

SCOTT MEYER
ARNIE SINACORE
DENNIS STANCZAK
BOB JANUSZ
ROBERT ROMERO
CAROLE EATON
CHRISTINA PTAK
PETE LETTIERE

SCOTT.M@ACTIVEFOAM.COM
ARNIE@ACTIVEFOAM.COM
DENNIS@ACTIVEFOAM.COM
BOB@ACTIVEFOAM.COM
ROBERT.ROMERO@ACTIVEFOAM.COM
CAROLE@ACTIVEFOAM.COM
CHRISTINA@ACTIVEFOAM.COM
PETE@ACTIVEFOAM.COM

ACTIVE FOAM PRODUCTS, INC. 4358 SOUTH KNOX AVENUE CHICAGO, IL 06032 TOLL FREE: 800-728-4567

PHONE: 773-582-5400
FAX: 773-582-1955
E-MAIL: CHICAGO@ACTIVEFOAM.COM
WEB SITE: WWW.ACTIVEFOAM.COM



SCOTT MEYER President



ARNIE SINACORE
Office Manager



PETE LETTIERE Account Manager



DENNIS STANCZAKAccount Manager



CAROLE EATON
Customer Service Manager



Donna Koop Customer Service



CHRISTINA PTAK
Accounts Payable



DESTINY BARNESCustomer Service



Bob Janusz Purchasing Manager




ROBERT ROMERO Plant Manager

Directions from Cicero and "The Stevenson" - Route 55

- Travel south to 43rd Street; 43rd Street is the first street south of the expressway.
- Make a left on 43rd at the light and go to the end of the street which is 3 blocks.
- Turn right and travel one block. The office enterance is on the corner of 44th and South Knox.

Cicero Ave. is 6 miles west of the Kennedy and Dan Ryan Expressway; from 294 the "Tri-State" is 8 miles.







MILWAUKEE KEY CONTACTS

GENERAL MANAGER OFFICE MANAGER CUSTOMER SERVICE SALES SALES **F**ABRICATION GENERAL MAILBOX

Joe Peschman DIANE MARTIN RYAN PESCHMAN JAKE PARRY CHUCK PASCH MARK GRANT

JOE@ACTIVEFOAM.COM DIANE@ACTIVEFOAM.COM RYAN@ACTIVEFOAM.COM JACOB. PARRY@ACTIVEFOAM.COM CHUCK@ACTIVEFOAM.COM MARK@ACTIVEFOAM.COM MILWAUKEE@ACTIVEFOAM.COM

ACTIVE FOAM PRODUCTS, INC. 6210 W. Douglas Ave MILWAUKEE, WI 53218 Toll Free: 800-347-3603

PHONE: 414-462-9220 Fax: 414-462-9222

WEB SITE: WWW.ACTIVEFOAM.COM



JOE PESCHMAN **General Manager**



DIANE MARTIN Office Manager



JACOB PARRY **Account Manager**



RYAN PESCHMAN **Customer Service**



TOM ZEUGNER Warehouse Service



DAN SELLHAUSEN Warehouse Service



MARK GRANT **Fabricating Manager**




CHUCK PASCH Account Manager

- Travel east on Silverspring Drive approximately 5 miles then make a left onto 64th Street.
- Turn right onto Douglas Avenue and we are the third building on your left.

Directions from I-43

- Travel west on Silverspring Drive approximately 4 miles then make a right on 60th Street.
 Turn left onto Douglas Avenue and we are the third building on your right.







EASTPOINTE KEY CONTACTS

OFFICE MANAGER
CUSTOMER SERVICE
PLANT MANAGER
ACCOUNT MANAGER
GENERAL MAILBOX

LYNN FULTON
TRISHA COLZIN
CHRIS KARCZEWSKI
MARC KEAST

LYNN@ActiveFoam.com
Trisha@ActiveFoam.com
Chris@ActiveFoam.com
Marc@ActiveFoam.com
Eastpointe@ActiveFoam.com

ACTIVE FOAM PRODUCTS, INC. 17630 EAST 10 MILE RD EASTPOINTE, MI 48021 TOLL FREE: 866-316-4567

PHONE: 586-778-5400 FAX: 586-778-5415 WEB SITE: WWW.ACTIVEFOAM.COM



LYNN FULTON
Office Manager



CHRIS KARCZEWSKI
Operations Manager



Marc Keast Account Manager



Trisha Colzin
Customer Service

FROM I-94:

- Take the 10 Mile Rd exit (Exit 228).
- Travel west on 10 Mile Road. We are 1.2 Miles from I-94.
 (.6 Miles West of Kelly) on the South side of the street.

Walter P Reuther Fwy 11 Mile Road 94 10 Mile Road 9 Mile Road

FROM I-696:

- Take the Gratiot Avenue exit (Exit 27).
- Take Gratiot Avenue South 1 mile to 10 Mile Road.
- Go east on 10 Mile Road for ½ mile.
 We are on the south side of the street.







NORTH LIMA KEY CONTACTS

GENERAL MANAGER ACCOUNT MANAGER GENERAL MAILBOX DIANNE BERDINE
GEOFF EVANS

DIANNE.BERDINE@ACTIVEFOAM.COM GEOFF.EVANS@ACTIVEFOAM.COM NORTHLIMA@ACTIVEFOAM.COM ACTIVE FOAM PRODUCTS, INC. 12037 SOUTH AVE NORTH LIMA, OH, 44514 TOLL FREE: 800-788-6096

PHONE: 330-629-9454
FAX: 330-629-9455
WEB SITE: WWW.ACTIVEFOAM.COM



DIANNE BERDINE General Manager




GEOFF EVANS
Account Manager

Via I-80: Take I-80 East to I-680 South. Take Exit 14, Western Reserve Road towards OH-164. Turn left onto E Western Reserve Road. Immediately turn right onto OH-164/South Avenue. Active Foam is 4 miles down on the left hand side. The building is immediately after the intersection of OH-164 and OH-165.

Via I-76: Take I-76 via the Pennsylvania Turnpike, merge onto Market Street/OH-7 via Exit 232. Continue on OH-7 S to OH-164 S. Turn slight right onto South Avenue/OH-164 S. Active Foam is 1 miles down on the left hand side. The building is immediately after the intersection of OH-164 and OH-165

Via Route 11: Take OH-11 N to OH-344 E toward Leetonia/Columbiana. Turn right onto OH-344 E, at the traffic circle take the 3rd exit onto N Main Street. Take a slight right to stay on N Main Street. Continue onto OH-164 N/South Avenue. Active Foam is 3 miles down on the right, immediately before the intersection of OH-164 and OH-165.









FOAM GUIDE & REFERENCE TABLES

CONVENTIONAL FOAMS								
QUALITY ECONOMY	1200 1200 1200 1200	10 20 35	FOAM NUMBER SUPER SOFT SOFT MEDIUM	COLOR CV1210 CV1220 CV1235	WHITE WHITE WHITE			
ECONOMY PLUS	1500	50	FIRM	CV1550	WHITE			
GOOD	1800 1800 1800 1800 1800 1800 1800 20100	18 25 30 35 45 65 90	VERY SOFT SOFT MEDIUM SOFT MEDIUM FIRM EXTRA FIRM EXTRA HARD SUPER FIRM	CV1818 CV1825 CV1830 CV1835 CV1845 CV1865 CV1890 CV20100	WHITE WHITE WHITE WHITE WHITE WHITE CHARCOAL WHITE			
BETTER	2200 2200 2200	35 40 45	MEDIUM MEDIUM FIRM FIRM	CV2235 CV2240 CV2245	LIGHT BLUE LIGHT BLUE LIGHT BLUE			
BETTER PLUS	2500 2600 2600 2600 2500	35 50 65 80 140	MEDIUM FIRM EXTRA FIRM EXTRA HARD SUPER HARD	CV2535 CV2650 CV2665 CV2680 CV25140	WHITE WHITE WHITE WHITE LIGHT BLUE			
BEST	2800 2800 2800 2800 4400 4000	35 45 60 80 125 155	MEDIUM FIRM EXTRA FIRM EXTRA HARD SUPER HARD SUPER HARD	CV2835 CV2845 CV2860 CV2880 CV44125 CV40155	WHITE WHITE WHITE WHITE GREEN LT GREEN			
		REST-E	ASY "HR" FO	AMS				
QUALITY BEST BEST BEST BEST	2400 2700 3000 3000 3100	20 27 50 70 33	FOAM NUMBER SOFT MEDIUM SOFT FIRM FIRM MEDIUM	COLOR HR2420 HR2727 HR3050 HR3070 HR3133	WHITE WHITE YELLOW YELLOW WHITE			
		ULTRA	CEL "HR" FOA	MS				
QUALITY	SERIES	FIRMNESS	FOAM NUMBER	COLOR				
BETTER	1800 1800 1800	10 20 30	SUPER SOFT SOFT MEDIUM SOFT	HR1810 HR1820 HR1830	YELLOW YELLOW YELLOW			
BETTER-PLUS	2500 2500 2500	27 30 45	MEDIUM SOFT MEDIUM FIRM	HR2527 HR2530 HR2545	WHITE YELLOW YELLOW			
		SPECIAL	TY FOAMS FO	AMS				
QUALITY	SERIES	FIRMNESS	FOAM NUMBER	COLOR				
DRY-FAST FLOTATION LATEX/PINCORE	4000 4000 4500	25 35 45 60 99 25 35 45	SOFT MEDIUM FIRM EXTRA FIRM EXTRA HARD SOFT MEDIUM FIRM	DF4025 DF4035 DF4045 DF4060 FL4099 PC4525 PC4535 PC4545	NATURAL NATURAL NATURAL NATURAL NATURAL LIGHT CREAM LIGHT CREAM LIGHT CREAM			
BONDED PREMIERE BONDED	5000 5000 5000 5000 5100 5100 5100	05 06 07 10 06 08 09	FIRM EXTRA FIRM EXTRA FIRM SUPER HARD EXTRA FIRM SUPER HARD SUPER HARD	BF5005 BF5006 BF5007 BF5010 BF5106 BF5108 BF5109	MULTI MULTI MULTI MULTI MULTI MULTI MULTI			

VOLARA NEOPRENE NEOPRENE

MEDIUM

VL5610 NP5620 NP5630

NP5635

WHITE BLACK

PINK

ACTIVE GUIDES

Active Foam Products "Foam Guide" explains how to identify the different foams, and how this information willhelp you.

The two basic characteristics of a foam are its quality, and its firmness.
There are 4 numbers shown. The first two numbers represent the density and quality; the second two numbers represent the firmness. This allows you to custom fit the combination of your choice.

FURNITURE FIRMNESS SCALE

SUPER SOFT	10
	15
SOFT	20
	25
MEDIUM SOFT	30
MEDIUM	35
MEDIUM FIRM	40
	45
FIRM	50
	55
EXTRA FIRM	60
	65
	70
EXTRA HARD	75
	80
	85
SUPER HARD	90
	95
X-SUPER HARD	100

MATTRESS FIRMNESS SCALE

SUPER SOFT	10
	15
	20
MEDIUM SOFT	25
MEDIUM	30
FIRM	35
	40
EXTRA FIRM	45
	50
SUPER FIRM	55
	60
	65
	70
A D	75
	80
	85
2026	90
FIRMNESS	95
FIRMING	100

QUALITY SCALE

RATING SC	1 2	The more urethane foam contains, the better the foam performs.
UTILITY	3	WHEN QUALITY
OK	4	INCREASES YOU GAIN:
	5	Quality feel
GOOD	6	 Comfort and springiness
	7	Bouncy support
BETTER	8	Longevity of firmnessLongevity of shape
	9	Longevity of support
BEST	10	 Satisfied customers

AUTOMOTIVE

FAR

200

125 125

35

5600

9600

9600 9600



FOAM GUIDE & REFERENCE TABLES

FIRMNESS CROSS REFERENCE CHART													
	1200	1500	1800	2000	2200	2600	2800	U-HR	R-HR	4000	4500	5000	5100
SUPER SOFT	1210							1810		4010			
VERY SOFT			1818										
SOFT	1220		1825					1820	2420	4025	4525		
MED-SOFT			1830					1830					
MED-SOFT								2527	2727				
MEDIUM	1235		1835		2235	2535	2835	2530	3133	4035	4535		
MED-FIRM					2240								
FIRM		1550	1845		2245	2650	2845	2545	3050	4045	4545		
FIRM			1855										
EXTRA FIRM			1865			2665	2860			4060			5106
EXTRA HARD			1890				2880		3070			5007	5108
SUPER HARD				20100		25140	44125						5109
SUPER HARD							40155			4099		5010	

′	ALL FOAM		Y WITH CALIF CertiPUR-US	ORNIA TB #1	17-2013
	CV1210	CV1865	CV25140	HR1830	HR3070
	CV1220	CV1880	CV2535	HR2527	VE4010
	CV1235	CV1890	CV2650	HR2530	DF4025
	CV1550	CV20100	CV2665	HR2545	DF4035
	CV1818	CV2235	CV2835	HR2420	DF4045
	CV1820	CV2240	CV2845	HR2727	DF4060
	CV1830	CV2245	CV2860	HR2850	CV40155
	CV 1835	CV2535	CV2880	HR2870	CV44125
	CV1845	CV2650	HR1810	HR3133	
	CV1855	CV2665	HR1820	HR3050	
١.					

ALL COMPLY WITH CALIFORNIA TB #117-2013, MVSS-302, CertiPUR-US

> HR2727 HR2735 HR2745 HR3050 HR3070

WARNING! FOAM BURNS

Urethane foam is an excellent and versatile cushioning product. As with many products, however, you need to be aware of potential dangers associated with foam. Incorrect storage or handling of urethane foam may result in fire. For that reason we recommend that you discuss appropriate storage and handling methods with your fire insurance underwriters. We encourage you to provide appropriate warnings regarding urethane foam to your customers, the ultimate user of your product and your employees. Your legal department should review any warnings you provide.

In addition to our conventional foam product, Active Foam Products sells a broad line of combustible modified foams which can pass the following test*.

California Technical Bulletin 117-2000
California Technical Bulletin 117-2013
California Technical Bulletin 133
F.A.A. Seat Cushion Requirements-Airworthiness Standards, Section 25.853(a)

Boston Fire Department Seating Test British Standard 5852:Part 2:Crib 5 UFAC Current Standards as of 9-81 IMO A.652(16)-Smoldering Cigarette & Butane Flame Port Authority of NY and NJ Padding and Cushioning ASTM E-162-79-1" MVSS-302 NFPA 260 ASTM D-3675-1" UL-94 (Meets 94HF1)

THESE TESTS WERE PERFORMED UNDER CONTROLLED LABORATORY CONDITIONS AND MEET SPECIFIC TEST REQUIREMENTS. THESE TESTS ARE NOT INTENDED TO REFLECT THE PERFORMANCE OF THIS COMPONENT PRODUCT OR ANY OTHER MATERIAL UNDER ACTUAL FIRE CONDITIONS. THE USE OF THIS COMPONENT PRODUCT IN A FINISHED PRODUCT DOES NOT MEAN THAT THE FINISHED PRODUCT WOULD NECESSARILY MEET THE TEST REQUIREMENTS AND DOES NOT MEAN THAT THE FINISHED PRODUCT WILL NOT BURN. DUE TO THE GREAT NUMBER AND VARIETY OF APPLICATIONS FOR WHICH THIS PRODUCT IS PURCHASED, WE DO NOT RECOMMEND SPECIFIC APPLICATIONS OR PRODUCT DESIGNS OR ASSUME RESPONSIBILITY FOR USE RESULTS OBTAINED OR SUITABILITY FOR SPECIFIC APPLICATIONS.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE



THE RIGHT FOAM IS A QUESTION AWAY

Every year we fabricate foam for hundreds of varied applications. Getting the right foam for your application & budget is very important to your success in making your customers happy with your work. Our experience from over 6Z0 years of fabricating can make your job a great deal easier and more effective.

These are some of the most frequently asked questions about your non day-to-day foam applications. Listed below are just a few suggestions. The suggestions are certainly not all that can be used, but a good point to start. For some applications there is absolutely one foam that is "the foam" to use. For other applications there are several good interchangeable suggestions and your budget will likely define your choice.

Many unique applications may require our experience to suggest the best choices because of our technical understanding of the many foams we fabricate. Call us for our technical expertise and vast experience.

Additionally, we stock more foams that are not listed in the catalog. Because we fabricate foam for many non-furniture industries, we don't list those that don't have relevance to the furniture, automotive, and marine markets in this catalog. So if you have a unique application outside these markets, there is still a great chance that we can help you in those areas as well.

Give us a call. We're here to help you with your everyday foam needs and those unique applications.

FOAM APPLICATION SUGGESTIONS



MOTORCYCLE SEATS

HR3070, CV44125, BF5010



GYM & KARATE MATS

FL4099, 5010 10lb Bonded,



2" WINDOW SEATS

CV1845, CV2245, HR2545, CV2845, CV2650, CV2665, CV2860, CV2880



FRONT RAIL WEDGE

BF5010 10lb Bonded



THERAPY TABLES

BF5007, BF5010, BF5106, BF5108, HR3050, HR3070



TRUCK DOCK SEALS

CV1235, CV1550



INSULATION INSERT

PE5720 PE Wrap, CV1235



SPA COVERS

PE5517, PE5520, CV1890



OTTOMANS

CV1865, CV2665, CV2860, CV2880, HR3050, HR3070



CHURCH PEWS

CV1845, CV2245, HR2545, CV2650, CV2665, CV2845, CV2860, CV2880

CHURCH KNEELERS

5010 10lb Bonded



CAMPER SLEEPERS

CV1835, CV2235, CV2240, CV2535, HR2530



DOWN CUSHION W/CORE

HR1810, CV1818, HR1820, HR2420, HR2527



WHEELCHAIR PADS

CONFOR FOAMS, FL4099, VE4010, VG6810



Bar Rails

BF5108, BF5109, BF5010, CV2860, CV2880, HR3050, HR3070



Ball-Park Walls & Fences

CV1550, CV1865, CV1890, PE5517, PE5520



SOUND PANELS

PS5420 Flat, PS5422 Convoluted



Truck Seat Toppers

CV2245, HR2545, CV2650, CV2665, CV2845, CV2860, CV2880, HR3050, HR3070



FOAM "ID BADGE" EXPLANATION

FOAM IDENTIFICATION

BADGE

20 25 30 35 45 50

SOFT MEDIUM FIRM

OK GOOD

ळ

2535

WHITE

FIRMNESS

It is in terms of "IFD" or "ILD" which stands for Indention Load Deflection. Basically it measures how much weight it takes to compress foam a certain amount. The "Firmness" or "Compression" of a foam normally ranges between 10 to 100. The higher the number the firmer the foam. The scale on the "Foam ID" should help you understand the number system.normally measured

FOAM NUMBER

This is a four digit I.D. number that every foam has. For all conventional and HR foams the code represents the foam's density & firmness. The first two numbers represent its density. The second two numbers represents its firmness.

FOAM TYPE

Since most of the foams we fabricate are some type of a urethane foam manufactured for furniture, we have differentiated them into their major distinctions. Understanding their differences can help you tremendously in clarifying and choosing the right foam for your job.

FOAM COLOR

Many furniture grade foams are Color Coded for easy site recognition. Several formulas are run in two different colors because of differing requirements. So please be aware that the listed color is not a guarantee. If it is vital for your application, please let us confirm the current color stock.

QUALITY RATING

This is an overall rating of the foam's qualities in relationship to its performance & durability. There are many characteristics of a foam. The list of all the variables and characteristics are far too long, and are best left to the chemists who formulate the foams. In the end, it is the foam's overall performance that matters most to you. Therefore we have synthesized an overall rating that is indicative of the foams quality to assist you in visually comparing different foams.

FIRE RETARDENT FOAMS

All foams will burn. The important matter is how slow it will burn & smoke. There are over 200 different codes in a most fractured and varied system. However, there are really only a few codes that in practice get tested for and used. When you have an application that requires a fire retardent foam, there must be a code that is being requested for the foam or the piece of furniture to meet. There is no such such thing as Fire Retardent Foam unless you have a specific code. The codes we have listed: 117-13 = California TB 117-2013, 302 = Motor Vehicle Safety Standard 302 (MVSS 302), 133 = California TB 133 (*it is not a foam code, but a full scale burn test of a piece of furniture), FAR = Federal Aviation Regulations (* there are many), and Other = the many other that specifiers will reauest.

DENSITY

The weight of a cubic foot of foam. Although there are many other factors, Density is considered to be the most important indicator of overall foam quality. High density polyurethane is less likely to "bottom out", fatigue, or dish. There are exceptions, but as rule of thumb, the higher the density within a given type of foam, the better the quality. The Heavier, the Better.

SUPPORT

F.R. 117-13

S.F. 2.2

DEN

2007 ACTIVE FOAM

The ratio of a foam's firmness when it is 65% compressed, to when it is 25% compressed. In English, it is a number that represents how fast a foam gets firmer as you compress it. The higher the number, the greater the difference between the surface firmness and the deep-down support. Initially, two foams may feel the same on compressing them from 4" down to 3", but may feel different when fully compressed down to 1.5". All foams get firmer the more they are compressed. Some foams get firmer faster. The higher the number, the firmer it will get. The range is mainly between 1.8 times it original firmness to 2.5 times its original firmness. Understanding what a Support Factor represents, can help in understanding why some foams work better in certain applications than others. Higher Support Factors allow desirable surface softness and firm inner support.

PREFIXES

- **Bonded Foams**
- **Confor Foams**
- CV Conventional Foams
- Combustion Modified meeting more stringent standards.
- DF Dry Fast Foams
- Expanded Polystyrene(Styro Foam) FΡ
- FΙ Flotation Foam
- FR Fire Retardant to MVSS-302
- **High Comfort Foams** HC HR High Resilient Foams
- NΡ Neoprene Foams
- PC Pincore - Latex
- Visco-Elastic Foam
- VL Volara Cross Link Foam
- Cross Link Foams





FOAMS THAT FEEL GOOD AND YOU CAN FEEL GOOD ABOUT

CERTIPUR-US® CERTIFIED FOAMS COME WITH COMFORT AND CONFIDENCE

If you are part of the growing movement of consumers who want to know all you can about the items you buy for yourself, your family and your home, you'll take comfort in knowing that home furnishings carrying the CertiPUR-US® seal contain flexible polyurethane foam cushioning products that have been tested and certified by independent laboratories.

CertiPUR-US® is like having a health check-up for foam. The foam is examined and put through a series of scientific tests to be sure it meets the strict voluntary standards of the CertiPUR-US® program. The tests evaluate foam content and important durability factors.

The CertiPUR-US® program is administered by a not-for-profit organization and is the most rigorous and comprehensive certification for polyurethane foam.

ABOUT CERTIPUR-US®

The CertiPUR-US® program is a voluntary testing, analysis and certification program for flexible polyurethane foam used as a cushioning material in home furnishings such as adult mattresses, crib mattresses, upholstered furniture and some accessory comfort products. Certified flexible polyurethane foams have been independently laboratory tested and certified to be:

- Made without ozone depleters
- Made without PBDE flame retardants
- Made without mercury, lead and other heavy metals
- Made without formaldehyde
- Made without phthalates regulated by the Consumer Product Safety Commission
- Low VOC (Volatile Organic Compound) emissions for indoor air quality (less than 0.5 parts per million)
- Tested and approved for durability and performance.

The CertiPUR-US® program is administered by a not-for-profit organization and is the most rigorous and comprehensive certification for polyurethane foam.

WHY IS CERTIFICATION IMPORTANT?

Responsible foam suppliers here in the U.S. were concerned that there was no way for consumers to know what was inside foam products used in bedding and upholstered furniture.

Today, U.S. and foreign foam suppliers may participate in the program, as long as they meet the rigorous certification GUIDELINES.







Be sure about the foam in your home.

Learn more in this :90 video

Based on Good Science and Developed in Cooperation with Environmentalists

The certification process was developed by the foam industry in close collaboration with leading environmentalists, chemists, accredited laboratory research scientists and bedding and furniture industry leaders. CertiPUR-US® emissions and analysis methods are compatible with other standards such as Eco-label (EU), LGA (Germany), OkoTex 100 (Class IV Mattress) EUI, Blue Angel (Netherlands), IKEA, AQS Greenlabel and BIFMA criteria.

TRANSPARENCY

The technical guidelines and testing requirements for the CertiPUR-US® program are "living" documents, allowing for transparent revisions based on relevant scientific findings and new health, environmental and safety regulations. The CertiPUR-US® certification is based on the established U.S. Voluntary Physical Performance and Environmental Guidelines for Prime Flexible Polyurethane Foam for Use in Furniture and Bedding (PDF). The Guidelines set baseline criteria for product physical performance, component analysis, and product emissions evaluation and were developed to meet or exceed guidelines established by the CertiPUR®* program and REACH, a European system of regulation for chemicals and their safe use that deals with registration, evaluation, authorization and restriction of chemical substances.

* CertiPUR-US® is adapted from, and closely aligned with, the European CertiPUR program, developed in 2002 by EUROPUR, the association of European flexible polyurethane foam block manufacturers. One key difference is that the CertiPUR-US® program includes physical performance standards that help quantify durability, consistency, and comfort.

PRODUCT VERIFICATION AND USE OF THE SEAL

We have an aggressive program in place to monitor the use of the CertiPUR-US® mark and to conduct random samples of certified products for verification purposes. The integrity of the program and its value to participating companies will be enhanced through vigilant protection. We emphasize transparency so that we continue to earn consumers' confidence.



CertiPUR-US® is a program of the Alliance for Flexible Polyurethane Foam, an organization formed in 1995 and incorporated in 2008. In addition to administering the CertiPUR-US® certification program, the mission of AFPF to educate consumers as well as the industry about the benefits of flexible polyurethane foam.

Foam adds comfort to our homes.

CertiPUR-US® is a registered certification mark of Alliance for Flexible Polyurethane Foam,


For more complete information, visit the CertiPUR-US® webisite: http://ceritpur.us/pages







FOAM FABRICATING











THE FOAMING PROCESS

DIAGRAM I

This is a foam pouring line. The chemicals are pumped from the "Tank Farm" through a mixing head into a trough which dispenses the foam batter onto the conveyor. This process is controlled by sophisticated computers that take into account many variables. Each foam type has its own recipe. The foam batter is initially one inch thick and rises up to 40 inches after traveling about 30 feet down the line, in a time of about 3 minutes. The height and the speed of all the processes depend on the formula being poured.

DIAGRAM II

"Long-Bun". The foam moves down the conveyor belt in one long continuous bun, until a blade cuts it and separates it from the ongoing foam that is being produced. This is what is known as a "Long-Bun". "Long Buns" are typically 200 feet long, and can run up to 300 feet in length. A large crane then lifts this tremendous piece of foam and stacks it on other "Long Buns" to cure for 24 hours. The temperature of the foam during the curing process rises up tp 350 degress. The "Mill's" focus is on the manufacturing of "Long Buns" and the distribution of them in the form of "Buns".

DIAGRAM III

Active Foam (a fabricator) will then give the "Mill" instructions to specific "Bun" sizes of each particular foam type. The "Pour Width" typically becomes the "Bun Length", or your "Sheet Length". On popular foams Active Foam typically orders an entire "Long Bun". On slower moving foams and specialty foams Active Foam might order a half of a "Long Bun", or just a "Bun" or two.

DIAGRAM IV


"Bun Stock". "Buns" are the form in which a fabricator purchases and stocks. Active Foam carries various sizes to accomodate the sheet sizes and cut parts to keep the waste down. Having the correct "Bun" size is crucial to getting a good yield, which means keeping costs and the scrap pile down.

DIAGRAM V

This diagram shows how our "Cutter" goes about planning and cutting "Sheet" sizes from the various widths of "Bun Stock". Active Foam cuts up Bun Stock in what are called "Half Buns". The "Half Buns" are cut to the widths of standard sheets. This allows for a quick shipping time even when fabricating foam to order. Yes, Active Foam can cut to any specified incremental thicknesses. Active Foam's price list shows prices only in one inch increments, although sheets can be cut to 1/8" increments.

DIAGRAM VI

This demonstrates how our "Cutter" goes about setting up and cutting your pattern pieces. First, a "Bun Cut" is made that will yield all or part of your pieces. Secondly, the "Bun Cut" is blocked to best fit the pattern. Thirdly, the patterns are traced. Fourthly, the "Blocks" are cut to the pattern on the "Vertical Cutter". Lastly, the patterned pieces then get sent to the "Horizontal Slitter" to be sliced up like bread to get them down to your specified thickness.





FOAM GLOSSARY

AIR FLOW The Air Flow test measures the ease with which air passes through a foam. It is also an

excellent measure of the overall efficiency with which the foam was produced.

BALL REBOUND A laboratory test used to measure surface resiliency. A steel ball is dropped from a fixed height

and the percentage of Ball Rebound determines the resilience value (See Resiliency).

BOARDY An undesirable stiff surface feel found in some foams with high 25% IFD values (See Hand).

Lack of support under full weight load. This characteristic is often found in low-density foam. **BOTTOM OUT** The problem can be reduced by increasing density to achieve an adequate Support Factor.

BREATHABILITY (See Air Flow)

COMFORT FACTOR (See Support Factor)

COMPRESSION **MODULUS**

(See Support Factor)

Foam with poor Compression Set may quickly exhibit an undesirable appearance often described as "taking a set." In a cushion, mattress core, or with innerspring mattress padding, **COMPRESSION SET**

the result is noticeable as a permanent surface depression which may eventually affect upholstery cover fit. Foam cushioning is tested for Compression Set in the lab by compressing a foam sample down to 90% of its thickness and holding it in that compressed position at

above average temperature for 22 hours.

A foam fabrication process involving the use of special cutting equipment to produce a foam CONVOLUTED

sheet with "egg carton" dimples. The base under the dimples can be varied in thickness. Peaks can be produced form 1/2" to over 4" in height. A convoluted topper pad can be laminated to a

cushion or mattress core for added surface softness and retail sales appeal.

DENSITY The weight of a cubic foot of foam. Density is independent from firmness. Although foam

production conditions can adversely affect the grade of flexible polyurethane, Density is considered to be the most important indicator of overall foam quality. High density polyurethane is less likely to "bottom out", "fatigue" or "dish". Higher Density virgin foam cores can be designed to provide plush surface softness without sacrificing deep-down support.

DISH An undesirable characteristic that sometimes occurs when weight is placed in the center of a foam mattress and the corners rise and bow in response to the deep compression. This

hammock-effect can cause bed covers to pull loose. Dish can be minimized by specifying cores

with higher density.

FATIGUE (FLEX A softening or loss of firmness. A condition which often causes complaints with upholstered FATIGUE)

furniture, and with some foam mattresses. Fatigue can be measured in the laboratory by

repeatedly compressing a foam sample and measuring the change in IFD.

The addition of heavy, inert materials such as marble dust or clay, to increase the density. The additional filler weight can reduce the "dish" effect. Many fillers also increase the Support **FILLED FOAM**

Factor. Filled polyurethane foam may be inappropriate for some applications, if the polymer content of the filled foam is not sufficient for the intended application before fillers are added. Filled foams with low polymer content or a high percentage of filler material tend to have less

resiliency, strength and durability.

FINGER NAIL Occurs when a foam core has been improperly produced. Finger Nail can be tested by pressing

a finger nail into a foam sample. A definite impression that does not quickly recover indicates

the foam will be boardy and have a stiff surface feel.

HAND Is the feel of the foam as the hand is rubbed lightly over the surface. If the foam has a stiff or

hard feel to the touch, it is described as having a poor Hand. Foam with a good Hand has a

springy, velvet feel which is appealing to customers.



FOAM GLOSSARY

HARDNESS RATIO (See Support Factor)

HIGH RESILIENCE (HR) A premium variety of polyurethane foam produced using a blend of polymer or graft polyols.

High Resilience foam has a cell structure different from conventional products. The different cell structure helps add support, comfort and durability. High Resilience foams have a high Support Factor which describes the relationship of surface comfort to deep-down support. High Resilience foam is primarily sold at high density levels. HR foam is considered to be a very high quality

material for use in upholstered furniture and mattresses.

HYSTERESIS The ability of foam to maintain original support characteristics after flexing. Hysteresis is the

percent of 25% IFD loss measured as a compression tester returns to the normal (25% IFD) position after measuring 65% compression. Higher Hysteresis values, or less IFD loss, are desirable. Current research indicates that Hysteresis values may provide a good indication of overall flexible foam

durability.

IFD INDENTATIONIs a measure of load bearing capacity or firmness. IFD is measured on the surface as 25% IFD, FORCE DEFLECTION and under full load bearing conditions as 65% IFD. For example, to determine 25% IFD, a four-

and under full load bearing conditions as 65% IFD. For example, to determine 25% IFD, a four-inch thick foam sample is compressed to three-inch thickness. The number of pounds required to achieve compression is the 25% IFD value. The 65% IFD reading is obtained in the same way at deeper compression (65% of the sample thickness). The higher the 25% IFD, the firmer the surface feel. Foams with higher 65% IFD values resist bottoming-out and provide a firm ride in

cushioning. Ideal IFD specifications will depend upon the application.

ILD INDENTATION LOAD DEFLECTION

(See IFD)

LAMINATION A fabrication process which bonds one foam variety to another using durable adhesives. Lamination

can be used to combine foam slabs with differing firmnesses and densities to obtain desired

combinations of comfort and support.

LATEX A natural foam rubber product which is not related to polyurethane foam.

LOADED (See Filled Foam)

MOLDED FOAM Chemicals are poured into a mold to form a cushion or mattress core with unique surface contours.

The molding process does not greatly affect the performance of the foam, but can help to visually

enhance a product line.

POLYMERIC (See High Resilience)

REINFORCED (See Filled Foam)

RESILIENCY Surface liveliness and spring-back ability. Measured in the lab with a Ball Rebound test. A steel

ball is dropped onto the foam sample from a fixed height. Resilience is expressed as a percentage of ball rebound against the original height of the ball drop. A boardy foam will have low Resilience.

Foam cushioning Resilience values range from 40 to 75%.

SHINERS Light reflected from intact cell walls in the foam. These are noticeable on cut surfaces of foam.

Too many Shiners indicate a foam that has too many closed cells and therefore would have a poor

Air Flow value. They result from too much catalyst during the foam production.

SUPPORT FACTOR

The ratio of 65% IFD divided by 25% IFD. The higher the number, the greater the difference

between the surface firmness and the deep-down support. Support Factor is the best means of measuring comfort for comparison purposes. Higher Support Factors allow desirable surface

softness and firm inner support.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE





As a Fabricator of over 60 Foams, we know that foam is not just foam. It is our goal to carry Good & Consistant Foams at each Quality Range.

© 2007 ACTIVE FOAM



10 25 SOFT 30 35 45 50 F.R. 117-13 **FIRMNESS** DEN 1220 QUALITY © 2007 ACTIVE FO.

FOUR LEVEL PRICING

C Α B D 48" 24" 12"

Pricing on foam is 4"based on the quantity purchased. The first level, "A PRICING", is on purchases less than 12" of total height. To reach the second pricing level, "B PRICING, a total of 12" must be purchased of a single foam type. An example: 2 sheets of #2235 4"x24"x82" & 2 sheets of #2235 2"x30"x82" would equal 12"s. If the order was doubled, the total height would be 24' reaching the third level, "C PRICING". Level four, "D PRICING" is the top pricing level that can be reached on a total height of 48".

For Thickness not listed here, Pricing is proportionally based and Volume Discounts apply. Upcharge may apply to thicknesses less than one inch.

427.00

379.80

353.50

CV	1210	SUP	PER S	OFT

C١	V 1	2	20	S	O	FΤ	

		24" x 8	2"				24" x 82	2"	
SIZES	Α	В	c	D	SIZES	Α	В	c	D
1"	24.40	21.70	20.20	19.40	1"	24.40	21.70	20.20	19.40
11/2"	36.60	32.60	30.30	29.10	11/2"	36.60	32.60	30.30	29.10
2"	48.80	43.40	40.40	38.80	2"	48.80	43.40	40.40	38.80
21/2"	61.00	54.30	50.50	48.50	21/2"	61.00	54.30	50.50	48.50
3"	73.20	65.10	60.60	58.20	3"	73.20	65.10	60.60	58.20
31/2"	85.40	76.00	70.70	67.90	31/2"	85.40	76.00	70.70	67.90
4"	97.60	86.80	80.80	77.60	4"	97.60	86.80	80.80	77.60
41/2"	109.80	97.70	90.90	87.30	41/2"	109.80	97.70	90.90	87.30
5"	122.00	108.50	101.00	97.00	5"	122.00	108.50	101.00	97.00
51/2"	134.20	119.40	111.10	106.70	51/2"	134.20	119.40	111.10	106.70
6"	146.40	130.20	121.20	116.40	6"	146.40	130.20	121.20	116.40
7"	170.80	151.90	141.40	135.80	7"	170.80	151.90	141.40	135.80
		48" x 82	"				48" x 82	2"	
1"	48.80	43.40	40.40	38.80	1"	48.80	43.40	40.40	38.80
11/2"	73.20	65.10	60.60	58.20	11/2"	73.20	65.10	60.60	58.20
2"	97.60	86.80	80.80	77.60	2"	97.60	86.80	80.80	77.60
21/2"	122.00	108.50	101.00	97.00	21/2"	122.00	108.50	101.00	97.00
3"	146.40	130.20	121.20	116.40	3"	146.40	130.20	121.20	116.40
31/2"	170.80	151.90	141.40	135.80	31/2"	170.80	151.90	141.40	135.80
4"	195.20	173.60	161.60	155.20	4"	195.20	173.60	161.60	155.20
41/2"	219.60	195.30	181.80	174.60	41/2"	219.60	195.30	181.80	174.60
5"	244.00	217.00	202.00	194.00	5"	244.00	217.00	202.00	194.00
51/2"	268.40	238.70	222.20	213.40	51/2"	268.40	238.70	222.20	213.40
6"	292.80	260.40	242.40	232.80	6"	292.80	260.40	242.40	232.80
7"	341.60	303.80	282.80	271.60	7"	341.60	303.80	282.80	271.60
		60" x 82"					60" x 82	2"	
1"	61.00	54.30	50.50	48.50	1"	61.00	54.30	50.50	48.50
11/2"	91.50	81.40	75.80	72.80	11/2"	91.50	81.40	75.80	72.80
2"	122.00	108.50	101.00	97.00	2"	122.00	108.50	101.00	97.00
21/2"	152.50	135.70	126.30	121.30	21/2"	152.50	135.70	126.30	121.30
3"	183.00	162.80	151.50	145.50	3"	183.00	162.80	151.50	145.50
31/2"	213.50	189.90	176.80	169.80	31/2"	213.50	189.90	176.80	169.80
4"	244.00	217.00	202.00	194.00	4"	244.00	217.00	202.00	194.00
41/2"	274.50	244.20	227.30	218.30	41/2"	274.50	244.20	227.30	218.30
5"	305.00	271.30	252.50	242.50	5"	305.00	271.30	252.50	242.50
51/2"	335.50	298.40	277.80	266.80	51/2"	335.50	298.40	277.80	266.80
6"	366.00	325.50	303.00	291.00	6"	366.00	325.50	303.00	291.00

What are FR-Codes: Cal.#117-2013 & MVSS-302?

339.50

427.00

379.80

353.50

339.50

- Cal.#117 refers to the furniture regulation "Technical Bulletin #117-2013" of the California State Fire Marshall Bureau of Home Furnishings. It superseded TB Cal #117-2000. All Furniture in the State of California must minimally meet the criteria set forth in this regulation.
- MVSS 302 refers to the automotive regulation "Federal Motor Vehicle Safety Standard 302". It covers the flammability of interior materials of passenger cars, multipurpose passenger vehicles, trucks, and
- To determine whether you must meet either of these two regulations, you should consult those governing bodies; there are more stringent regulations that you may have to meet.







CV1235 MEDIUM

24" x 82"								
SIZES	Α	В	С	D				
1"	24.40	21.70	20.20	19.40				
11/2"	36.60	32.60	30.30	29.10				
2"	48.80	43.40	40.40	38.80				
21/2"	61.00	54.30	50.50	48.50				
3"	73.20	65.10	60.60	58.20				
31/2"	85.40	76.00	70.70	67.90				
4"	97.60	86.80	80.80	77.60				
41/2"	109.80	97.70	90.90	87.30				
5"	122.00	108.50	101.00	97.00				
51/2"	134.20	119.40	111.10	106.70				
6"	146.40	130.20	121.20	116.40				
7"	170.80	151.90	141.40	135.80				
		40" + 02	. 11					

		48" x 82	2"	
1"	48.80	43.40	40.40	38.80
11/2"	73.20	65.10	60.60	58.20
2"	97.60	86.80	80.80	77.60
21/2"	122.00	108.50	101.00	97.00
3"	146.40	130.20	121.20	116.40
31/2"	170.80	151.90	141.40	135.80
4"	195.20	173.60	161.60	155.20
41/2"	219.60	195.30	181.80	174.60
5"	244.00	217.00	202.00	194.00
5½"	268.40	238.70	222.20	213.40
6"	292.80	260.40	242.40	232.80
7"	341.60	303.80	282.80	271.60

		60" x 82	2"	
1"	61.00	54.30	50.50	48.50
11/2"	91.50	81.40	75.80	72.80
2"	122.00	108.50	101.00	97.00
21/2"	152.50	135.70	126.30	121.30
3"	183.00	162.80	151.50	145.50
31/2"	213.50	189.90	176.80	169.80
4"	244.00	217.00	202.00	194.00
41/2"	274.50	244.20	227.30	218.30
5"	305.00	271.30	252.50	242.50
51/2"	335.50	298.40	277.80	266.80
6"	366.00	325.50	303.00	291.00
7"	427.00	379.80	353.50	339.50

CV1550 FIRM

24" x 82"				
SIZES	Α	В	c	D
1"	27.10	25.00	24.00	22.10
11/2"	40.70	37.50	36.00	33.20
2"	54.20	50.00	48.00	44.20
21/2"	67.80	62.50	60.00	55.30
3"	81.30	75.00	72.00	66.30
31/2"	94.90	87.50	84.00	77.40
4"	108.40	100.00	96.00	88.40
41/2"	122.00	112.50	108.00	99.50
5"	135.50	125.00	120.00	110.50
51/2"	149.10	137.50	132.00	121.60
6"	162.60	150.00	144.00	132.60
7"	189.70	175.00	168.00	154.70

		60" x 82	2"	
1"	67.80	62.50	60.00	55.30
11/2"	101.70	93.80	90.00	82.90
2"	135.50	125.00	120.00	110.50
21/2"	169.40	156.30	150.00	138.20
3"	203.30	187.50	180.00	165.80
31/2"	237.20	218.80	210.00	193.40
4"	271.00	250.00	240.00	221.00
41/2"	304.90	281.30	270.00	248.70
5"	338.80	312.50	300.00	276.30
51/2"	372.70	343.80	330.00	303.90
6"	406.50	375.00	360.00	331.50
7"	474.30	437.50	420.00	386.80

FOAMS THAT FEEL GOOD AND YOU CAN FEEL GOOD ABOUT

- Made without ozone depleters
- Made without PBDE flame retardants
- Made without mercury, lead and other heavy metals
- Made without formaldehyde
- Made without phthalates regulated by the Consumer Product Safety Commission
- Low VOC (Volatile Organic Compounds) emissions for indoor air quality
- Tested and approved for durability and performance.
 More Information is on Pages 12-13.

For the most complete resource on CertiPUR-US® go to http://certipur.us

Can't find the Right Firmness?

Can't find the Right Feel?



Can't find the right firmness for those super thick 8" cushions?

We can help you solve the problem with a "Sandwich" construction. A core of two foams to get that right comfortable feel.

Get the right initial feel and Get the right deep down support.

URETHANE FOAM IS FLAMMABLE!

WARNING

LIRETHANE FOAM IS ELAMMARI EL

DO NOT EXPOSE URETHANE FOAMS TO OPEN FLAMES OR ANY OTHER DIRECT OR INDIRECT HIGH TEMPERATURE IGNITION SOURCES SUCH AS BURNING OPERATIONS, WELDING, BURNING CIGARETTES, SPACE HEATERS OR NAKED LIGHTS. ONCE IGNITED, URETHANE FOAMS WILL BURN RAPIDLY, RELEASING GREAT HEAT AND

CONSUMING OXYGEN AT A HIGH RATE. IN AN ENCLOSED SPACE THE RESULTING DEFICIENCY OF OXYGEN WILL PRESENT A DANGER OF SUFFOCATION TO THE OCCUPANTS. HAZARDOUS GASES RELEASED BY THE BURNING FOAM CAN LEAD TO INCAPACITATION OR BE FATAL TO HUMAN BEINGS IF INHALED IN SUFFICIENT OUANTITIES.






As a Fabricator of over 60 Foams, we know that foam is not just foam. It is our goal to carry Good & Consistant Foams at each Quality Range.

© 2007 ACTIVE FOAM

FOUR LEVEL PRICING



Pricing on.- foam is 4-based on the quantity purchased. The first level, "A PRICING", is on purchases less than 12" of total height. To reach the second pricing level, "B PRICING, a total of 12" must be purchased of a single foam type. An example: 2 sheets of #2235 4"x24"x82" & 2 sheets of #2235 2"x30"x82" would equal 12"s. If the order was doubled, the total height would be 24" reaching the third level, "C PRICING". Level four, "D PRICING" is the top pricing level that can be reached on a total height of 48".

For Thickness not listed here, Pricing is proportionally based and Volume Discounts apply. Upcharge may apply to thicknesses less than one inch.



CV1818 VERY SOFT

24" x 82"				
SIZES	Α	В	С	D
1"	28.20	25.90	24.80	23.60
11/2"	42.30	38.90	37.20	35.40
2"	56.40	51.80	49.60	47.20
21/2"	70.50	64.80	62.00	59.00
3"	84.60	77.70	74.40	70.80
31/2"	98.70	90.70	86.80	82.60
4"	112.80	103.60	99.20	94.40
41/2"	126.90	116.60	111.60	106.20
5"	141.00	129.50	124.00	118.00
51/2"	155.10	142.50	136.40	129.80
6"	169.20	155.40	148.80	141.60
7"	197.40	181.30	173.60	165.20
		48" x 82	2"	

		48" x 82	2"	
1"	56.40	51.80	49.60	47.20
11/2"	84.60	77.70	74.40	70.80
2"	112.80	103.60	99.20	94.40
21/2"	141.00	129.50	124.00	118.00
3"	169.20	155.40	148.80	141.60
31/2"	197.40	181.30	173.60	165.20
4"	225.60	207.20	198.40	188.80
41/2"	253.80	233.10	223.20	212.40
5"	282.00	259.00	248.00	236.00
51/2"	310.20	284.90	272.80	259.60
6"	338.40	310.80	297.60	283.20
7"	394.80	362.60	347.20	330.40

WARNING

URETHANE FOAM IS FLAMMABLE!

DO NOT EXPOSE URETHANE FOAMS TO OPEN FLAMES OR ANY OTHER DIRECT OR INDIRECT HIGH TEMPERATURE IGNITION SOURCES SUCH AS BURNING OPERATIONS, WELDING, BURNING CIGARETTES, SPACE HEATERS OR NAKED LIGHTS.

ONCE IGNITED, URETHANE FOAMS WILL BURN RAPIDLY, RELEASING GREAT HEAT AND CONSUMING OXYGEN AT A HIGH RATE. IN AN ENCLOSED SPACE THE RESULTING DEFICIENCY OF OXYGEN WILL PRESENT A DANGER OF SUFFOCATION TO THE OCCUPANTS. HAZARDOUS GASES RELEASED BY THE BURNING FOAM CAN LEAD TO INCAPACITATION OR BE FATAL TO HUMAN BEINGS IF INHALED IN SUFFICIENT QUANTITIES.



CV1825 SOFT

		24" x 82"				
SIZES	Α	В	С	D		
1"	28.20	25.90	24.80	23.60		
11/2"	42.30	38.90	37.20	35.40		
2"	56.40	51.80	49.60	47.20		
21/2"	70.50	64.80	62.00	59.00		
3"	84.60	77.70	74.40	70.80		
31/2"	98.70	90.70	86.80	82.60		
4"	112.80	103.60	99.20	94.40		
41/2"	126.90	116.60	111.60	106.20		
5"	141.00	129.50	124.00	118.00		
51/2"	155.10	142.50	136.40	129.80		
6"	169.20	155.40	148.80	141.60		
7"	197.40	181.30	173.60	165.20		

		30" x 82	2"	
1"	35.30	32.40	31.00	29.50
11/2"	52.90	48.60	46.50	44.30
2"	70.50	64.80	62.00	59.00
21/2"	88.20	81.00	77.50	73.80
3"	105.80	97.20	93.00	88.50
31/2"	123.40	113.40	108.50	103.30
4"	141.00	129.50	124.00	118.00
41/2"	158.70	145.70	139.50	132.80
5"	176.30	161.90	155.00	147.50
51/2"	193.90	178.10	170.50	162.30
6"	211.50	194.30	186.00	177.00
7"	246.80	226.70	217.00	206.50


		48" x 82	2"	
1"	56.40	51.80	49.60	47.20
11/2"	84.60	77.70	74.40	70.80
2"	112.80	103.60	99.20	94.40
21/2"	141.00	129.50	124.00	118.00
3"	169.20	155.40	148.80	141.60
31/2"	197.40	181.30	173.60	165.20
4"	225.60	207.20	198.40	188.80
41/2"	253.80	233.10	223.20	212.40
5"	282.00	259.00	248.00	236.00
51/2"	310.20	284.90	272.80	259.60
6"	338.40	310.80	297.60	283.20
7"	394.80	362.60	347.20	330.40

60" x 82"				
1"	70.50	64.80	62.00	59.00
11/2"	105.80	97.20	93.00	88.50
2"	141.00	129.50	124.00	118.00
21/2"	176.30	161.90	155.00	147.50
3"	211.50	194.30	186.00	177.00
31/2"	246.80	226.70	217.00	206.50
4"	282.00	259.00	248.00	236.00
41/2"	317.30	291.40	279.00	265.50
5"	352.50	323.80	310.00	295.00
51/2"	387.80	356.20	341.00	324.50
6"	423.00	388.50	372.00	354.00
7"	493.50	453.30	434.00	413.00



TIRMNESS DEN 1835 WHITE OK GOOD BETTER 0 25 30 35 45 50 60 FIRMNESS OK GOOD BETTER 0 2007 ACTIVE FOAM

ACTIVE FOAM PRODUCTS, INC.



CV1830 MED-SOFT

24" x 82"				
SIZES	Α	В	С	D
1"	28.20	25.90	24.80	23.60
11/2"	42.30	38.90	37.20	35.40
2"	56.40	51.80	49.60	47.20
21/2"	70.50	64.80	62.00	59.00
3"	84.60	77.70	74.40	70.80
31/2"	98.70	90.70	86.80	82.60
4"	112.80	103.60	99.20	94.40
41/2"	126.90	116.60	111.60	106.20
5"	141.00	129.50	124.00	118.00
51/2"	155.10	142.50	136.40	129.80
6"	169.20	155.40	148.80	141.60
7"	197.40	181.30	173.60	165.20
		30" x 82	2"	

	127.10	101.50	175.00	105.20	
30" x 82"					
1"	35.30	32.40	31.00	29.50	
11/2"	52.90	48.60	46.50	44.30	
2"	70.50	64.80	62.00	59.00	
21/2"	88.20	81.00	77.50	73.80	
3"	105.80	97.20	93.00	88.50	
31/2"	123.40	113.40	108.50	103.30	
4"	141.00	129.50	124.00	118.00	
41/2"	158.70	145.70	139.50	132.80	
5"	176.30	161.90	155.00	147.50	
51/2"	193.90	178.10	170.50	162.30	
6"	211.50	194.30	186.00	177.00	
7"	246.80	226.70	217.00	206.50	

		60" x 82	2"	
1"	70.50	64.80	62.00	59.00
11/2"	105.80	97.20	93.00	88.50
2"	141.00	129.50	124.00	118.00
21/2"	176.30	161.90	155.00	147.50
3"	211.50	194.30	186.00	177.00
31/2"	246.80	226.70	217.00	206.50
4"	282.00	259.00	248.00	236.00
41/2"	317.30	291.40	279.00	265.50
5"	352.50	323.80	310.00	295.00
51/2"	387.80	356.20	341.00	324.50
6"	423.00	388.50	372.00	354.00
7"	493.50	453.30	434.00	413.00

We are willing to help you!

Need help with a foam for your application?

Give us a call, we are happy to assist.



CV1835 MEDIUM

		24" x 82	2"	
SIZES	Α	В	c	D
1"	28.20	25.90	24.80	23.60
11/2"	42.30	38.90	37.20	35.40
2"	56.40	51.80	49.60	47.20
21/2"	70.50	64.80	62.00	59.00
3"	84.60	77.70	74.40	70.80
31/2"	98.70	90.70	86.80	82.60
4"	112.80	103.60	99.20	94.40
41/2"	126.90	116.60	111.60	106.20
5"	141.00	129.50	124.00	118.00
51/2"	155.10	142.50	136.40	129.80
6"	169.20	155.40	148.80	141.60
7"	197.40	181.30	173.60	165.20

30" x 82"				
1"	35.30	32.40	31.00	29.50
11/2"	52.90	48.60	46.50	44.30
2"	70.50	64.80	62.00	59.00
21/2"	88.20	81.00	77.50	73.80
3"	105.80	97.20	93.00	88.50
31/2"	123.40	113.40	108.50	103.30
4"	141.00	129.50	124.00	118.00
41/2"	158.70	145.70	139.50	132.80
5"	176.30	161.90	155.00	147.50
51/2"	193.90	178.10	170.50	162.30
6"	211.50	194.30	186.00	177.00
7"	246.80	226.70	217.00	206.50
		48" x 82	2"	

		40 A 02	4	
1"	56.40	51.80	49.60	47.20
11/2"	84.60	77.70	74.40	70.80
2"	112.80	103.60	99.20	94.40
21/2"	141.00	129.50	124.00	118.00
3"	169.20	155.40	148.80	141.60
31/2"	197.40	181.30	173.60	165.20
4"	225.60	207.20	198.40	188.80
41/2"	253.80	233.10	223.20	212.40
5"	282.00	259.00	248.00	236.00
51/2"	310.20	284.90	272.80	259.60
6"	338.40	310.80	297.60	283.20
7"	394.80	362.60	347.20	330.40
		COII 01	NII	

		60" x 82	2"	
1"	70.50	64.80	62.00	59.00
11/2"	105.80	97.20	93.00	88.50
2"	141.00	129.50	124.00	118.00
21/2"	176.30	161.90	155.00	147.50
3"	211.50	194.30	186.00	177.00
31/2"	246.80	226.70	217.00	206.50
4"	282.00	259.00	248.00	236.00
41/2"	317.30	291.40	279.00	265.50
5"	352.50	323.80	310.00	295.00
51/2"	387.80	356.20	341.00	324.50
6"	423.00	388.50	372.00	354.00
7"	493.50	453.30	434.00	413.00

CV1835 MEDIUM

	24" x 108"				
SIZES	Α	В	С	D	
1"	37.40	34.30	32.60	30.50	
11/2"	56.10	51.50	48.90	45.80	
2"	74.80	68.60	65.20	61.00	
21/2"	93.50	85.80	81.50	76.30	
3"	112.20	102.90	97.80	91.50	
31/2"	130.90	120.10	114.10	106.80	
4"	149.60	137.20	130.40	122.00	
41/2"	168.30	154.40	146.70	137.30	
5"	187.00	171.50	163.00	152.50	
51/2"	205.70	188.70	179.30	167.80	
6"	224.40	205.80	195.60	183.00	
7"	261.80	240.10	228.20	213.50	
		82" x 10	8"		

		0 <u> </u>		
1"	127.80	117.20	111.40	104.30
11/2"	191.70	175.80	167.10	156.40
2"	255.60	234.40	222.80	208.50
21/2"	319.50	293.00	278.50	260.60
3"	383.40	351.60	334.20	312.70
31/2"	447.30	410.20	389.90	364.80
4"	511.20	468.80	445.60	416.90
41/2"	575.10	527.40	501.30	469.00
5"	639.00	586.00	557.00	521.10
51/2"	702.90	644.60	612.70	573.20
6"	766.70	703.20	668.30	625.30
7"	894.50	820.40	779.70	729.50

FIRE RETARDANT FOAMS



Doing a job that needs to comply with a particular fire code?

Foams are not just Fire Retardant, they are Fire Retardant to a particular code.

We can help. We additionally stock polyester cushion-wraps that meet various fire codes.






As a Fabricator of over 60 Foams, we know that foam is not just foam. It is our goal to carry Good & Consistant Foams at each Quality Range.


© 2007 ACTIVE FOAM

FOUR LEVEL PRICING



Pricing on foam is based on the quantity purchased. The first level, "A PRICING", is on purchases less than 12" of total height. To reach the second pricing level, "B PRICING, a total of 12" must be purchased of a single foam type. An example: 2 sheets of #2235 4"x24"x82" & 2 sheets of #2235 2"x30"x82" would equal 12"s. If the order was doubled, the total height would be 24" reaching the third level, "C PRICING". Level four, "D PRICING" is the top pricing level that can be reached on a total height of 48".

For Thickness not listed here, Pricing is proportionally based and Volume Discounts apply. Upcharge may apply to thicknesses less than one inch.



CV1845 FIRM

		20" x 82	2"	
SIZES	Α	В	С	D
1"	23.50	21.60	20.70	19.70
11/2"	35.30	32.40	31.00	29.50
2"	47.00	43.20	41.40	39.40
21/2"	58.80	54.00	51.70	49.20
3"	70.50	64.80	62.00	59.00
31/2"	82.30	75.60	72.40	68.90
4"	94.00	86.40	82.70	78.70
41/2"	105.80	97.20	93.00	88.50
5"	117.50	108.00	103.40	98.40
51/2"	129.30	118.80	113.70	108.20
6"	141.00	129.50	124.00	118.00
7"	164.50	151.10	144.70	137.70
24" x 82"				
1"	28.20	25.90	24.80	23.60
11/.11	42.20	20.00	27.20	25.40

		24" x 82	2"	
1"	28.20	25.90	24.80	23.60
11/2"	42.30	38.90	37.20	35.40
2"	56.40	51.80	49.60	47.20
21/2"	70.50	64.80	62.00	59.00
3"	84.60	77.70	74.40	70.80
31/2"	98.70	90.70	86.80	82.60
4"	112.80	103.60	99.20	94.40
41/2"	126.90	116.60	111.60	106.20
5"	141.00	129.50	124.00	118.00
51/2"	155.10	142.50	136.40	129.80
6"	169.20	155.40	148.80	141.60
7"	197.40	181.30	173.60	165.20
		2011 01		

		30" x 82	2"	
1"	35.30	32.40	31.00	29.50
11/2"	52.90	48.60	46.50	44.30
2"	70.50	64.80	62.00	59.00
21/2"	88.20	81.00	77.50	73.80
3"	105.80	97.20	93.00	88.50
31/2"	123.40	113.40	108.50	103.30
4"	141.00	129.50	124.00	118.00
41/2"	158.70	145.70	139.50	132.80
5"	176.30	161.90	155.00	147.50
51/2"	193.90	178.10	170.50	162.30
6"	211.50	194.30	186.00	177.00
7"	246.80	226.70	217.00	206.50

		60" x 82	2"	
1"	70.50	64.80	62.00	59.00
11/2"	105.80	97.20	93.00	88.50
2"	141.00	129.50	124.00	118.00
21/2"	176.30	161.90	155.00	147.50
3"	211.50	194.30	186.00	177.00
31/2"	246.80	226.70	217.00	206.50
4"	282.00	259.00	248.00	236.00
41/2"	317.30	291.40	279.00	265.50
5"	352.50	323.80	310.00	295.00
51/2"	387.80	356.20	341.00	324.50
6"	423.00	388.50	372.00	354.00
7"	493.50	453.30	434.00	413.00



CV1865 X-FIRM

		24" x 82	2"	
SIZES	Α	В	С	D
1"	34.90	32.90	30.30	28.30
11/2"	52.40	49.40	45.50	42.50
2"	69.80	65.80	60.60	56.60
21/2"	87.30	82.30	75.80	70.80
3"	104.70	98.70	90.90	84.90
31/2"	122.20	115.20	106.10	99.10
4"	139.60	131.60	121.20	113.20
41/2"	157.10	148.10	136.40	127.40
5"	174.50	164.50	151.50	141.50
51/2"	192.00	181.00	166.70	155.70
6"	209.40	197.40	181.80	169.80
7"	244.30	230.30	212.10	198.10
		/10" v 01) !!	

	48" X 82	ž	
69.80	65.80	60.60	56.60
104.70	98.70	90.90	84.90
139.60	131.60	121.20	113.20
174.50	164.50	151.50	141.50
209.40	197.40	181.80	169.80
244.30	230.30	212.10	198.10
279.20	263.20	242.40	226.40
314.10	296.10	272.70	254.70
349.00	329.00	303.00	283.00
383.90	361.90	333.30	311.30
418.80	394.80	363.60	339.60
488.60	460.60	424.20	396.20
	104.70 139.60 174.50 209.40 244.30 279.20 314.10 349.00 383.90 418.80	69.80 65.80 104.70 98.70 139.60 131.60 174.50 164.50 209.40 197.40 244.30 230.30 279.20 263.20 314.10 296.10 349.00 329.00 383.90 361.90 418.80 394.80	104.70 98.70 90.90 139.60 131.60 121.20 174.50 164.50 151.50 209.40 197.40 181.80 244.30 230.30 212.10 279.20 263.20 242.40 314.10 296.10 272.70 349.00 329.00 303.00 383.90 361.90 333.30 418.80 394.80 363.60

Can't find the Right Firmness?

Can't find the Right Feel?



We provide Foam Samples for no charge.

Ask for your Sampler to shipped with your next order



CV FIRMNESS DEN 2.0 S.F. 2.2 QUALITY OK GOOD BETTER BEST 2.2 COOT ACTIVE TOAM

Certipur-US TOAM

FOAMS THAT FEEL GOOD AND YOU CAN FEEL GOOD ABOUT

- Made without ozone depleters
- Made without PBDE flame retardants
- Made without mercury, lead and other heavy metals
- Made without formaldehyde
- Made without phthalates regulated by the Consumer Product Safety Commission
- Low VOC (Volatile Organic Compounds) emissions for indoor air quality
- Tested and approved for durability and performance.

More Information is on Pages 12-13.

For the most complete resource on CertiPUR-US®

go to http://certipur.us

CV1890 X-HARD

		24" x 82	2"	
SIZES	Α	В	c	D
1"	44.80	40.60	37.00	35.70
11/2"	67.20	60.90	55.50	53.60
2"	89.60	81.20	74.00	71.40
21/2"	112.00	101.50	92.50	89.30
3"	134.40	121.80	111.00	107.10
31/2"	156.80	142.10	129.50	125.00
4"	179.20	162.40	148.00	142.80
41/2"	201.60	182.70	166.50	160.70
5"	224.00	203.00	185.00	178.50
51/2"	246.40	223.30	203.50	196.40
6"	268.80	243.60	222.00	214.20
7"	313.60	284.20	259.00	249.90

		48" x 82	2"	
1"	89.60	81.20	74.00	71.40
11/2"	134.40	121.80	111.00	107.10
2"	179.20	162.40	148.00	142.80
21/2"	224.00	203.00	185.00	178.50
3"	268.80	243.60	222.00	214.20
31/2"	313.60	284.20	259.00	249.90
4"	358.40	324.80	296.00	285.60
41/2"	403.20	365.40	333.00	321.30
5"	448.00	406.00	370.00	357.00
51/2"	492.80	446.60	407.00	392.70
6"	537.60	487.20	444.00	428.40
7"	627.20	568.40	518.00	499.80

CV20100 S-HARD

24" x 82"					
SIZES	Α	В	С	D	
1"	46.90	44.80	42.90	41.00	
11/2"	70.40	67.20	64.40	61.50	
2"	93.80	89.60	85.80	82.00	
21/2"	117.30	112.00	107.30	102.50	
3"	140.70	134.40	128.70	123.00	
31/2"	164.20	156.80	150.20	143.50	
4"	187.60	179.20	171.60	164.00	
41/2"	211.10	201.60	193.10	184.50	
5"	234.50	224.00	214.50	205.00	
51/2"	258.00	246.40	236.00	225.50	
6"	281.40	268.80	257.40	246.00	
7"	328.30	313.60	300.30	287.00	

The Illinois Furniture Fire Safety Act

Do you know what Occupancies are governed by the "Act"?

- (1) Jails, prisons and convalescent homes;
- (2) Hospitals, mental health facilities, and similar health care facilities;
- (3) Nursing care and convalescent homes;
- (4) Child day care centers;
- (5) Public auditoriums and stadiums; and
- (6) Public assembly areas of hotels and motels containing more than 10 articles of seating furniture.

Need help complying with the "ACT"?

We can help. Don't turn down a job because it looks like a compliance headache, give us a call.

The State Fire Marshall's Office publishes a "Rules & Regulations" that explains in detail the definitions of the above terms. This document is a must read and we will provide it for free upon request. Please contact us if you have any questions on complying with the Act.

Can't find the Right Firmness?

Can't find the Right Feel?



Can't find the right firmness for those super thick 8" cushions?

We can help you solve the problem with a "Sandwich" construction. A core of two foams to get that right comfortable feel.

Get the right initial feel and Get the right deep down support.









CV2235 MEDIUM

CV2240 MI	ED-FIRM
-----------	---------

C	122	15	EI	DI	M
	IZZ	43	ГΙ	RI	VI

		24" x 82	2"	
SIZES	Α	В	С	D
1"	37.20	34.90	32.80	31.10
11/2"	55.80	52.40	49.20	46.70
2"	74.40	69.80	65.60	62.20
21/2"	93.00	87.30	82.00	77.80
3"	111.60	104.70	98.40	93.30
31/2"	130.20	122.20	114.80	108.90
4"	148.80	139.60	131.20	124.40
41/2"	167.40	157.10	147.60	140.00
5"	186.00	174.50	164.00	155.50
51/2"	204.60	192.00	180.40	171.10
6"	223.20	209.40	196.80	186.60
7"	260.40	244.30	229.60	217.70
		30" x 82		
1"	46.50	43.70	41.00	38.90
1½"	69.80	65.50	61.50	58.40
2"	93.00	87.30	82.00	77.80
2½"	116.30	109.10	102.50	97.20
3"	139.50	130.90	123.00	116.70
3½" 4 "	162.80	152.70	143.50	136.10
4" 4½"	186.00 209.30	174.50	164.00 184.50	155.50 175.00
4 ½ 5"	232.50	196.40 218.20	205.00	175.00
5 5½"	255.80	240.00	205.00	213.90
5 ½ 6"	279.00	261.80	246.00	213.90
7"	325.50	305.40	287.00	272.20
		48" x 82		
1"	74.40	69.80	65.60	62.20
11/2"	111.60	104.70	98.40	93.30
2"	148.80	139.60	131.20	124.40
21/2"	186.00	174.50	164.00	155.50
3"	223.20	209.40	196.80	186.60
31/2"	260.40	244.30	229.60	217.70
4"	297.60	279.20	262.40	248.80
41/2"	334.80	314.10	295.20	279.90
5"	372.00	349.00	328.00	311.00
51/2"	409.20	383.90	360.80	342.10
6"	446.40	418.80	393.60	373.20
7"	520.80	488.60	459.20	435.40
- "		60" x 82		
1"	93.00	87.30	82.00	77.80
1½"	139.50	130.90	123.00	116.70
2" 2½"	186.00	174.50	164.00	155.50
2½" 3"	232.50 279.00	218.20 261.80	205.00 246.00	194.40 233.30
31/2"				
3 ½" 4"	325.50	305.40	287.00	272.20
4" 4½"	372.00 418.50	349.00 392.70	328.00 369.00	311.00 349.90
4 ½ 5"	465.00	436.30	410.00	388.80
5 5½"	511.50	436.30 479.90	451.00	427.70
5 ½ 6"	558.00	523.50	492.00	466.50
7"	651.00	610.80	574.00	544.30
•	331.00	0.0.00	3, 4.00	J-7JU

24" x 96"					
		24 X 90	,		
SIZES	Α	В	C	D	
1"	42.50	39.90	38.30	37.20	
11/2"	63.80	59.90	57.50	55.80	
2"	85.00	79.80	76.60	74.40	
2½"	106.30	99.80	95.80	93.00	
3"	127.50	119.70	114.90	111.60	
3½" 4"	148.80	139.70	134.10	130.20	
4" 4½"	170.00 191.30	159.60 179.60	153.20 172.40	148.80	
4 ½ 5"	212.50	199.50	172.40	167.40 186.00	
5 5½"	233.80	219.50	210.70	204.60	
572 6"	255.00	239.40	229.80	223.20	
7"	297.50	279.30	268.10	260.40	
		30" x 96	5"		
1"	53.20	49.90	47.90	46.50	
11/2"	79.70	74.90	71.90	69.80	
2"	106.30	99.80	95.80	93.00	
21/2"	132.90	124.70	119.70	116.30	
3"	159.40	149.70	143.70	139.50	
31/2"	186.00	174.60	167.60	162.80	
4"	212.50	199.50	191.50	186.00	
41/2"	239.10	224.50	215.50	209.30	
5"	265.70	249.40	239.40	232.50	
5½"	292.20	274.40	263.40	255.80	
6"	318.80	299.30	287.30	279.00	
7"	371.90	349.20	335.20	325.50	
		82" x 96			
1"	145.30	136.40	130.90	127.10	
11/2"	217.90	204.50	196.30	190.70	
2"	290.50	272.70	261.80	254.20	
21/2"	363.10	340.90	327.20	317.80	
3"	435.70	409.00	392.60	381.30	
3½" 4 "	508.30	477.20	458.10	444.90	
•	580.90	545.30	523.50	508.40	
4½" 5"	653.50	613.50	588.90	572.00	
-	726.10	681.70	654.30	635.50	
7"	1016.50	954.30	916.10	889.70	
5½" 798.70 749.80 719.80 699.10 6" 871.30 818.00 785.20 762.60 7" 1016.50 954.30 916.10 889.70					

"Blue Poly" 2200° Feel Great!

		20" x 82	2"	
SIZES	Α	В	С	D
1"	31.00	29.10	27.40	26.00
11/2"	46.50	43.70	41.00	38.90
2"	62.00	58.20	54.70	51.90
21/2"	77.50	72.80	68.40	64.80
3"	93.00	87.30	82.00	77.80
31/2"	108.50	101.80	95.70	90.80
4"	124.00	116.40	109.40	103.70
41/2"	139.50	130.90	123.00	116.70
5"	155.00	145.50	136.70	129.60
51/2"	170.50	160.00	150.40	142.60
6"	186.00	174.50	164.00	155.50
7"	217.00	203.60	191.40	181.50
		24" x 82	2"	
1"	37.20	34.90	32.80	31.10
11/2"	55.80	52.40	49.20	46.70
2"	74.40	69.80	65.60	62.20
21/2"	93.00	87.30	82.00	77.80
3"	111.60	104.70	98.40	93.30
31/2"	130.20	122.20	114.80	108.90
4"	148.80	139.60	131.20	124.40
41/2"	167.40	157.10	147.60	140.00
5"	186.00	174.50	164.00	155.50
51/2"	204.60	192.00	180.40	171.10
6"	223.20	209.40	196.80	186.60
7"	260.40	244.30	229.60	217.70
		30" x 82	2"	
1"	46.50	43.70	41.00	38.90
11/2"	69.80	65.50	61.50	58.40
2"	93.00	87.30	82.00	77.80
21/2"	116.30	109.10	102.50	97.20
3"	139.50	130.90	123.00	116.70
3½"	162.80	152.70	143.50	136.10
4"	186.00	174.50	164.00	155.50
41/2"	209.30	196.40	184.50	175.00
5"	232.50	218.20	205.00	194.40
5½"	255.80	240.00	225.50	213.90
6"	279.00	261.80	246.00	233.30
7"	325.50	305.40	287.00	272.20
		60" x 82	2"	
1"	93.00	87.30	82.00	77.80
1½"	139.50	130.90	123.00	116.70
2"	186.00	174.50	164.00	155.50
2½"	232.50	218.20	205.00	194.40
3"	279.00	261.80	246.00	233.30
3½"	325.50	305.40	287.00	272.20
4"	372.00	349.00	328.00	311.00
41/2"	418.50	392.70	369.00	349.90
5"	465.00	436.30	410.00	388.80
51/2"	511.50	479.90	451.00	427.70
6"	558.00	523.50	492.00	466.50
7"	651.00	610.80	574.00	544.30







ACTIVE

© 2007 ACTIVE FOAM

CV2535 MEDIUM

24" x 80"

CV2650 FIRM

CV2665 X-FIRM

	Α	В	C	D
1"	42.70	40.40	38.10	36.00
11/2"	64.10	60.60	57.20	54.00
2"	85.40	80.80	76.20	72.00
21/2"	106.80	101.00	95.30	90.00
3"	128.10	121.20	114.30	108.00
31/2"	149.50	141.40	133.40	126.00
4"	170.80	161.60	152.40	144.00
41/2"	192.20	181.80	171.50	162.00
5"	213.50	202.00	190.50	180.00
5½"	234.90	222.20	209.60	198.00
6"	256.20	242.40	228.60	216.00
7"	298.90	282.80	266.70	252.00
		30" x 80)"	
1"	53.40	50.50	47.70	45.00
11/2"	80.10	75.80	71.50	67.50
2"	106.80	101.00	95.30	90.00
21/2"	133.50	126.30	119.10	112.50
3"	160.20	151.50	142.90	135.00
31/2"	186.90	176.80	166.70	157.50
4"	213.50	202.00	190.50	180.00
4½"	240.20	227.30	214.40	202.50
5"	266.90	252.50	238.20	225.00
5½" 6"	293.60	277.80	262.00	247.50
6 7"	320.30 373.70	303.00 353.50	285.80 333.40	270.00 315.00
,	3/3./0	333.30	333.40	313.00
		48" x 80)"	
1"	85.40	80.80	76.20	72.00
11/2"	128.10	121.20	114.30	108.00
2"	170.80	161.60	152.40	144.00
2" 2½"	170.80 213.50	161.60 202.00	152.40 190.50	144.00 180.00
2" 2½" 3"	170.80 213.50 256.20	161.60 202.00 242.40	152.40 190.50 228.60	144.00 180.00 216.00
2" 2½" 3" 3½"	170.80 213.50 256.20 298.90	161.60 202.00 242.40 282.80	152.40 190.50 228.60 266.70	144.00 180.00 216.00 252.00
2" 2½" 3" 3½" 4"	170.80 213.50 256.20 298.90 341.60	161.60 202.00 242.40 282.80 323.20	152.40 190.50 228.60 266.70 304.80	144.00 180.00 216.00 252.00 288.00
2" 2½" 3" 3½" 4" 4½"	170.80 213.50 256.20 298.90 341.60 384.30	161.60 202.00 242.40 282.80 323.20 363.60	152.40 190.50 228.60 266.70 304.80 342.90	144.00 180.00 216.00 252.00 288.00 324.00
2" 2½" 3" 3½" 4" 4½" 5"	170.80 213.50 256.20 298.90 341.60 384.30 427.00	161.60 202.00 242.40 282.80 323.20 363.60 404.00	152.40 190.50 228.60 266.70 304.80 342.90 381.00	144.00 180.00 216.00 252.00 288.00 324.00 360.00
2" 2½" 3" 3½" 4" 4½" 5" 5½"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00
2" 2½" 3" 3½" 4" 4½" 5" 5½"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00 504.00
2" 2½" 3" 3½" 4" 4½" 5" 7"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00 504.00
2" 2½" 3" 3½" 4" 4½" 5" 7"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40)"	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00 504.00
2" 2½" 3" 3½" 4" 4½" 5" 5" 7"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40 0" 95.30 142.90 190.50	144.00 180.00 216.00 252.00 288.00 324.00 360.00 432.00 504.00 90.00 135.00 180.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00 252.50	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40)" 95.30 142.90 190.50 238.20	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00 504.00 90.00 135.00 180.00 225.00
2" 2½" 3" 3½" 4" 4½" 5" 7" 1" 1½" 2" 2½" 3"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 565.60 60" x 80 101.00 151.50 202.00 252.50 303.00	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40)" 95.30 142.90 190.50 238.20 285.80	144.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00 504.00 90.00 135.00 180.00 225.00 270.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00 252.50 303.00 353.50	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40)" 95.30 142.90 190.50 238.20 285.80 333.40	90.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00 504.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7" 1" 1½" 2" 2½2" 3" 3½2" 4"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00 252.50 303.00 353.50 404.00	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40 95.30 142.90 190.50 238.20 285.80 333.40 381.00	90.00 180.00 216.00 252.00 288.00 324.00 360.00 396.00 432.00 504.00 90.00 135.00 180.00 270.00 315.00 360.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00 252.50 303.00 353.50 404.00 454.50	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40 301 95.30 142.90 190.50 238.20 285.80 333.40 381.00 428.70	144.00 180.00 216.00 225.00 288.00 324.00 360.00 432.00 504.00 90.00 135.00 180.00 225.00 270.00 315.00 405.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7" 1½" 2" 2½2" 3" 3½2" 4" 4½2" 5"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40 533.80	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00 252.50 303.00 353.50 404.00 454.50 505.00	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40)" 95.30 142.90 190.50 238.20 285.80 333.40 381.00 428.70 476.30	90.00 135.00 135.00 252.00 288.00 324.00 360.00 432.00 504.00 90.00 135.00 180.00 225.00 270.00 360.00 405.00 450.00
2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7" 1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 5½"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40 533.80 587.20	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00 252.50 303.00 353.50 404.00 454.50 505.00 555.50	95.30 142.90 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40 95.30 142.90 190.50 238.20 285.80 333.40 381.00 428.70 476.30 523.90	144.00 180.00 216.00 225.00 288.00 324.00 360.00 432.00 504.00 90.00 135.00 180.00 225.00 270.00 315.00 405.00
2" 2½" 3" 3½" 4" 4½" 55" 5½" 6" 7" 1½" 2" 2½2" 3" 3½2" 4" 4½2" 5"	170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40 533.80	161.60 202.00 242.40 282.80 323.20 363.60 404.00 444.40 484.80 565.60 60" x 80 101.00 151.50 202.00 252.50 303.00 353.50 404.00 454.50 505.00	152.40 190.50 228.60 266.70 304.80 342.90 381.00 419.10 457.20 533.40)" 95.30 142.90 190.50 238.20 285.80 333.40 381.00 428.70 476.30	144.00 180.00 216.00 252.00 288.00 324.00 360.00 432.00 504.00 90.00 135.00 180.00 225.00 270.00 315.00 360.00 405.00 450.00 495.00

	20" x 82"				
SIZES	Α	В	С	D	
1"	36.60	34.70	33.00	31.00	
11/2"	54.90	52.00	49.40	46.50	
2"	73.20	69.40	65.90	62.00	
21/2"	91.50	86.70	82.30	77.50	
3"	109.80	104.00	98.80	93.00	
31/2"	128.10	121.40	115.30	108.50	
4"	146.40	138.70	131.70	124.00	
41/2"	164.70	156.00	148.20	139.50	
5"	183.00	173.40	164.60	155.00	
51/2"	201.30	190.70	181.10	170.50	
6"	219.50	208.00	197.50	186.00	
7"	256.10	242.70	230.50	217.00	
		24" x 82			
1"	43.90	41.60	39.50	37.20	
1½"	65.90	62.40	59.30	55.80	
2"	87.80	83.20	79.00	74.40	
2½"	109.80	104.00	98.80	93.00	
3"	131.70	124.80	118.50	111.60	
3½" 4 "	153.70	145.60	138.30	130.20	
4½"	175.60 197.60	166.40 187.20	158.00 177.80	148.80	
4½ 5"	219.50	208.00	177.80	167.40 186.00	
5 5½"	241.50	208.00	217.30	204.60	
572 6"	263.40	249.60	237.00	223.20	
7"	307.30	291.20	276.50	260.40	
		30" x 82	2"		
1"	54.90	52.00	49.40	46.50	
11/2"	82.40	78.00	74.10	69.80	
2"	109.80	104.00	98.80	93.00	
21/2"	137.20	130.00	123.50	116.30	
3"	164.70	156.00	148.20	139.50	
31/2"	192.10	182.00	172.90	162.80	
4"	219.50	208.00	197.50	186.00	
41/2"	247.00	234.00	222.20	209.30	
5"	274.40	260.00	246.90	232.50	
51/2"	301.90	286.00	271.60	255.80	
6"	329.30	312.00	296.30	279.00	
7"	384.20	364.00	345.70	325.50	
		60" x 82	2"		
1"	109.80	104.00	98.80	93.00	
1½"	164.70	156.00	148.20	139.50	
2"	219.50	208.00	197.50	186.00	
2½" 3"	274.40 329.30	260.00 312.00	246.90 296.30	232.50 279.00	
3" 3½"	329.30 384.20	312.00 364.00	296.30 345.70	279.00 325.50	
3 ½ 4"	439.00	416.00	345.70 395.00	372.00	
4 4½"	493.90	468.00	444.40	418.50	
5"	548.80	520.00	493.80	465.00	
5½"	603.70	572.00	543.20	511.50	
6"	658.50	624.00	592.50	558.00	

7"

768.30

728.00

691.30

651.00

CV2003 X-1 IIVIVI				
		20" x 82) II	
		20 X 62	4	
SIZES	Α	В	C	D
1"	36.60	34.70	33.00	31.00
11/2"	54.90	52.00	49.40	46.50
2"	73.20	69.40	65.90	62.00
21/2"	91.50	86.70	82.30	77.50
3"	109.80	104.00	98.80	93.00
3½"	128.10	121.40	115.30	108.50
4"	146.40	138.70	131.70	124.00
41/2"	164.70	156.00	148.20	139.50
5"	183.00	173.40	164.60	155.00
5½"	201.30	190.70	181.10	170.50
6" 7"	219.50	208.00	197.50	186.00
/	256.10	242.70	230.50	217.00
		24" x 82	2"	
1"	43.90	41.60	39.50	37.20
11/2"	65.90	62.40	59.30	55.80
2"	87.80	83.20	79.00	74.40
21/2"	109.80	104.00	98.80	93.00
3"	131.70	124.80	118.50	111.60
31/2"	153.70	145.60	138.30	130.20
4"	175.60	166.40	158.00	148.80
41/2"	197.60	187.20	177.80	167.40
5"	219.50	208.00	197.50	186.00
5½"	241.50	228.80	217.30	204.60
6"	263.40	249.60	237.00	223.20
7"	307.30	291.20	276.50	260.40
		60" x 82	2"	
1"	109.80	104.00	98.80	93.00
11/2"	164.70	156.00	148.20	139.50
2"	219.50	208.00	197.50	186.00
21/2"	274.40	260.00	246.90	232.50
3"	329.30	312.00	296.30	279.00
31/2"	384.20	364.00	345.70	325.50
4"	439.00	416.00	395.00	372.00
41/2"	493.90	468.00	444.40	418.50
5"	548.80	520.00	493.80	465.00
51/2"	603.70	572.00	543.20	511.50
6"	658.50	624.00	592.50	558.00
7"	768.30	728.00	691.30	651.00
		5) 4		
	POLYURET	HANE FOAN	1 ASSOCIATI	ON

www.PFA.org

Their website can be a great resource for current issues & literature on flexible foams.





As a fabricator of over 60 foams, we know that foam Is not just foam. It is our goal to carry good and consistant foams at each quality range.

© 2007 ACTIVE FOAM



TIRMNESS DEN 2845 WHITE QUALITY OK GOOD BETTER BES 2007 ACTIVE FORM

FOUR LEVEL PRICING

A B C D 48" 1" 1" 1" 1" 2" 2" 2" 2" 4" 2" 4" 2" 4"

Pricing on foam is based on the quantity purchased. The first level, "A PRICING", is on purchases less than 12" of total height. To reach the second pricing level, "B PRICING, a total of 12" must be purchased of a single foam type. An example: 2 sheets of #2235 4"x24"x82" & 2 sheets of #2235 2"x30"x82" would equal 12"s. If the order was doubled, the total height would be 24" reaching the third level, "C PRICING". Level four, "D PRICING" is the top pricing level that can be reached on a total height of 48".

В

For Thickness not listed here, Pricing is proportionally based and Volume Discounts apply. Upcharge may apply to thicknesses less than one inch.

CV2835 MEDIUM

24" x 82"

SIZES	Α	В	С	D
1"	49.40	47.10	44.80	42.70
11/2"	74.10	70.70	67.20	64.10
2"	98.80	94.20	89.60	85.40
21/2"	123.50	117.80	112.00	106.80
3"	148.20	141.30	134.40	128.10
31/2"	172.90	164.90	156.80	149.50
4"	197.60	188.40	179.20	170.80
41/2"	222.30	212.00	201.60	192.20
5"	247.00	235.50	224.00	213.50
51/2"	271.70	259.10	246.40	234.90
6"	296.40	282.60	268.80	256.20
7"	345.80	329.70	313.60	298.90
		30" x 82	."	
1"	61.80	58.90	56.00	53.40
11/2"	92.70	88.40	84.00	80.10
2"	123.50	117.80	112.00	106.80
21/2"	154.40	147.20	140.00	133.50
3"	185.30	176.70	168.00	160.20
31/2"	216.20	206.10	196.00	186.90
4"	247.00	235.50	224.00	213.50
41/2"	277.90	265.00	252.00	240.20
5"	308.80	294.40	280.00	266.90
51/2"	339.70	323.90	308.00	293.60
6"	370.50	353.30	336.00	320.30
7"	432.30	412.20	392.00	373.70
/	432.30	712.20	372.00	3/3./0
/	432.30	48" x 82		373.70
1"	98.80			85.40
1" 1½"		48" x 82	."	
1"	98.80	48" x 82	89.60	85.40
1" 1½" 2" 2½"	98.80 148.20	48" x 82 94.20 141.30	89.60 134.40	85.40 128.10
1" 1½" 2"	98.80 148.20 197.60	48" x 82 94.20 141.30 188.40	89.60 134.40 179.20	85.40 128.10 170.80
1" 1½" 2" 2½" 3" 3½"	98.80 148.20 197.60 247.00	94.20 141.30 188.40 235.50	89.60 134.40 179.20 224.00	85.40 128.10 170.80 213.50
1" 1½" 2" 2½" 3"	98.80 148.20 197.60 247.00 296.40	94.20 141.30 188.40 235.50 282.60	89.60 134.40 179.20 224.00 268.80	85.40 128.10 170.80 213.50 256.20
1" 1½" 2" 2½" 3" 3½"	98.80 148.20 197.60 247.00 296.40 345.80	94.20 141.30 188.40 235.50 282.60 329.70	89.60 134.40 179.20 224.00 268.80 313.60	85.40 128.10 170.80 213.50 256.20 298.90
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 5½" 6"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 5½" 6"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40
1" 1½" 2" 2½" 33" 3½" 4" 4½" 5" 5½" 6" 7"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80
1" 1½" 2" 2½' 3" 3½" 4" 4½" 5" 5½" 6" 7"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80
1" 1½" 2" 2½' 3" 3½' 4" 4½'' 5" 5½'' 6" 7"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 5" 5" 6" 7"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 592.80 691.60	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80
1" 1½" 2" 2½'2" 3" 3½'' 4" 4½'' 5" 6" 7"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40 353.30	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5½" 6" 7" 1" 1½" 2" 2½½" 3" 3½"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 691.60 123.50 185.30 247.00 308.80 370.50 432.30	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40 353.30 412.20	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20 *** 112.00 168.00 224.00 280.00 336.00 392.00	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 6" 7" 1" 1½" 2" 3" 3½" 4"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60 123.50 185.30 247.00 308.80 370.50 432.30 494.00	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40 353.30 412.20 471.00	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20 112.00 168.00 224.00 280.00 336.00 392.00 448.00	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80
1" 1½" 2" 3½" 4" 4½" 5" 5½" 6" 7" 1" 1½" 2½" 3" 3½" 4" 4½"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60 123.50 185.30 247.00 308.80 370.50 432.30 494.00 555.80	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40 353.30 412.20 471.00 529.90	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20 112.00 168.00 224.00 280.00 336.00 392.00 448.00 504.00	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 7" 1" 1½" 2" 4" 4½" 5" 4" 4½" 5"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60 123.50 185.30 247.00 308.80 370.50 494.00 555.80 617.50	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40 353.30 412.20 471.00 529.90 588.80	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20 280.00 280.00 336.00 392.00 448.00 504.00 560.00	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40 533.80
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 5" 51½" 6" 7" 1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 5" 5½"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 592.80 691.60 123.50 185.30 247.00 308.80 370.50 432.30 494.00 617.50 679.30	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40 353.30 412.20 471.00 529.90 588.80 647.70	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20 3112.00 168.00 224.00 280.00 336.00 392.00 448.00 504.00 504.00 560.00 616.00	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 512.40 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40 533.80 587.20
1" 1½" 2" 2½" 3" 3½" 4" 4½" 5" 5½" 6" 7" 1" 1½" 2" 2" 4" 4½" 5"	98.80 148.20 197.60 247.00 296.40 345.80 395.20 444.60 494.00 543.40 592.80 691.60 123.50 185.30 247.00 308.80 370.50 494.00 555.80 617.50	94.20 141.30 188.40 235.50 282.60 329.70 376.80 423.90 471.00 518.10 565.20 659.40 60" x 82 117.80 176.70 235.50 294.40 353.30 412.20 471.00 529.90 588.80	89.60 134.40 179.20 224.00 268.80 313.60 358.40 403.20 448.00 492.80 537.60 627.20 280.00 280.00 336.00 392.00 448.00 504.00 560.00	85.40 128.10 170.80 213.50 256.20 298.90 341.60 384.30 427.00 469.70 597.80 106.80 160.20 213.50 266.90 320.30 373.70 427.00 480.40 533.80

CV2845 FIRM

24" x 82"				
SIZES	Α	В	С	D
1"	49.40	47.10	44.80	42.70
11/2"	74.10	70.70	67.20	64.10
2"	98.80	94.20	89.60	85.40
21/2"	123.50	117.80	112.00	106.80
3"	148.20	141.30	134.40	128.10
31/2"	172.90	164.90	156.80	149.50
4"	197.60	188.40	179.20	170.80
41/2"	222.30	212.00	201.60	192.20
5"	247.00	235.50	224.00	213.50
5½"	271.70	259.10	246.40	234.90
6"	296.40	282.60	268.80	256.20
7"	345.80	329.70	313.60	298.90
		48" x 82	2"	
1"	98.80	94.20	89.60	85.40
11/2"	148.20	141.30	134.40	128.10
2"	197.60	188.40	179.20	170.80
21/2"	247.00	235.50	224.00	213.50
3"	296.40	282.60	268.80	256.20
31/2"	345.80	329.70	313.60	298.90
4"	395.20	376.80	358.40	341.60
41/2"	444.60	423.90	403.20	384.30
5"	494.00	471.00	448.00	427.00
51/2"	543.40	518.10	492.80	469.70
6"	592.80	565.20	537.60	512.40
7"	691.60	659.40	627.20	597.80
		60" x 82	2"	
1"	123.50	117.80	112.00	106.80
11/2"	185.30	176.70	168.00	160.20
2"	247.00	235.50	224.00	213.50
21/2"	308.80	294.40	280.00	266.90
3"	370.50	353.30	336.00	320.30
31/2"	432.30	412.20	392.00	373.70
4"	494.00	471.00	448.00	427.00
41/2"	555.80	529.90	504.00	480.40
5"	617.50	588.80	560.00	533.80
51/2"	679.30	647.70	616.00	587.20
6"	741.00	706.50	672.00	640.50
7"	864.50	824.30	784.00	747.30









FOAMS THAT FEEL GOOD AND YOU CAN FEEL GOOD ABOUT

- Made without ozone depleters
- Made without PBDE flame retardants
- Made without mercury, lead and other heavy metals
- Made without formaldehyde
- Made without phthalates regulated by the Consumer Product Safety Commission
- Low VOC (Volatile Organic Compounds) emissions for indoor air quality
- Tested and approved for durability and performance.

The CertiPUR-US® program is administered by a not-for-profit organization and is the most rigorous and comprehensive certification for polyurethane foam.

WHY IS CERTIFICATION IMPORTANT?

Responsible foam suppliers here in the U.S. were concerned that there was no way for consumers to know what was inside foam products used in bedding and upholstered furniture.

Today, U.S. and foreign foam suppliers may participate in the program, as long as they meet the rigorous certification guidelines.

More Information is on Pages 12-13.

For the most complete resource on CertiPUR-US® go to http://certipur.us

CV2860 X-FIRM

24" x 82"				
SIZES	Α	В	c	D
1"	49.40	47.10	44.80	42.70
11/2"	74.10	70.70	67.20	64.10
2"	98.80	94.20	89.60	85.40
21/2"	123.50	117.80	112.00	106.80
3"	148.20	141.30	134.40	128.10
31/2"	172.90	164.90	156.80	149.50
4"	197.60	188.40	179.20	170.80
41/2"	222.30	212.00	201.60	192.20
5"	247.00	235.50	224.00	213.50
51/2"	271.70	259.10	246.40	234.90
6"	296.40	282.60	268.80	256.20
7"	345.80	329.70	313.60	298.90
		48" x 82	2"	

7"	345.80	329.70	313.60	298.90
		48" x 82	2"	
1"	98.80	94.20	89.60	85.40
11/2"	148.20	141.30	134.40	128.10
2"	197.60	188.40	179.20	170.80
21/2"	247.00	235.50	224.00	213.50
3"	296.40	282.60	268.80	256.20
31/2"	345.80	329.70	313.60	298.90
4"	395.20	376.80	358.40	341.60
41/2"	444.60	423.90	403.20	384.30
5"	494.00	471.00	448.00	427.00
51/2"	543.40	518.10	492.80	469.70
6"	592.80	565.20	537.60	512.40
7"	691.60	659.40	627.20	597.80

60" X 82"				
1"	123.50	117.80	112.00	106.80
11/2"	185.30	176.70	168.00	160.20
2"	247.00	235.50	224.00	213.50
21/2"	308.80	294.40	280.00	266.90
3"	370.50	353.30	336.00	320.30
31/2"	432.30	412.20	392.00	373.70
4"	494.00	471.00	448.00	427.00
41/2"	555.80	529.90	504.00	480.40
5"	617.50	588.80	560.00	533.80
51/2"	679.30	647.70	616.00	587.20
6"	741.00	706.50	672.00	640.50
7"	864.50	824.30	784.00	747.30

CV2880 X-HARD

		20" x 82	2"	
SIZES	Α	В	c	D
1"	44.20	42.30	40.50	38.50
11/2"	66.30	63.40	60.80	57.80
2"	88.40	84.50	81.00	77.00
21/2"	110.50	105.70	101.30	96.30
3"	132.50	126.80	121.50	115.50
31/2"	154.60	147.90	141.80	134.80
4"	176.70	169.00	162.00	154.00
41/2"	198.80	190.20	182.30	173.30
5"	220.90	211.30	202.50	192.50
51/2"	243.00	232.40	222.80	211.80
6"	265.00	253.50	243.00	231.00
7"	309.20	295.80	283.50	269.50
		24" x 82	2"	
1"	53.00	50.70	48.60	46.20
11/2"	79.50	76.10	72.90	69.30
2"	106.00	101.40	97.20	92.40
21/2"	132.50	126.80	121.50	115.50
3"	159.00	152.10	145.80	138.60
31/2"	185.50	177.50	170.10	161.70
4"	212.00	202.80	194.40	184.80
41/2"	238.50	228.20	218.70	207.90
5"	265.00	253.50	243.00	231.00
51/2"	291.50	278.90	267.30	254.10
6"	318.00	304.20	291.60	277.20
7"	371.00	354.90	340.20	323.40
		60" x 82	2"	
1"	132.50	126.80	121.50	115.50
11/2"	198.80	190.20	182.30	173.30
2"	265.00	253.50	243.00	231.00
21/2"	331.30	316.90	303.80	288.80
3"	397.50	380.30	364.50	346.50
31/2"	463.80	443.70	425.30	404.30
4"	530.00	507.00	486.00	462.00
41/2"	596.30	570.40	546.80	519.80
5"	662.50	633.80	607.50	577.50
51/2"	728.80	697.20	668.30	635.30
C11	705.00	760 50	720.00	CO2 00

HGH COMFORT FOAMS

High Comfort Foams are foams made with "Conventional Polyol" that achieve high sag-factors and high rebound. High Comfort Foams have a relaxed & supple cell structure giving the utmost in seating comfort.

6"

795.00

927.50

760.50

887.30

729.00

850.50

693.00

808.50







HR FIRMNESS DEN 1820 PINK QUALITY 1.8 S.F. 2.4

HR FIRMNESS DEN OK GOOD BETTER BEST LONG GOOD BETTER DESCRIPTION OK GOOD BETTER DESCRIPTION OF GOOD BE

HR1810 S-SOFT

24" x 82"				
SIZES	Α	В	С	D
1"	37.80	35.70	34.30	33.00
11/2"	56.70	53.60	51.50	49.50
2"	75.60	71.40	68.60	66.00
21/2"	94.50	89.30	85.80	82.50
3"	113.40	107.10	102.90	99.00
31/2"	132.30	125.00	120.10	115.50
4"	151.20	142.80	137.20	132.00
41/2"	170.10	160.70	154.40	148.50
5"	189.00	178.50	171.50	165.00
51/2"	207.90	196.40	188.70	181.50
6"	226.80	214.20	205.80	198.00
7"	264.60	249.90	240.10	231.00
		60" x 82) "	

-							
	60" x 82"						
1"	94.50	89.30	85.80	82.50			
11/2"	141.80	133.90	128.70	123.80			
2"	189.00	178.50	171.50	165.00			
21/2"	236.30	223.20	214.40	206.30			
3"	283.50	267.80	257.30	247.50			
31/2"	330.80	312.40	300.20	288.80			
4"	378.00	357.00	343.00	330.00			
41/2"	425.30	401.70	385.90	371.30			
5"	472.50	446.30	428.80	412.50			
51/2"	519.80	490.90	471.70	453.80			
6"	567.00	535.50	514.50	495.00			
7"	661.50	624.80	600.30	577.50			

HRS

High Resiliency Foams are foams made with an "HR Polyol" that achieve high sag-factors and high rebound. High Resiliency Foams have a cell structure that gets firmer faster allowing for a wide range of resistance in a foam giving you the utmost in seating comfort.

HR1820 SOFT

24" x 82"					
SIZES	Α	В	c	D	
1"	37.80	35.70	34.30	33.00	
11/2"	56.70	53.60	51.50	49.50	
2"	75.60	71.40	68.60	66.00	
21/2"	94.50	89.30	85.80	82.50	
3"	113.40	107.10	102.90	99.00	
31/2"	132.30	125.00	120.10	115.50	
4"	151.20	142.80	137.20	132.00	
41/2"	170.10	160.70	154.40	148.50	
5"	189.00	178.50	171.50	165.00	
51/2"	207.90	196.40	188.70	181.50	
6"	226.80	214.20	205.80	198.00	
7"	264.60	249.90	240.10	231.00	
		4011 01	NII.		

/"	264.60	249.90	240.10	231.00				
	48" x 82"							
1"	75.60	71.40	68.60	66.00				
11/2"	113.40	107.10	102.90	99.00				
2"	151.20	142.80	137.20	132.00				
21/2"	189.00	178.50	171.50	165.00				
3"	226.80	214.20	205.80	198.00				
31/2"	264.60	249.90	240.10	231.00				
4"	302.40	285.60	274.40	264.00				
41/2"	340.20	321.30	308.70	297.00				
5"	378.00	357.00	343.00	330.00				
51/2"	415.80	392.70	377.30	363.00				
6"	453.60	428.40	411.60	396.00				
7"	529.20	499.80	480.20	462.00				

		60" x 82	2"	
1"	94.50	89.30	85.80	82.50
11/2"	141.80	133.90	128.70	123.80
2"	189.00	178.50	171.50	165.00
21/2"	236.30	223.20	214.40	206.30
3"	283.50	267.80	257.30	247.50
31/2"	330.80	312.40	300.20	288.80
4"	378.00	357.00	343.00	330.00
41/2"	425.30	401.70	385.90	371.30
5"	472.50	446.30	428.80	412.50
51/2"	519.80	490.90	471.70	453.80
6"	567.00	535.50	514.50	495.00
7"	661.50	624.80	600.30	577.50



All of our "HR" foams comply with California TB 117

HR1830 MED-SOFT

24" x 82"					
SIZES	Α	В	С	D	
1"	37.80	35.70	34.30	33.00	
11/2"	56.70	53.60	51.50	49.50	
2"	75.60	71.40	68.60	66.00	
21/2"	94.50	89.30	85.80	82.50	
3"	113.40	107.10	102.90	99.00	
31/2"	132.30	125.00	120.10	115.50	
4"	151.20	142.80	137.20	132.00	
41/2"	170.10	160.70	154.40	148.50	
5"	189.00	178.50	171.50	165.00	
51/2"	207.90	196.40	188.70	181.50	
6"	226.80	214.20	205.80	198.00	
7"	264.60	249.90	240.10	231.00	

		48" x 82	2"	
1"	75.60	71.40	68.60	66.00
11/2"	113.40	107.10	102.90	99.00
2"	151.20	142.80	137.20	132.00
21/2"	189.00	178.50	171.50	165.00
3"	226.80	214.20	205.80	198.00
31/2"	264.60	249.90	240.10	231.00
4"	302.40	285.60	274.40	264.00
41/2"	340.20	321.30	308.70	297.00
5"	378.00	357.00	343.00	330.00
51/2"	415.80	392.70	377.30	363.00
6"	453.60	428.40	411.60	396.00
7"	529.20	499.80	480.20	462.00

		60" x 82	2"	
1"	94.50	89.30	85.80	82.50
11/2"	141.80	133.90	128.70	123.80
2"	189.00	178.50	171.50	165.00
21/2"	236.30	223.20	214.40	206.30
3"	283.50	267.80	257.30	247.50
31/2"	330.80	312.40	300.20	288.80
4"	378.00	357.00	343.00	330.00
41/2"	425.30	401.70	385.90	371.30
5"	472.50	446.30	428.80	412.50
51/2"	519.80	490.90	471.70	453.80
6"	567.00	535.50	514.50	495.00
7"	661.50	624.80	600.30	577.50



POLYURETHANE FOAM ASSOCIATION

www.PFA.org

Their website can be a great resource for current issues & literature on flexible foams.







ACTIVE

HR2420 SOFT

HR2527 MED-SOFT

HR2727 MED-SOFT

		24" x 81	Ι"	
SIZES	Α	В	С	D
1"	47.70	45.00	43.90	42.30
11/2"	71.60	67.50	65.90	63.50
2"	95.40	90.00	87.80	84.60
21/2"	119.30	112.50	109.80	105.80
3"	143.10	135.00	131.70	126.90
31/2"	167.00	157.50	153.70	148.10
4"	190.80	180.00	175.60	169.20
41/2"	214.70	202.50	197.60	190.40
5"	238.50	225.00	219.50	211.50
51/2"	262.40	247.50	241.50	232.70
6"	286.20	270.00	263.40	253.80
7"	333.90	315.00	307.30	296.10
		30" x 81	Ι"	
1"	59.70	56.30	54.90	52.90
11/2"	89.50	84.40	82.40	79.40
2"	119.30	112.50	109.80	105.80
21/2"	149.10	140.70	137.20	132.20
3"	178.90	168.80	164.70	158.70
31/2"	208.70	196.90	192.10	185.10

225.00

253.20

281.30

309.40

337.50

393.80

90.00

135.00

180.00

225.00

270.00

315.00

360.00

405.00

450.00

495.00

540.00

630.00

48" x 81"

219.50

247.00

274.40

301.90

329.30

384.20

87.80

131.70

175.60

219.50

263.40

307.30

351.20

395.10

439.00

482.90

526.80

614.60

211.50 238.00

264.40

290.90

317.30

370.20

84.60

126.90

169.20

211.50

253.80

296.10

338.40

380.70

423.00

465.30

507.60

592.20

5½"

6"

524.70

572.40

667.80

495.00

540.00

630.00

24" x 80"				
SIZES	Α	В	c	D
1"	47.70	45.00	43.90	42.30
11/2"	71.60	67.50	65.90	63.50
2"	95.40	90.00	87.80	84.60
21/2"	119.30	112.50	109.80	105.80
3"	143.10	135.00	131.70	126.90
31/2"	167.00	157.50	153.70	148.10
4"	190.80	180.00	175.60	169.20
41/2"	214.70	202.50	197.60	190.40
5"	238.50	225.00	219.50	211.50
51/2"	262.40	247.50	241.50	232.70
6"	286.20	270.00	263.40	253.80
7"	333.90	315.00	307.30	296.10
		30" x 80)"	
1"	59.70	56.30	54.90	52.90
11/2"	89.50	84.40	82.40	79.40
2"	119.30	112.50	109.80	105.80
21/2"	149.10	140.70	137.20	132.20
3"	178.90	168.80	164.70	158.70
31/2"	208.70	196.90	192.10	185.10
4"	238.50	225.00	219.50	211.50
41/2"	268.40	253.20	247.00	238.00
5"	298.20	281.30	274.40	264.40
51/2"	328.00	309.40	301.90	290.90
6"	357.80	337.50	329.30	317.30
7"	417.40	393.80	384.20	370.20
		48" x 80)"	
1"	95.40	90.00	87.80	84.60
11/2"	143.10	135.00	131.70	126.90
2"	190.80	180.00	175.60	169.20
21/2"	238.50	225.00	219.50	211.50
3"	286.20	270.00	263.40	253.80
31/2"	333.90	315.00	307.30	296.10
4"	381.60	360.00	351.20	338.40
41/2"	429.30	405.00	395.10	380.70
5"	477.00	450.00	439.00	423.00

		2411 24	• 11	
		24" x 96	5"	
SIZES	Α	В	C	D
1"	59.70	57.40	55.30	53.00
11/2"	89.60	86.10	83.00	79.50
2"	119.40	114.80	110.60	106.00
21/2"	149.30	143.50	138.30	132.50
3"	179.10	172.20	165.90	159.00
31/2"	209.00	200.90	193.60	185.50
4"	238.80	229.60	221.20	212.00
41/2"	268.70	258.30	248.90	238.50
5"	298.50	287.00	276.50	265.00
51/2"	328.40	315.70	304.20	291.50
6"	358.20	344.40	331.80	318.00
7"	417.90	401.80	387.10	371.00
		30" x 96	5"	
1"	74.70	71.80	69.20	66.30
11/2"	112.00	107.70	103.70	99.40
2"	149.30	143.50	138.30	132.50
21/2"	186.60	179.40	172.90	165.70
3"	223.90	215.30	207.40	198.80
31/2"	261.20	251.20	242.00	231.90
4"	298.50	287.00	276.50	265.00
41/2"	335.90	322.90	311.10	298.20
5"	373.20	358.80	345.70	331.30
51/2"	410.50	394.70	380.20	364.40
6"	447.80	430.50	414.80	397.50
7"	522.40	502.30	483.90	463.80
		48" x 96	5"	
1"	119.40	114.80	110.60	106.00
11/2"	179.10	172.20	165.90	159.00
2"	238.80	229.60	221.20	212.00
21/2"	298.50	287.00	276.50	265.00
3"	358.20	344.40	331.80	318.00
31/2"	417.90	401.80	387.10	371.00
4"	477.60	459.20	442.40	424.00
41/2"	537.30	516.60	497.70	477.00
5"	597.00	574.00	553.00	530.00
5½"	656.70	631.40	608.30	583.00
6"	716.40	688.80	663.60	636.00
7"	835.80	803.60	774.20	742.00
		60" x 96	5"	
1"	149.30	143.50	138.30	132.50
11/2"	223.90	215.30	207.40	198.80

"HR" FOAMS

4"

5"

6"

7"

1"

2"

11/2"

21/2"

3"

4"

5"

51/21

6"

31/2"

41/2"

41/2"

51/2"

238.50

268.40

298.20

328.00

357.80

417.40

95.40

143.10

190.80

238.50

286.20

333.90

381.60

429.30

477.00

524.70

572.40

667.80

High Resiliency Foams are foams made with an "HR Polyol" that achieve high sag-factors and high rebound. High Resiliency Foams have a cell structure that gets firmer faster allowing for a wide range of resistance in a foam giving you the utmost in seating comfort.



482.90

526.80

614.60

465.30

507.60

592.20

2"

298.50

21/2"	373.20	358.80	345.70	331.30
3"	447.80	430.50	414.80	397.50
31/2"	522.40	502.30	483.90	463.80
4"	597.00	574.00	553.00	530.00
41/2"	671.70	645.80	622.20	596.30
5"	746.30	717.50	691.30	662.50
5½"	820.90	789.30	760.40	728.80
6"	895.50	861.00	829.50	795.00
7"	1044.80	1004.50	967.80	927.50
	PRICES SUBJECT TO	CHANGE WITHOUT I	NOTICE	

287.00

276.50

265.00






AS A FABRICATOR OF OVER 60 FOAMS, WE KNOW THAT FOAM IS NOT JUST FOAM. IT IS OUR GOAL TO CARRY GOOD & CONSISTANT FOAMS AT EACH QUALITY RANGE.


© 2007 ACTIVE FOAM

FOUR LEVEL PRICING



PRICING ON FOAM IS BASED ON THE QUANTITY PURCHASED. THE FIRST LEVEL, "A PRICING", IS ON PURCHASES LESS THAN 12" OF TOTAL HEIGHT. TO REACH THE SECOND PRICING LEVEL, "B PRICING, A TOTAL OF 12" MUST BE PURCHASED OF A SINGLE FOAM TYPE. AN EXAMPLE: 2 SHEETS OF #2235 4"X24"X82" & 2 SHEETS OF #2235 2"X30"X82" WOULD EQUAL 12"S. IF THE ORDER WAS DOUBLED, THE TOTAL HEIGHT WOULD BE 24" REACHING THE THIRD LEVEL, "C PRICING". LEVEL FOUR, "D PRICING" IS THE TOP PRICING LEVEL THAT CAN BE REACHED ON A TOTAL HEIGHT OF 48".

FOR THICKNESS NOT LISTED HERE, PRICING IS PROPORTIONALLY BASED AND VOLUME DISCOUNTS APPLY. UPCHARGE MAY APPLY TO THICKNESSES LESS THAN ONE INCH.



HR2530 MEDIUM

		24" X 83	п	
SIZES	А	В	С	D
1"	47.70	45.00	43.90	42.30
11/2"	71.60	67.50	65.90	63.50
2"	95.40	90.00	87.80	84.60
21/2"	119.30	112.50	109.80	105.80
3"	143.10	135.00	131.70	126.90
31/2"	167.00	157.50	153.70	148.10
4"	190.80	180.00	175.60	169.20
41/2"	214.70	202.50	197.60	190.40
5"	238.50	225.00	219.50	211.50
5½"	262.40	247.50	241.50	232.70
6"	286.20	270.00	263.40	253.80
7"	333.90	315.00	307.30	296.10
		30" X 83		
1"	59.70	56.30	54.90	52.90
1½"	89.50	84.40	82.40	79.40
2"	119.30	112.50	109.80	105.80
21/2"	149.10	140.70	137.20	132.20
3"	178.90	168.80	164.70	158.70
3½"	208.70	196.90	192.10	185.10
4"	238.50	225.00	219.50	211.50
4½"	268.40	253.20	247.00	238.00
4 ½ 5"	298.20	281.30	274.40	264.40
5 5½"				
5 ½ 6"	328.00	309.40	301.90	290.90
o 7"	357.80 417.40	337.50 393.80	329.30 384.20	317.30 370.20
,	417.40	48" X 83		370.20
1"	95.40	90.00	87.80	84.60
11/2"	143.10	135.00	131.70	126.90
2"	190.80	180.00	175.60	169.20
21/2"	238.50	225.00	219.50	211.50
3"	286.20	270.00	263.40	253.80
31/2"	333.90	315.00	307.30	296.10
4"	381.60	360.00	351.20	338.40
41/2"	429.30	405.00	395.10	380.70
5"	477.00	450.00	439.00	423.00
51/2"	524.70	495.00	482.90	465.30
6"	572.40	540.00	526.80	507.60
7"	667.80	630.00	614.60	592.20
		60" X 83	"	
1"	119.30	112.50	109.80	105.80
11/2"	178.90	168.80	164.70	158.70
2"	238.50	225.00	219.50	211.50
21/2"	298.20	281.30	274.40	264.40
3"	357.80	337.50	329.30	317.30
31/2"	417.40	393.80	384.20	370.20
4"	477.00	450.00	439.00	423.00
41/2"	536.70	506.30	493.90	475.90
5"	596.30	562.50	548.80	528.80
5½"	655.90	618.80	603.70	581.70
6"	715.50	675.00	658.50	634.50
7"	834.80	787.50	768.30	740.30
-	33 1.00	, 0, .50	, 00.50	, .0.50



HR3133 MEDIUM

		24" X 81	"	
SIZES	A	В	С	D
1"	55.90	53.60	51.30	49.20
1½"	83.90	80.40	77.00	73.80
2"	111.80	107.20	102.60	98.40
2½"	139.80	134.00	128.30	123.00
3"	167.70	160.80	153.90	147.60
31/2"	195.70	187.60	179.60	172.20
4"	223.60	214.40	205.20	196.80
41/2"	251.60	241.20	230.90	221.40
5"	279.50	268.00	256.50	246.00
51/2"	307.50	294.80	282.20	270.60
6"	335.40	321.60	307.80	295.20
7"	391.30	375.20	359.10	344.40
		30" X 81	"	
1"	69.90	67.00	64.20	61.50
1½"	104.90	100.50	96.20	92.30
2"	139.80	134.00	128.30	123.00
2½"	174.70	167.50	160.40	153.80
3"	209.70	201.00	192.40	184.50
3½"	244.60	234.50	224.50	215.30
4"	279.50	268.00	256.50	246.00
4½" 5"	314.50	301.50	288.60	276.80
-	349.40	335.00	320.70	307.50
5½"	384.40	368.50	352.70	338.30
6" 7"	419.30	402.00	384.80	369.00
/	489.20	469.00 48" X 81	448.90	430.50
1"	111.80	107.20	102.60	98.40
1½"	167.70	160.80	153.90	147.60
2"	223.60	214.40	205.20	196.80
2½"	279.50	268.00	256.50	246.00
3"	335.40	321.60	307.80	295.20
3½" 4"	391.30	375.20	359.10	344.40
-	447.20	428.80	410.40	393.60
4½" 5"	503.10	482.40	461.70	442.80
5 5½"	559.00	536.00	513.00	492.00
5 ½ 6"	614.90 670.80	589.60 643.20	564.30 615.60	541.20 590.40
7"	782.60	750.40	718.20	688.80
		60" X 81	"	
1"	139.80	134.00	128.30	123.00
11/2"	209.70	201.00	192.40	184.50
2"	279.50	268.00	256.50	246.00
21/2"	349.40	335.00	320.70	307.50
3"	419.30	402.00	384.80	369.00
31/2"	489.20	469.00	448.90	430.50
4"	559.00	536.00	513.00	492.00
41/2"	628.90	603.00	577.20	553.50
5"	698.80	670.00	641.30	615.00
51/2"	768.70	737.00	705.40	676.50
6"	838.50	804.00	769.50	738.00
7"	978.30	938.00	897.80	861.00







ACTIVE

© 2007 ACTIVE FOAM

HR2545 FIRM

20" X 83"

© 2007 ACTIVE FOAM

SIZES	Α	В	C	D
1"	39.80	37.50	36.60	35.30
11/2"	59.70	56.30	54.90	52.90
2"	79.50	75.00	73.20	70.50
21/2"	99.40	93.80	91.50	88.20
3"	119.30	112.50	109.80	105.80
31/2"	139.20	131.30	128.10	123.40
4"	159.00	150.00	146.40	141.00
41/2"	178.90	168.80	164.70	158.70
5"	198.80	187.50	183.00	176.30
51/2"	218.70	206.30	201.30	193.90
6"	238.50	225.00	219.50	211.50
7"	278.30	262.50	256.10	246.80
		24" X 83	"	
1"	47.70	45.00	43.90	42.30
11/2"	71.60	67.50	65.90	63.50
2"	95.40	90.00	87.80	84.60
21/2"	119.30	112.50	109.80	105.80
3"	143.10	135.00	131.70	126.90
31/2"	167.00	157.50	153.70	148.10
4"	190.80	180.00	175.60	169.20
41/2"	214.70	202.50	197.60	190.40
5"	238.50	225.00	219.50	211.50
51/2"	262.40	247.50	241.50	232.70
6"	286.20	270.00	263.40	253.80
7"	333.90	315.00	307.30	296.10
		30" X 83	"	
1"	59.70	56.30	54.90	52.90
11/2"	89.50	84.40	82.40	79.40
2"	119.30	112.50	109.80	105.80
21/2"	149.10	140.70	137.20	132.20
- "				

7"	417.40	393.80	384.20	370.20
		60" X 83"		
1"	119.30	112.50	109.80	105.80
11/2"	178.90	168.80	164.70	158.70
2"	238.50	225.00	219.50	211.50
21/2"	298.20	281.30	274.40	264.40
3"	357.80	337.50	329.30	317.30
31/2"	417.40	393.80	384.20	370.20
4"	477.00	450.00	439.00	423.00
41/2"	536.70	506.30	493.90	475.90
5"	596.30	562.50	548.80	528.80
51/2"	655.90	618.80	603.70	581.70
6"	715.50	675.00	658.50	634.50
7"	834.80	787.50	768.30	740.30

168.80

196.90

225.00

253.20

281.30

309.40

337.50

164.70

192.10

219.50

247.00

274.40

301.90

329.30

158.70

185.10

211.50

238.00

264.40

290.90

317.30

3"

4"

5"

31/2"

41/2"

51/2"

6"

178.90

208.70

238.50

268.40

298.20

328.00

357.80

HR3050 FIRM

20" X 81"

SIZES A B C	D
	5.00
	3.90
	1.90
	4.80
3" 155.00 149.30 143.50 137	7.80
3½" 180.90 174.20 167.50 160	0.80
	3.70
	5.70
5" 258.40 248.80 239.20 229	9.60
	2.60
	5.50
7" 361.70 348.30 334.90 321	1.50
24" X 81"	
	5.10
	2.70
	0.20
	7.80
	5.30
3½" 217.00 209.00 200.90 192	2.90
4" 248.00 238.80 229.60 220	0.40
	3.00
5" 310.00 298.50 287.00 275	5.50
3 310.00 230.30 207.00 27.	
	3.10
5½" 341.00 328.40 315.70 303 6" 372.00 358.20 344.40 330	3.10 0.60
5½" 341.00 328.40 315.70 303 6" 372.00 358.20 344.40 336	
5½" 341.00 328.40 315.70 303 6" 372.00 358.20 344.40 330	0.60
5½" 341.00 328.40 315.70 303 6" 372.00 358.20 344.40 330 7" 434.00 417.90 401.80 385	0.60

HR3070 X-FIRM

		20" X 78	;"	
SIZES	Α	В	c	D
1"	50.00	48.10	46.20	44.30
11/2"	75.00	72.20	69.30	66.40
2"	100.00	96.20	92.40	88.50
21/2"	125.00	120.30	115.50	110.70
3"	150.00	144.30	138.50	132.80
31/2"	175.00	168.30	161.60	154.90
4"	200.00	192.40	184.70	177.00
41/2"	225.00	216.40	207.80	199.20
5"	250.00	240.50	230.90	221.30
51/2"	275.00	264.50	254.00	243.40
6"	300.00	288.50	277.00	265.50
7"	350.00	336.60	323.20	309.80
		24" X 78	;"	
1"	60.00	57.70	55.40	53.10
11/2"	90.00	86.60	83.10	79.70
2"	120.00	115.40	110.80	106.20
21/2"	150.00	144.30	138.50	132.80
3"	180.00	173.10	166.20	159.30
31/2"	210.00	202.00	193.90	185.90
4"	240.00	230.80	221.60	212.40
41/2"	270.00	259.70	249.30	239.00
5"	300.00	288.50	277.00	265.50
51/2"	330.00	317.40	304.70	292.10
6"	360.00	346.20	332.40	318.60
7"	420.00	403.90	387.80	371.70
		48" X 78	3"	
1"	120.00	115.40	110.80	106.20
11/2"	180.00	173.10	166.20	159.30
2"	240.00	230.80	221.60	212.40
21/2"	300.00	288.50	277.00	265.50
3"	360.00	346.20	332.40	318.60
31/2"	420.00	403.90	387.80	371.70
4"	480.00	461.60	443.20	424.80
41/2"	540.00	519.30	498.60	477.90
5"	600.00	577.00	554.00	531.00
51/2"	660.00	634.70	609.40	584.10
6"	720.00	692.40	664.80	637.20
7"	840.00	807.80	775.60	743.40



298.50

373.20

447.80

522.40

597.00

671.70

746.30

820.90

895.50

1044.80

287.00

358.80

430.50

502.30

574.00

645.80

717.50

789.30

861.00

1004.50

275.50

344.40

413.30

482.20

551.00

619.90

688.80

757.70

826.50

964.30

2"

21/2"

3"

4"

5"

31/2"

41/2"

51/2"

6"

7"

310.00

387.50

465.00

542.50

620.00

697.50

775.00

852.50

930.00


1085.00

FIRE RETARDANT FOAMS

FOAMS ARE NOT JUST "FR" OR "FIRE RETARDANT". THEY ARE "FIRE-RETARDANT" TO A SPECIFIC CODE OR A SPECIFIC STANDARD. YOUR CUSTOMERS SHOULD PROVIDE YOU WITH THE "FR" LEVEL YOU NEED TO MEET.









DF4025 SOFT

DF4035 MEDIUM

DF4045 FIRM

		24" X 72	2"				24" X 72	."	1			24" X 72	"	
SIZES	А	В	С	D	SIZES	Α	В	С	D	SIZES	A	В	С	D
1"	56.00	54.00	52.00	50.00	1"	56.00	54.00	52.00	50.00	1"	56.00	54.00	52.00	50.00
11/2"	84.00	81.00	78.00	75.00	11/2"	84.00	81.00	78.00	75.00	11/2"	84.00	81.00	78.00	75.00
2"	112.00	108.00	104.00	100.00	2"	112.00	108.00	104.00	100.00	2"	112.00	108.00	104.00	100.00
21/2"	140.00	135.00	130.00	125.00	21/2"	140.00	135.00	130.00	125.00	21/2"	140.00	135.00	130.00	125.00
3"	168.00	162.00	156.00	150.00	3"	168.00	162.00	156.00	150.00	3"	168.00	162.00	156.00	150.00
31/2"	196.00	189.00	182.00	175.00	31/2"	196.00	189.00	182.00	175.00	31/2"	196.00	189.00	182.00	175.00
4"	224.00	216.00	208.00	200.00	4"	224.00	216.00	208.00	200.00	4"	224.00	216.00	208.00	200.00
41/2"	252.00	243.00	234.00	225.00	41/2"	252.00	243.00	234.00	225.00	41/2"	252.00	243.00	234.00	225.00
5"	280.00	270.00	260.00	250.00	5"	280.00	270.00	260.00	250.00	5"	280.00	270.00	260.00	250.00
51/2"	308.00	297.00	286.00	275.00	51/2"	308.00	297.00	286.00	275.00	51/2"	308.00	297.00	286.00	275.00
6"	336.00	324.00	312.00	300.00	6"	336.00	324.00	312.00	300.00	6"	336.00	324.00	312.00	300.00
7"	392.00	378.00	364.00	350.00	7"	392.00	378.00	364.00	350.00	7"	392.00	378.00	364.00	350.00
		48" X 72	!"				48" X 72	."				48" X 72	"	
1"	112.00	108.00	104.00	100.00	1"	112.00	108.00	104.00	100.00	1"	112.00	108.00	104.00	100.00
11/2"	168.00	162.00	156.00	150.00	11/2"	168.00	162.00	156.00	150.00	11/2"	168.00	162.00	156.00	150.00
2"	224.00	216.00	208.00	200.00	2"	224.00	216.00	208.00	200.00	2"	224.00	216.00	208.00	200.00
21/2"	280.00	270.00	260.00	250.00	21/2"	280.00	270.00	260.00	250.00	21/2"	280.00	270.00	260.00	250.00
3"	336.00	324.00	312.00	300.00	3"	336.00	324.00	312.00	300.00	3"	336.00	324.00	312.00	300.00
31/2"	392.00	378.00	364.00	350.00	31/2"	392.00	378.00	364.00	350.00	31/2"	392.00	378.00	364.00	350.00
4"	448.00	432.00	416.00	400.00	4"	448.00	432.00	416.00	400.00	4"	448.00	432.00	416.00	400.00
41/2"	504.00	486.00	468.00	450.00	41/2"	504.00	486.00	468.00	450.00	41/2"	504.00	486.00	468.00	450.00
5"	560.00	540.00	520.00	500.00	5"	560.00	540.00	520.00	500.00	5"	560.00	540.00	520.00	500.00
51/2"	616.00	594.00	572.00	550.00	5½"	616.00	594.00	572.00	550.00	51/2"	616.00	594.00	572.00	550.00
6"	672.00	648.00	624.00	600.00	6"	672.00	648.00	624.00	600.00	6"	672.00	648.00	624.00	600.00
7"	784.00	756.00	728.00	700.00	7"	784.00	756.00	728.00	700.00	7"	784.00	756.00	728.00	700.00

DRI-FAST FOAMS


Dri-Fast* Foams are highly porous allowing water to flow freely through the cells. This allows outdoor cushions to get wet and drain dry very quickly.

Uniform cells allow cushions to breathe. Additionally, Dri-Fast* foams come standard with Germicide to prevent retard mildew and fungus growth.

A great choice for cushions in:

- Boats
- Marinas
- Patios
- Pools
- Yards


The best quality reticulated foam for seating available



Water drainage in less than 24 hours Dri-Fast* foams are a family of outdoor cushioning products that combine the benefits of durablility, drainability and cushioning comfort. These thermally reticulated foams additionally are white pigmented to reduce UV discoloration.

Other Potential Applications:

- Boating & Water Sports Equipment
- Golf Cart Applications
- Water Control Systems
- Aqueous Filtration Systems



FIRMNESS DEN CONTROL OF GOOD BETTER BEST OF SOR GOOD B

FOAM PRODUCTS, INC.



AS A FABRICATOR OF OVER 60 FOAMS, WE KNOW THAT FOAM IS NOT JUST FOAM. IT IS OUR GOAL TO CARRY GOOD & CONSISTANT FOAMS AT EACH QUALITY RANGE.

© 2007 ACTIVE FOAM

DF4060 X-FIRM

		24" X 72	!"	
SIZES	Α	В	С	D
1"	56.00	54.00	52.00	50.00
11/2"	84.00	81.00	78.00	75.00
2"	112.00	108.00	104.00	100.00
21/2"	140.00	135.00	130.00	125.00
3"	168.00	162.00	156.00	150.00
31/2"	196.00	189.00	182.00	175.00
4"	224.00	216.00	208.00	200.00
41/2"	252.00	243.00	234.00	225.00
5"	280.00	270.00	260.00	250.00
51/2"	308.00	297.00	286.00	275.00
6"	336.00	324.00	312.00	300.00
7"	392.00	378.00	364.00	350.00
		48" X 72	."	
1"	112.00	108.00	104.00	100.00

U	330.00	324.00	312.00	300.00
7"	392.00	378.00	364.00	350.00
		48" X 72"		
1"	112.00	108.00	104.00	100.00
11/2"	168.00	162.00	156.00	150.00
2"	224.00	216.00	208.00	200.00
21/2"	280.00	270.00	260.00	250.00
3"	336.00	324.00	312.00	300.00
31/2"	392.00	378.00	364.00	350.00
4"	448.00	432.00	416.00	400.00
41/2"	504.00	486.00	468.00	450.00
5"	560.00	540.00	520.00	500.00
51/2"	616.00	594.00	572.00	550.00
6"	672.00	648.00	624.00	600.00
7"	784.00	756.00	728.00	700.00

FL4099 FLOTATION


24" X 96"								
SIZES		Α	В					
1/2"		52.00	47.00					
1"	<i>(</i> 7)	94.00	84.00					
11/2"		141.00	126.00					
2"		188.00	168.00					
3"		282.00	252.00					
4"		376.00	336.00					

	48" X 96"	'	
1/2"		104.00	94.00
1"	10 St.	188.00	168.00
11/2"		282.00	252.00
2"		376.00	336.00
3"		564.00	504.00
4"		752.00	672.00

PLEASE NOTE: EVEN THOUGH THIS FOAM CAN FLOAT AND IS HIGHLY BOUYANT, IT IS NOT COAST GUARD APPROVED AS A FLOTATION DEVICE.

AEROSOL ADHESIVE OF CHOICE: PREMIUM #840 OR #860 ADHESIVES.

FOUR LEVEL PRICING



PRICING ON FOAM IS BASED ON THE QUANTITY PURCHASED. THE FIRST LEVEL, "A PRICING", IS ON PURCHASES LESS THAN 12" OF TOTAL HEIGHT. TO REACH THE SECOND PRICING LEVEL, "B PRICING, A TOTAL OF 12" MUST BE PURCHASED OF A SINGLE FOAM TYPE. AN EXAMPLE: 2 SHEETS OF #2235 4"X24"X82" & 2 SHEETS OF #2235 2"X30"X82" WOULD EQUAL 12"S. IF THE ORDER WAS DOUBLED, THE TOTAL HEIGHT WOULD BE 24" REACHING THE THIRD LEVEL, "C PRICING", LEVEL FOUR, "D PRICING" IS THE TOP PRICING LEVEL THAT CAN BE REACHED ON A TOTAL HEIGHT OF 48".

FOR THICKNESS NOT LISTED HERE, PRICING IS PROPORTIONALLY BASED AND VOLUME DISCOUNTS APPLY. UPCHARGE MAY APPLY TO THICKNESSES LESS THAN ONE INCH.



conventional foam cells



dri-fast foam cells





TIRMNESS DEN 133 OK GOOD BETTER BEST OK GOOD BETTER BEST OCH GOO



CM3025 SOFT

CM3035 M	ED	IL	JM
----------	----	----	----

C B /	120				B 4
CIV	เรเ)45	ы	IK	IVI

24" X 82"

В

100.80

151.20

C

96.60

144.90

D

88.20

132.30

		24" X 82	2"	
SIZES	А	В	С	D
1"	109.20	100.80	96.60	88.20
11/2"	163.80	151.20	144.90	132.30
2"	218.40	201.60	193.20	176.40
21/2"	273.00	252.00	241.50	220.50
3"	327.60	302.40	289.80	264.60
31/2"	382.20	352.80	338.10	308.70
4"	436.80	403.20	386.40	352.80
41/2"	491.40	453.60	434.70	396.90
5"	546.00	504.00	483.00	441.00
51/2"	600.60	554.40	531.30	485.10
6"	655.20	604.80	579.60	529.20
7"	764.40	705.60	676.20	617.40
		48" X 82	2"	
1"	218.40	201.60	193.20	176.40
11/2"	327.60	302.40	289.80	264.60
2"	436.80	403.20	386.40	352.80
21/2"	546.00	504.00	483.00	441.00
3"	655.20	604.80	579.60	529.20
31/2"	764.40	705.60	676.20	617.40
4"	873.60	806.40	772.80	705.60
41/2"	982.80	907.20	869.40	793.80
5"	1092.00	1008.00	966.00	882.00
51/2"	1201.20	1108.80	1062.60	970.20
6"	1310.40	1209.60	1159.20	1058.40

		24" X 82	"	
SIZES	Α	В	С	D
1"	109.20	100.80	96.60	88.20
11/2"	163.80	151.20	144.90	132.30
2"	218.40	201.60	193.20	176.40
21/2"	273.00	252.00	241.50	220.50
3"	327.60	302.40	289.80	264.60
31/2"	382.20	352.80	338.10	308.70
4"	436.80	403.20	386.40	352.80
41/2"	491.40	453.60	434.70	396.90
5"	546.00	504.00	483.00	441.00
51/2"	600.60	554.40	531.30	485.10
6"	655.20	604.80	579.60	529.20
7"	764.40	705.60	676.20	617.40
		48" X 82	"	

4½" 491.40 453.60 434.70 396.90 5" 546.00 504.00 483.00 441.00 5½" 600.60 554.40 531.30 485.10 6" 655.20 604.80 579.60 529.20 7" 764.40 705.60 676.20 617.40 48" X 82" 1" 218.40 201.60 193.20 176.40 1½" 327.60 302.40 289.80 264.60 2" 436.80 403.20 386.40 352.80 2½" 546.00 504.00 483.00 441.00 3" 655.20 604.80 579.60 529.20 3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80					
5½" 600.60 554.40 531.30 485.10 6" 655.20 604.80 579.60 529.20 7" 764.40 705.60 676.20 617.40 48" X 82" 1" 218.40 201.60 193.20 176.40 1½" 327.60 302.40 289.80 264.60 2" 436.80 403.20 386.40 352.80 2½" 546.00 504.00 483.00 441.00 3" 655.20 604.80 579.60 529.20 3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	41/2"	491.40	453.60	434.70	396.90
6" 655.20 604.80 579.60 529.20 7" 764.40 705.60 676.20 617.40	5"	546.00	504.00	483.00	441.00
7" 764.40 705.60 676.20 617.40	51/2"	600.60	554.40	531.30	485.10
48" X 82" 1" 218.40 201.60 193.20 176.40 1½" 327.60 302.40 289.80 264.60 2" 436.80 403.20 386.40 352.80 2½" 546.00 504.00 483.00 441.00 3" 655.20 604.80 579.60 529.20 3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	6"	655.20	604.80	579.60	529.20
1" 218.40 201.60 193.20 176.40 11/2" 327.60 302.40 289.80 264.60 2" 436.80 403.20 386.40 352.80 21/2" 546.00 504.00 483.00 441.00 3" 655.20 604.80 579.60 529.20 31/2" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 41/2" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5/2" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	7"	764.40	705.60	676.20	617.40
1½" 327.60 302.40 289.80 264.60 2" 436.80 403.20 386.40 352.80 2½" 546.00 504.00 483.00 441.00 3" 655.20 604.80 579.60 529.20 3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40			48" X 82	2"	
2" 436.80 403.20 386.40 352.80 2½" 546.00 504.00 483.00 441.00 3" 655.20 604.80 579.60 529.20 3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	1"	218.40	201.60	193.20	176.40
2½" 546.00 504.00 483.00 441.00 3" 655.20 604.80 579.60 529.20 3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	11/2"	327.60	302.40	289.80	264.60
3" 655.20 604.80 579.60 529.20 3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	2"	436.80	403.20	386.40	352.80
3½" 764.40 705.60 676.20 617.40 4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	21/2"	546.00	504.00	483.00	441.00
4" 873.60 806.40 772.80 705.60 4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	3"	655.20	604.80	579.60	529.20
4½" 982.80 907.20 869.40 793.80 5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	31/2"	764.40	705.60	676.20	617.40
5" 1092.00 1008.00 966.00 882.00 5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	4"	873.60	806.40	772.80	705.60
5½" 1201.20 1108.80 1062.60 970.20 6" 1310.40 1209.60 1159.20 1058.40	41/2"	982.80	907.20	869.40	793.80
6" 1310.40 1209.60 1159.20 1058.40	5"	1092.00	1008.00	966.00	882.00
	51/2"	1201.20	1108.80	1062.60	970.20
7" 1528.80 1411.20 1352.40 1234.80	6"	1310.40	1209.60	1159.20	1058.40
	7"	1528.80	1411.20	1352.40	1234.80

2"	218.40	201.60	193.20	176.40
21/2"	273.00	252.00	241.50	220.50
3"	327.60	302.40	289.80	264.60
31/2"	382.20	352.80	338.10	308.70
4"	436.80	403.20	386.40	352.80
41/2"	491.40	453.60	434.70	396.90
5"	546.00	504.00	483.00	441.00
51/2"	600.60	554.40	531.30	485.10
6"	655.20	604.80	579.60	529.20
7"	764.40	705.60	676.20	617.40
		48" X 82	2"	
1"	218.40	201.60	193.20	176.40
11/2"	327.60	302.40	289.80	264.60
2"	436.80	403.20	386.40	352.80
21/2"	546.00	504.00	483.00	441.00
3"	655.20	604.80	579.60	529.20
31/2"	764.40	705.60	676.20	617.40
4"	873.60	806.40	772.80	705.60
41/2"	982.80	907.20	869.40	793.80
5"	1092.00	1008.00	966.00	882.00
51/2"	1201.20	1108.80	1062.60	970.20
6"	1310.40	1209.60	1159.20	1058.40
7"	1528.80	1411.20	1352.40	1234.80



1411.20

1352.40

1234.80

1528.80

HAVE A FIRE CODE TO MEET?

SIZES

11/2"

109.20

163.80

ASTM D-3675-1"

ASTM E-162-79-1"

Boston Fire Department Seating Test

British Standard 5852:Part 2:Crib 5

California Technical Bulletin 117-2000

California Technical Bulletin 117-2013

California Technical Bulletin 133

F.A.A. Seat Cushion Requirements--

Airworthiness Standards, Section 25.853(a)

IMO A.652(16)-Smoldering Cigarette & Butane Flame

MVSS-302

NFPA 260

Port Authority of NY and NJ Padding and Cushioning

UFAC Current Standards as of 9-81

UL-94 (Meets 94HF1)



30 35 45 50 60 20 F.R. NONE FIRMNESS DEN 4535 **QUALITY** GOOD © 2007 ACTIVE FOAM

FOAM PRODUCTS, INC.



PC4525 SOFT

LATEX TOPPERS									
SIZES			1"	11/2"	2"				
25"	Χ	791/2"	117.80	176.70	235.60				
29"	Χ	791/2"	130.20	195.30	260.30				
52½"	Χ	791/2"	235.60	353.40	471.20				
59½"	Χ	791/2"	267.10	400.60	534.10				
76"	Χ	791/2"	341.10	511.60	682.20				

LATEX CORES						
SIZES			4"	5"	6"	
25"	Χ	791/2"	471.20	589.00	706.80	
29"	Χ	79½"	520.60	650.80	780.90	
521/2"	Χ	79½"	942.40	1178.00	1413.60	
59½"	Χ	791/2"	1068.10	1335.10	1602.10	

1364.30 1705.30 2046.40

PC4535 MEDIUM

LATEX TOPPERS							
SIZES			1"	11/2"	2"		
25"	Χ	791/2"	117.80	176.70	235.60		
29"	Χ	79½"	130.20	195.30	260.30		
52½"	Χ	79½"	235.60	353.40	471.20		
591/2"	Χ	791/2"	267.10	400.60	534.10		
76"	Χ	791/2"	341.10	511.60	682.20		

LATEX CORES							
SIZ	ZES			4"	5"	6"	
25	" Х	()	791/2"	471.20	589.00	706.80	
29	" X	()	791/2"	520.60	650.80	780.90	
52	½" X	()	791/2"	942.40	1178.00	1413.60	
59	½" X	()	791/2"	1068.10	1335.10	1602.10	
76	" Х	()	791/2"	1364.30	1705.30	2046.40	

CUSTOM CUSHIONS

Custom Cushions with Latex Cores or just Latex Toppers are available.

Please inquire for pricing on your custom sizes and shapes.

PC4545 FIRM

LATEX TOPPERS							
SIZES			1"	1½"	2"		
25"	Χ	791/2"	117.80	176.70	235.60		
29"	Χ	791/2"	130.20	195.30	260.30		
521/2"	Χ	791/2"	235.60	353.40	471.20		
591/2"	Χ	791/2"	267.10	400.60	534.10		
76"	Χ	791/2"	341.10	511.60	682.20		

LATEX CORES						
SIZES			4"	5"	6"	
25"	Χ	791/2"	471.20	589.00	706.80	
29"	Χ	791/2"	520.60	650.80	780.90	
521/2"	Χ	791/2"	942.40	1178.00	1413.60	
591/2"	Χ	791/2"	1068.10	1335.10	1602.10	
76"	Χ	791/2"	1364.30	1705.30	2046.40	


PINCORE - LATEX

Naturally supportive, latex adjust to you. Latex gives you that unmistakable comfort, contouring gently to your body while giving outstanding support.

Derived from the hevea brasiliensis, or the rubber tree, latex is the most naturally durable cushioning material available. So while it might cost a little more initially, in the long run only latex will provide the perfect balance and support for years and years.

Latex is inherently anti-microbial, mildew resistant, and dust mite resistant, making it perfect for pulmonary allergy sufferers.

How is latex different from memory foam? Latex is made from a rubber-based product versus memory or visco-elastic foam which is derived from plastics. Latex provides "instantaneous recovery" as it contours and supports any body movement, while memory foam provides "slow recovery". With memory foam, the sleeper must wait for their body temperature to soften the foam prior to getting the true contouring support that they would experience immediately with latex.



Latex is inherently anti-microbial, dust mite resistant, and mildew resistant. Mildew, staphylococcus and other bacteria simply cannot live in latex foam, making it the perfect choice for pulmonary allergy sufferers

The Pincore configuration creates thousands of tiny air channels providing natural breathability.

Pincore Latex toppers are selling because the allow people to improve the mattress they already own at an economical price. Pincore Latex Toppers are like a sea of foam, conforming to the body's every move, something



Instant Recovery Latex Foam



Slow Recovery Memory Foam

an ordinary cushion or mattress just can't do. Latex foam relieves pressure areas that cause tossing and turning.

Latex pillows provide up to 31% more pressure relief and contouring support than memory foam pillows. XSENSOR* test results prove that our latex pillows provide contouring support for the neck and reduce high pressure areas up to 31% more than memory foam pillows. Instantaneously! No waiting for foam to respond

XSENSOR® features 10,000 sensors that measure pressure between a body and a sleep surface. It is an indispensable tool for designing, testing and optimizing sleep surfaces for exceptional comfort and support.

to body heat.

 $\textbf{Mattresses and pillows made from } \textit{Talatech}^{\texttt{m}} \textbf{ latex}$ provide the perfect balance of comfort and support so you can enjoy deep, sound sleep night after night. Latex instantaneously conforms to the shape of your body, gently supporting and comforting you all night long, with up to 33% more pressure relief than other foam bedding. So you can awaken refreshed and rejuvenated to meet the challenges of the day—without the tossing and turning, without the pain and stiffness that disrupt a good night's sleep—with restored energy and enthusiasm.






AS A FABRICATOR OF OVER 60 FOAMS, WE KNOW THAT FOAM IS NOT JUST FOAM. IT IS OUR GOAL TO CARRY GOOD & CONSISTANT FOAMS AT EACH QUALITY RANGE.

© 2007 **ACTIVE** FOAM

FOUR LEVEL PRICING



PRICING ON FOAM IS BASED ON THE QUANTITY PURCHASED. THE FIRST LEVEL, "A PRICING", IS ON PURCHASES LESS THAN 12" OF TOTAL HEIGHT. TO REACH THE SECOND PRICING LEVEL, "B PRICING, A TOTAL OF 12" MUST BE PURCHASED OF A SINGLE FOAM TYPE. AN EXAMPLE: 2 SHEETS OF #2235 4"X24"X82" & 2 SHEETS OF #2235 2"X30"X82" WOULD EQUAL 12"S. IF THE ORDER WAS DOUBLED, THE TOTAL HEIGHT WOULD BE 24" REACHING THE THIRD LEVEL, "C PRICING". LEVEL FOUR, "D PRICING" IS THE TOP PRICING LEVEL THAT CAN BE REACHED ON A TOTAL HEIGHT OF 48".

FOR THICKNESS NOT LISTED HERE, PRICING IS PROPORTIONALLY BASED AND VOLUME DISCOUNTS APPLY. UPCHARGE MAY APPLY TO THICKNESSES LESS THAN ONE INCH.



BF5007 7-LB BONDED

24" X 72"						
SIZES	Α	В	С	D		
1"	41.90	40.70	38.50	36.30		
11/2"	62.90	61.10	57.80	54.50		
2"	83.80	81.40	77.00	72.60		
21/2"	104.80	101.80	96.30	90.80		
3"	125.70	122.10	115.50	108.90		
31/2"	146.70	142.50	134.80	127.10		
4"	167.60	162.80	154.00	145.20		
41/2"	188.60	183.20	173.30	163.40		
5"	209.50	203.50	192.50	181.50		
51/2"	230.50	223.90	211.80	199.70		
6"	251.40	244.20	231.00	217.80		
7"	293.30	284.90	269.50	254.10		
		48" X 72"	1			

		40 A / 2		
1"	83.80	81.40	77.00	72.60
11/2"	125.70	122.10	115.50	108.90
2"	167.60	162.80	154.00	145.20
21/2"	209.50	203.50	192.50	181.50
3"	251.40	244.20	231.00	217.80
31/2"	293.30	284.90	269.50	254.10
4"	335.20	325.60	308.00	290.40
41/2"	377.10	366.30	346.50	326.70
5"	419.00	407.00	385.00	363.00
51/2"	460.90	447.70	423.50	399.30
6"	502.80	488.40	462.00	435.60
7"	586.60	569.80	539.00	508.20



BF5010 10-LB BONDED

		24" X 72	."	
SIZES	Α	В	c	D
1"	55.80	52.20	50.00	47.60
11/2"	83.70	78.30	75.00	71.40
2"	111.60	104.40	100.00	95.20
21/2"	139.50	130.50	125.00	119.00
3"	167.40	156.60	150.00	142.80
31/2"	195.30	182.70	175.00	166.60
4"	223.20	208.80	200.00	190.40
41/2"	251.10	234.90	225.00	214.20
5"	279.00	261.00	250.00	238.00
51/2"	306.90	287.10	275.00	261.80
6"	334.80	313.20	300.00	285.60
7"	390.60	365.40	350.00	333.20

CUTTING BONDED FOAMS

WE HIGHLY RECOMMEND IF YOU HAVE LOTS OF RAILS & STRIPS TO CUT, THAT YOU HAVE US CUT IT FOR YOU. THERE ARE TWO REASONS: 1ST IT IS ONE OF THE MOST DIFFICULT FOAMS TO CUT. 2NDLY, ANY ERRANT CUTS ARE UNFORGIVING AND SHOW UP DRAMATICALLY. LET US HELP.

KNEELER FOAMS

9 & 10 LB BONDED



10LB BONDED OR 9LB BONDED ARE <u>THE</u> CHOICES. OPEN CELLED FOAMS NO MATTER HOW FIRM, ARE STILL JUST AN AIRY CELL STRUCTURE. WITH THIS APPLICATION YOU NEED A FOAM WITH A LOT OF SUBSTANCE, OR A "CLOSED CELL FOAM". THESE BONDEDS GIVE YOU THE PERFORMANCE OF CLOSED CELL FOAMS AT A FRACTION OF THE PRICE. WITH THE DENSITY OF OVER 3 TIMES A TOP OF THE LINE URETHANE, IT WILL NOT ALLOW YOUR KNEES TO BOTTOM OUT AND THEY ARE EXTREMELY DURABLE.









BF5106	6-LB	PREMIERE B O N D E D
		BONDED

RESING GIR	PREMIERE B O N D E D
------------	-------------------------

C

72.00

108.00

144.00

180.00

216.00

252.00

D

70.00

105.00

140.00

175.00

210.00

245.00

271/2" X 78'

В

74.00

111.00

148.00

185.00

222.00

259.00

SIZES

76.00

114.00

152.00

190.00

228.00

266.00

1"

2"

11/21

21/2" 3"

31/21

		27½" X 7	8"	
SIZES	Α	В	С	D
1"	62.10	55.50	53.30	51.10
11/2"	93.20	83.30	80.00	76.70
2"	124.20	111.00	106.60	102.20
21/2"	155.30	138.80	133.30	127.80
3"	186.30	166.50	159.90	153.30
31/2"	217.40	194.30	186.60	178.90
4"	248.40	222.00	213.20	204.40
41/2"	279.50	249.80	239.90	230.00
5"	310.50	277.50	266.50	255.50
51/2"	341.60	305.30	293.20	281.10
6"	372.60	333.00	319.80	306.60
7"	434.70	388.50	373.10	357.70
		55" X 78	"	
1"	124.20	111.00	106.60	102.20
11/2"	186.30	166.50	159.90	153.30
2"	248.40	222.00	213.20	204.40
21/2"	310.50	277.50	266.50	255.50
3"	372.60	333.00	319.80	306.60
31/2"	434.70	388.50	373.10	357.70

444.00

499.50

555.00

610.50

666.00

777.00

426.40

479.70

533.00

586.30

639.60

746.20

408.80

459.90

511.00

562.10

613.20

715.40

4"

41/2"

51/2"

6"

5"

496.80

558.90

621.00

683.10

745.20

869.40

27½" X 78"					
SIZES	Α	В	С	D	
1"	68.00	66.00	64.00	62.00	
11/2"	102.00	99.00	96.00	93.00	
2"	136.00	132.00	128.00	124.00	
21/2"	170.00	165.00	160.00	155.00	
3"	204.00	198.00	192.00	186.00	
31/2"	238.00	231.00	224.00	217.00	
4"	272.00	264.00	256.00	248.00	
41/2"	306.00	297.00	288.00	279.00	
5"	340.00	330.00	320.00	310.00	
51/2"	374.00	363.00	352.00	341.00	
6"	408.00	396.00	384.00	372.00	
7"	476.00	462.00	448.00	434.00	
		55" X 78	3"		
1"	136.00	132.00	128.00	124.00	

198.00

264.00

330.00

396.00

462.00

528.00

594.00

660.00

726.00

792.00

924.00

192.00

256.00

320.00

384.00

448.00

512.00

576.00

640.00

704.00

768.00

896.00

186.00

248.00

310.00

372.00

434.00

496.00

558.00

620.00

682.00

744.00

868.00

204.00

272.00

340.00

408.00

476.00

544.00

612.00

680.00

748.00

816.00

952.00

11/2"

21/2"

31/2"

41/2"

4"

5"

6"

7"

5½"

3"

4"	304.00	296.00	288.00	280.00
41/2	" 342.00	333.00	324.00	315.00
5"	380.00	370.00	360.00	350.00
51/2	" 418.00	407.00	396.00	385.00
6"	456.00	444.00	432.00	420.00
7"	532.00	518.00	504.00	490.00
		55" X 7	78"	
1"	152.00	148.00	144.00	140.00
11/2	" 228.00	222.00	216.00	210.00
2"	304.00	296.00	288.00	280.00
21/2	" 380.00	370.00	360.00	350.00
3"	456.00	444.00	432.00	420.00
31/2	" 532.00	518.00	504.00	490.00
4"	608.00	592.00	576.00	560.00
41/2	" 684.00	666.00	648.00	630.00
5"	760.00	740.00	720.00	700.00
51/2	" 836.00	814.00	792.00	770.00
6"	912.00	888.00	864.00	840.00
7"	1064.00	1036.00	1008.00	980.00

WEIGHT EQUIPMENT FOAMS



6, 7, 9 & 10 LB BONDED

6LB, 7LB, 9LB, AND 10LB BONDED ARE <u>THE</u> CHOICES. OPEN CELLED FOAMS NO MATTER HOW FIRM, ARE STILL JUST AN AIRY CELL STRUCTURE. WITH THIS APPLICATION YOU NEED A FOAM WITH A LOT OF SUBSTANCE, OR A "CLOSED CELL FOAM". THESE BONDEDS GIVE YOU THE PERFORMANCE OF CLOSED CELL FOAMS AT A FRACTION OF THE PRICE. WITH THE DENSITY OF OVER 3 TIMES A TOP OF THE LINE URETHANE, IT WILL NOT ALLOW PIN-POINT PRESSURES OF ELBOWS AND KNEES TO BOTTOM OUT AND THEY ARE EXTREMELY DURABLE.





CV1235 MEDIUM

24" X 30' ROLLS						
SIZES	Α	В	С	D		
1/4"	29.00	28.00	27.00	25.90		
1/2"	58.00	55.90	53.90	51.80		
1"	104.50	100.80	97.10	93.30		
11/2"	156.80	151.20	145.60	140.00		
2"	191.60	184.80	177.90	171.10		

27" X 30' ROLLS						
1/4"	32.60	31.50	30.30	29.20		
½" 1"	65.20	62.90 113.40	60.60 109.20	58.30		
1 1½"	117.60 176.40	170.10	163.80	105.00 157.50		
2"	215.60	207.90	194.40	192.50		

		54" X 30' K	OLLS	
1/4"	65.20	62.90	60.60	58.30
1/2"	130.40	125.80	121.10	116.50
1"	235.20	226.80	218.40	210.00
11/2"	352.70	340.10	327.50	314.90
2"	431.10	415.70	400.30	384.90

	81" X 30' R	OLLS	
93.90	90.50	87.20	83.80
187.70	181.00	174.30	167.60
337.50	325.50	313.40	301.40
506.30	488.20	470.10	452.10
617.60	595.50	573.50	551.40
	187.70 337.50 506.30	93.90 90.50 187.70 181.00 337.50 325.50 506.30 488.20	187.70 181.00 174.30 337.50 325.50 313.40 506.30 488.20 470.10



CV20100 S-HARD

	30'	ROLLS		
SIZES 1/4" X 82"	PER YARD		A 20.40	B 18.50
1/2" X 82"	PER YARD		34.70	32.80

PLEASE NOTE
WE WILL TRIM 82" WIDE ROLLS
AT NO EXTRA CHARGE
2 ROLLS AT 41"
3 ROLLS AT 27"
4 ROLLS AT 20½"

J	82"	SHEETS		
1/2" X 24"	23.50	22.40	21.50	20.50
1" X 24"	46.90	44.80	42.90	41.00

Made without ozone depleters

- Made without PBDE flame retardants
 Made without mercury, lead and other heavy metals
- Made without formaldehyde
- Made without phthalates regulated by the Consumer Product Safety Commission
- Low VOC (Volatile Organic Compounds) emissions for indoor air quality
- Tested and approved for durability and performance.

The CertiPUR-US® program is administered by a not-for-profit organization and is the most rigorous and comprehensive certification for polyurethane foam.



CV20100 - FR44125 - CV25140 - CV40155 - BF5010

GIVE YOUR WORK THAT QUALITY FEEL.

THIN PADDING APPLICATIONS REQUIRE SUPER-HARD FOAMS TO GIVE ADEQUATE SUPPORT & THE SUBSTANTIAL FEEL OF QUALITY WORK. USING ONE OF THESE FOAMS AS A BASE LAYER CAN DO THE TRICK. ADDING A FIRM OR X-FIRM FOAM OVER THIS BASE LAYER CAN GIVE YOU A SOFTER OUTER LAYER FOR THE INITIAL TOUCH OF THESE RAILS AND ARM PADDINGS.



FOAMS THAT FEEL GOOD AND YOU CAN FEEL GOOD ABOUT

For the most complete resource on CertiPUR-US® go to http://certipur.us



More Information is on Pages 12-13.







ACTIVE

BF5006 6-LB	CARPET PADDING
72" WIDE	

BF5008 8		ARPET
72"	WIDE	
15 YARD ROLLS	YARD	ROLL
1/2" PER YARD	37.70	25.70

CARPET PADDING BF5010 10-LB 72" WIDE **15 YARD ROLLS** ROLL YARD 1/2" PER YARD 39.80 27.80

15 YARD ROLLS	YARD	ROLL
1/2" PER YARD	35.60	23.60



USE WHERE YOU NEED A DENSE PADDING

MORETHAN A CARPET PAD. ARM RAILS & BACK RAILS

HIGH DENSITY - SUPER HARD FOAMS







CV44125 S-HARD

OK GOOD BETTER BESTORE FORM
CV25140 S-FIRM

C	V	40	15	5	S-HARD	
•	•			_	9 11/1110	

		82"	SHEETS		
SIZES		А	В	С	D
1/2" X	24"	41.10	38.80	37.60	36.50
1" X	24"	82.20	77.50	75.20	72.90
1½" X	24"	123.30	116.30	112.80	109.40
2" X	24"	164.40	155.00	150.40	145.80
2½" X	24"	205.50	193.80	188.00	182.30
3" X	24"	246.60	232.50	225.60	218.70
31/2" X	24"	287.70	271.30	263.20	255.20
4" X	24"	328.80	310.00	300.80	291.60
41/2" X	24"	369.90	348.80	338.40	328.10

72" SHEETS							
SIZE	s		Α	В	С	D	
1/2"	Х	24"	26.70	25.40	24.30	23.10	
1"	Х	24"	53.40	50.70	48.60	46.20	
11/2"	Χ	24"	80.10	76.10	72.90	69.30	
2"	Х	24"	106.80	101.40	97.20	92.40	
21/2"	Χ	24"	133.50	126.80	121.50	115.50	
3"	Х	24"	160.20	152.10	145.80	138.60	
31/2"	Χ	24"	186.90	177.50	170.10	161.70	
4"	Х	24"	213.60	202.80	194.40	184.80	
41/2"	Х	24"	240.30	228.20	218.70	207.90	

			72"	SHEETS		
SIZE	s		Α	В	С	D
1/2"	Х	27"	41.10	38.80	37.60	36.50
1"	Х	27"	82.20	77.50	75.20	72.90
11/2"	Χ	27"	123.30	116.30	112.80	109.40
2"	х	27"	164.40	155.00	150.40	145.80
21/2"	Χ	27"	205.50	193.80	188.00	182.30
3"	х	27"	246.60	232.50	225.60	218.70
3½"	Χ	27"	287.70	271.30	263.20	255.20
4"	Х	27"	328.80	310.00	300.80	291.60
41/2"	Χ	27"	369.90	348.80	338.40	328.10



CLOTHBACKED FOAMS

WE STOCK THEM IN A VARIETY OF FOAMS TO HELP YOU BEST FIT THE JOB YOU HAVE AT HAND.

THERE ARE ALSO 4
BACKINGS:
WOVEN SCRIM , TRICOT,
REMAY, & VELCRO CLOTH

THE QUALITY & FIRMNESS OF THE FOAM ARE JUST AS IMPORTANT AS YOUR CHOICE ON A THICK SEAT CUSHION.




IF YOU HAVE ALWAYS THOUGHT ALL CLOTHBACKED FOAMS WERE THE SAME, THEY'RE NOT.

CV1450 WITH SCRIM THE PRICE **LEADER WITH** A WOVEN **SCRIM** BACKING: WOVEN SCRIM CLOTH **10 YARD ROLLS** ROLL 4 ROLLS YARD 1/4" X 56" X YARD 1/2" X 56" X YARD 17.50 13.20 12.10 21.10 15.90 14.90 3/4" X 56" X YARD 36.50 27.90 31.00
















VL5610 VOLARA

VOLARA CLOSED CELL FOAM

IRRADIATION CROSS-LINKED, CLOSED CELL,
MICRO-CELLULAR POLYETHYLENE FOAM.



SIZES				YD	10	25
1/8"	x	60" x	YD	14.40	11.40	8.90
3/16"	x	60" x	YD	17.90	14.90	12.40
1/4"	x	60" x	YD	21.30	18.30	15.80
3/8"	x	60" x	YD	28.20	25.20	22.70
1/2"	x	60" x	YD	35.10	32.10	29.60

COLOR: WHITE

USES:

- SCULPTURING FOAM
- DASHBOARDS
- RESTAURANT
- GAMBLING TABLES
- VINYL ROOFS



CELL

NP5620 NEOPRENE CELL


48" WIDE					
SIZES			YD	10	25
1/8"	PER	YARD	31.10	25.10	22.60
1/4"	PER	YARD	47.60	41.60	39.10



, , , , , , , , , , , , , , , , , , , ,

24" X 60"		
SIZES	EA	6
1/2" X 24" X 60"	108.80	102.00
WITH CLOTHBACKING		





PRICES SUBJECT TO CHANGE WITHOUT NOTICE 41

HR3133



CUSTOM COVERING OF MATTRESSES

YOU PICK THE SIZE THICKNESS WIDTH

LENGTH OR PATTERN · Foam cores are quoted separately Fast processing: 3-6 working days

FOAM FIRMNESS YOU PICK THE FEEL FOAM QUALITY

· Special shapes on a per quote basis

 Cores between 6"-10", add \$26.00 OR FOAM COMBO

3/8" OUILTED COVER: BLUE YOU PICK THE TICKING 3/8" OUILTED COVER: CREAM

> **BLUE & WHITE STRIPE** STAPH-CHEK: 10.5OZ HERCULEX: 807

Covering Fees are based on your sizes fitting within one of the 4 groupings. For longer lengths, just add \$5.00 per foot. Special patterns, please call.



FOAM MATTRESS CORES

Custom cut to your thickness, width, length, & shape.

For your convenience, we've listed some common mattress cores in various foams. Price is based on single core purchases.

TWIN

QUEEN

KING

MATTRESS FIRMNESSES • FULL 30 Compression = Medium

35 Compression = Firm 40 Compression = Extra-Firm 45 Compression = Extra-Extra-Firm

HR Cores will be firmer given that scale and must be taken into account.

 CAMPERS When covering a mattress, a 1/2 to 1 inch allowance should be added to the cores length & wide, from your desired finished size (length & width).

BOAT BERTHS

	CV 1233	CV 1033	1112233	1112333	1112033	11112122
5" X 39" X 76"	193.40	282.00	372.00	437.70	494.00	559.00
6" X 39" X 76"	232.10	338.40	446.40	525.30	592.80	670.80
5" X 54" X 80"	267.80	317.30	418.50	492.40	555.80	628.90
6" X 54" X 80"	321.30	380.70	502.20	590.90	666.90	754.70
5" X 60" X 80"	297.50	352.50	465.00	547.10	617.50	698.80
6" X 60" X 80"	357.00	423.00	558.00	656.60	741.00	838.50
5" X 76" X 80"	376.90	446.50	589.00	693.00	782.20	885.10
6" Y 76" Y 90"	452.20	535 80	706.80	831 60	038 60	1062 10

CV1235 CV1835 FR2235 FR2535 FR2835

VISCO-ELASTIC FOAM: VE4010

NEW GENERATION. Visco-elastic Foam is a quantum leap forward ---- a whole new generation in futuristic foam for the newest dimension in comfort.



RESPONDS TO BODY TEMPERATURE. FEEL THE WAY IT RELATES TO PRESSURE.

GEL-LIKE.

Visco-elastic Foam's

gel-like flotation characteristics, it equalizes and redistributes pressure, so that blood circulation is normalized

Visco-elastic foam allows you to position the mattress as truly new, truly different, and truly better.

VALUE ADDED.

In today's environment of parity products with diminishing margins, Visco-elastic Foam enables you to compete more effectively and operate more efficiently.

"Temperature-smart" foam relaxes according to body heat and dynamics. As heat is applied, the foam molds to body contours.

CUSTOM COMFORT AND LOAD BEARING.

Open-celled visco-elastic foam responds to body dynamics, like no ordinary urethane foam or polyester fiber possibly can!

MEMORY FOAM

(SLOW RECOVERY FOAM)

SIZES	Α	В
1" X 30" X 80"	78.00	72.00
11/2"	117.00	108.00
2"	156.00	144.00
2½"	195.00	180.00
3"	234.00	216.00
1" X 60" X 80"	156.00	144.00
11/2"	234.00	216.00
2"	312.00	288.00
2½"	390.00	360.00
3"	468.00	432.00
1" X 76" X 80"	197.60	182.40
11/2"	296.40	273.60
2"	395.20	364.80
2½"	494.00	456.00
3"	592.80	547.20



PS5420 2LB ESTER WITH PSA

Foam Type: 2lb Ester
Color: Charcoal
Firmness: Firm
Fire Retardancy: UL94

Uses: Lining cases

· Laminate to other foams

· Backing to strengthen fabrics

1/8"X54"

YARD 42.60 5 YARDS 38.40 10 YARDS 35.20

PRESSURE SENSITIVE ADHESIVE BACKING

WARNING

URETHANE FOAM IS FLAMMABLE!

DO NOT EXPOSE URETHANE FOAMS TO OPEN FLAMES OR ANY OTHER DIRECT OR INDIRECT HIGH TEMPERATURE IGNITION SOURCES SUCH AS BURNING OPERATIONS, WELDING, BURNING CIGARETTES, SPACE HEATERS OR NAKED LIGHTS.

ONCE IGNITED, URETHANE FOAMS WILL BURN RAPIDLY, RELEASING GREAT HEAT AND CONSUMING OXYGEN AT A HIGH RATE. IN AN ENCLOSED SPACE THE RESULTING DEFICIENCY OF OXYGEN WILL PRESENT A DANGER OF SUFFOCATION TO THE OCCUPANTS. HAZARDOUS GASES RELEASED BY THE BURNING FOAM CAN LEAD TO INCAPACITATION OR BE FATAL TO HUMAN BEINGS IF INHALED IN SUFFICIENT QUANTITIES.

CLOSED CELL NEOPRENE with SINGLE SIDED BLACK NYLON BACKING

USED IN:

- SPORTS MEDICINE
- ORTHOPEDICS
- FITNESS
- EQUINE
- SPECIALTY MARKETS

FEATURES AND BENEFITS:

- HIGH RESISTANCE TO OXIDATION FOR LONGER WEAR
- EXCELLENT THERMAL INSULATIVE PROPERTIES PROVIDING WARMTH, SUPPORT AND COMFORT
- NO ODOR CLOSED CELL, LOW MOISTURE ABSORBENCY
- PROVIDES EXCELLENT SUPPORT FOR SPORTS MEDICINE AND ORTHOPEDIC APPLICATIONS

THE "WET-SUIT" MATERIAL

* Many other fabrics and colors may be special ordered!

FOAM TYPE: NP9640 EACH SIX DOZ 1/16" 1.5ML X 46" X 83" 122.60 113.80 102.20 1/8" 3.0ML X 46" X 83" 151.00 140.10 125.90

CONFOR™ ERGONOMIC URETHANE FOAMS

	FIRMNESS CO	LOR
CF5915	VERY SOFT	VELLOW
CF5926	SOFT	PINK
CF5934	MEDIUM	BLUE

ORDERS OVER \$350 10% DISCOUNT

CONFOR ergonomic foams, medium density, open celled polyurethane foams from E-A-R Specialty composites Corporation, offer a unique combination of physical characteristics, high energy absorption properties and temperature-softening behavior. Soft and flexible, they are suitable for highly diverse applications, from shock isolation in electronic equipment to padding and cushioning in medical devices.

CONFOR foams exhibit unusually low compression set for their low-rebound, highly damped properties, permitting loadings up to and above 50 percent compression. Their low impact resilience provides good energy absorption — up to 97 percent without bottoming out — while recovery from intermittent loading is gradual but complete.

Temperature-softening behavior

CONFOR Foams soften on contact with a warm surface, allowing uniform pressure distribution and firm, yet fluid, support. Because the open-celled foams are breathable, non-irritating in dermal contact, and help dissipate moisture, and perspiration away from the body, they are ideal for medical and body contact cushioning applications.

		SIZE	S		SHEET
1/2"	X	36"	Χ	80"	209.90
1"	X	36"	X	80"	419.80
11/2'	' X	36"	Χ	80"	629.70
2"	X	36"	Χ	80"	839.60
21/2	X	36"	Χ	80"	1049.50
3"	X	36"	X	80"	1259.40

CONFOR foams' ergonomic properties make them excellent materials for occupational seating. They minimize fatigue, and in vehicle and aircraft applications, cushion against shock and vibration.

CONFOR foams' conformability and slow rate of recovery after deflection are ideal for installations where they can expand to fill a cavity and provide an effective seal. Sporting goods take advantage of CONFOR foams' durability, recovery, energy absorption and comfort. They are especially effective in cold-weather gear, remaining soft and breathable next to the body, while the outer layer provides firm support.

Versatility for design

Easily laminated to other conventional foams, fabrics and films with acrylic adhesives, CONFOR foams allow considerable design latitude for customized products. They are available in three standard stiffness grads, from very soft to firm, in thicknesses from 1/2" to 1 foot.

Broad functionality

CONFOR foams' properties offer a variety of performance advantages.

Cushioning: CONFOR foams can provide flexible protection in variety of cushioning applications, from body contact padding to electronics packaging.

Shock absorption: With their excellent energy absorption characteristics CONFOR materials offer a range of impact protection and isolation for dynamic loads, while maintaining consistent static load performance.

Sealing: CONFOR formulations conform easily to irregular shapes and surfaces to provide effective light, dust, and moisture seals.

Vibration: CONFOR foams' unique combination of slow recovery and high energy absorption allows the material to offer effective damping and vibration isolation.

Wide range of applications

CONFOR foams offer effective solutions for numerous OEM design projects.

Medical: CONFOR foams provide highly comfortable, firm support in pads for wheelchairs, operating tables, beds, neo-natal cribs, prosthetic and orthopedic devices and braces. The surface next to the body softens and conforms, while the outer surface remains firm.

Occupational/recreational:

CONFOR foams are used in seating for many fixed-wing and rotary aircraft, trucks, commercial vehicles and boats. And they provide shock absorption in riflery shoulder pads.

Athletics: CONFOR foams' durability, energy absorption and ergonomic properties are ideal for padding on gymnasium and weight-training equipment, and in helmets, braces, exercise mats and bicycle seats. Ski boots, ice skates and hiking boots take advantage of the unique temperature-softening behavior.



GELFOAM

Health Care Seating
 Positioning Devices

GELFOAM Super Soft Comfort

A thumb is pressed deep into the GELFOAM cushion and the GELFOAM memory foam retains the imprint long after the force has been removed.

Only a touch can describe the unique texture and incredible softness of GELFOAM. GELFOAM contours to the body, flowing around clothing wrinkles and seams so they are imprinted into the cushion, not into the skin. GELFOAM is a high-density, open-cell foam with gel-like properties that reduce shear forces and friction that aggravate tender areas on the skin. GELFOAM also transforms moisture and wicks it away from the body.

Sitting on a GELFOAM results in better blood circulation and improved dermatological health because it reduces pressure and relieves skin tension.

ITEM GL6805 SIZE 1" X 16" X 16" EACH 176.00

168.00

GELFOAM is a viscoelastic cushion material with open-cell structure and a soft, dough-like consistency.

GELFOAM absorbs jolts and vibrations, reducing the tiring effects of long-term seating.

GELFOAM provides flotation properties usually found only in more expensive, pure silicone gel pads.

GELFOAM is most effective when used on top of a firmer core.

GELFOAM cushions retain their soft texture in various temperature and humidity extremes. The density of a 1" GELFOAM is 33.75 lb/ft3.

GELFOAM IS NOT DESIGNED TO BE FOLDED.

VISCO-GEL

- Health Care Seating
- Motorcycle & Bike Seats
- Equistrian Pads
- Positioning Devices
- Knee & Elbow Pads
- Shock Absorbing Pads
- Wheel Chair Seats

• Snowmobile Seats

ITEM

VG6810

VG6810

Visco-GEL is a cured polyurethane based visco-elastic polymer. Visco-GEL pads provide a cushioning that conventional open-celled, & closed-cell urethanes cannot. The advantages of the Visco-GEL are the innovative and economical options they provide the medical care industry for use as a component in customized seating and positioning. You can combine the pressure distribution qualities of our Visco-GEL with any standard seat which allows you to put the right amount of support and pressure relief where you need it most, whether in one specific area or throughout the entire seat. In addition, this latex free, incontinent-proof package can easily be rearranged, (or removed) and cleaned repeatedly without cracking or drying out.

EACH 6 139.80 131.40 186.10 177.70 The strength of our Visco-GEL padding comes from the quality of its components. By dielectrically sealing our Visco-GEL in polyurethane film, a superior alternative to vinyl, the exterior skin of our pad will stand up to abrasion, resist bacterial growth, clean easier and retain its original ondition and performance well beyond any vinyl-skinned product. Our unique blend of heat dissipating, x-ray translucent polymers simulate the same pressure-relieving propertiesas human body fat which greatly reduces the risk of decubitus ulcers.

<u>Can be cut with a razor and edges can be sealed</u> with corn-starch.

Visco-GEL has temperature rangeof -40°F to +180°F.

Recommended Adhesive: VYNA-BOND

SHREDDED FOAM

SIZE

½" X 14" X 19" ½" X 19" X 19"

Shredded Foam is the most economical stuffing available. To guard against the lumpy surface against the covering fabric, try making a pocket out of a Bonded Fiberfill or a Sewn Dacron. Just stuff the Shredded Foam fill in and get the best of both worlds.

The utility pillow filler

FOAM SIZE MS7810 URETHANE FOAMS MS7812 VISCO ELASTIC FOAMS MS7814 LATEX FOAM	1 (20 LBS) 3.60 4.20 5.00	4 (80 LBS) 3.20 3.80 4.60	12 (240 LBS) 2.70 3.30 4.10	20 LB BAGS (APPROXIMATE) PRICED PER LB
--	------------------------------------	------------------------------------	--------------------------------------	--

FOAM SKINS

Great as an economical spring insulator

If we are to pick them out for you we will pick skins that will range in thickness from $\frac{3}{4}$ " up to $1\frac{1}{2}$. Because of their obvious inconsistant nature, the range can vary. However, if you come down to our warehouse, you may pick thickness of your choice.

FOAM	SIZE	EACH	DOZEN	4 DOZEN
MS7820	24" X 80"	10.00	9.00	8.50

BEAN BAG FILL

(POLY-STYRENE BEADS)

EP6400 Poly-Styrene Beads, or better known as "Bean Bag Fill" is a economical filler.


Orders shipped by UPS will be shipped in boxes.

FOAM SIZE 1 2 4
EP6400 10 CUBIC FOOT BAGS 60.20 55.80 52.20
SHIPPING BOX (IF REQUIRED) 14.00



FABRICATING FOR MARINE SEATING

- · Profile Cutting
- · Pattern Cutting
- Wedged Profile Cutting
- · Beveled Front Edges
- · Prototype Assistance
- Quick 1-4 Day Delivery




FABRICATING FOR ATHLETIC EQUIPMENT

- Bonded Foam Cut-to-Size
- · Profiles for Positioning Pieces
- · Closed-Cell Foams
- · Contoured Foams
- · Quick 1-4 Day Delivery
- 50+ Foam Selection




FABRICATING FOR THEATER SEATING

- Profile Cutting
- · Pattern Cutting
- Prototype Assistance
- Quick 1-4 Day Delivery
- Fire Retardant Foams
- · Optional On-Site delivery




FABRICATING FOR TECHNICAL APP'S

- Profile Cutting
- Pattern Cutting
- Multi-Piece Constructions
- Prototype Assistance
- · Quick 1-4 Day Delivery
- 50+ Foam Selection




FABRICATING FOR CHURCHES

- Slabs Cut-to-Size
- Wedged Profile Seat & Backs
- 10Lb Bonded Kneelers
- Quick 1-2 Day Delivery
- Wrap Around Profiled Front Edges



FABRICATING FOR CONSUMER PRODUCTS

- · Profile Cutting
- · Pattern Cutting
- Multi-Piece Assemblies
- Beveled & Buffed Edges
- Prototype Assistance
- Quick 1-4 Day Delivery




FABRICATING FOR MODERN DESIGN

- Profile Cutting
- Pattern Cutting
- Wedged Profile Cutting
- · Prototype Assistance
- Quick 1-4 Day Delivery
- 50+ Foam Selection



FABRICATING FOR NOVELTY ITEMS

- All Foam Furniture
- Large All Foam "Numbers"
- Large All Foam "Letters"
- Profile Your Custom Pieces
- Prototype Assistance
- Quick 1-4 Day Delivery



FABRICATING FOR BOOTHS

- Wedge Profile Seats & Backs
- · Beveled Front Edges
- · Neck Roll Profile Cutting
- Slab Cut-to-Size
- Quick 1-4 Day Delivery
- 50+ Foam Selection



FABRICATING FOR MEDICAL PRODUCTS

- · Anti-Microbial Foams
- Slow Recovery Foams
- Closed Cell Foams
- Neoprene with Nylon Laminates
- Contoured Positioning Pieces













CV1220 SOFT

SIZES4" X 8" X 12" X 37" 5" X 9" X 12" X 37"





CV1235 MEDIUM CV1825 SOFT

1	2	4
52.80	44.90	40.80
58.60	50.10	45.60

SIZES
4" X 8" X 12" X 37"
5" X 9" X 12" X 37"

"Soft Options"
for the comfort back cushion
feel. Softs are often overlooked, when they actually
make the best choice, for most
applications.

"Medium Options" for the firm back feel. Will create the crisp filled out look.

CV1835 MEDIUM


1	2	4
58.20	50.90	47.40
64.90	57.10	53.30

"Utility" Options: #1220 or #1235 Medium - The #1200's are your choice when your budget minded and just need a bolster for looks & functionality.

"Better" Option: #1825 or #1835 Medium - The 1800's will give you reasonable comfort and longevity.


BOLSTERS MAY BE CUT OUT OF MANY OTHER FOAMS


DISCOUNTS: 5% AT \$150, 10% AT \$250, 15% AT \$400






TRIANGLE BOLSTERS RIGHT TRIANGLE TRIANGLE TRIANGLE Output TRIANGLE TRIANG













DIAMETERS OF /₈" INCREMENTS CAN BE CUT

DISCOUNTS: 5% AT \$150, 10% AT \$250, 15% AT \$400



15 20 25 30 35 45 50 10 15 20 25 10 NEDIUM FIRM ** FREE TO SOFT NEDUUM FIRM ** FREE TO SOFT NEDIUM FIRM ** FREE TO SOFT NEDIUM FIRM ** FREE TO **FIRMNESS** DEN 1235 QUALITY WHITE OK GOOD © 2007 ACTIVE FOAM

CV1220 SOFT

	QUARTER
	ROUNDS
SIZES	PER LENGTH (4)
3" DIAMETER X 48"	9.90
4" DIAMETER X 48"	11.30
5" DIAMETER X 48"	13.10
6" DIAMETER X 48"	15.10
7" DIAMETER X 48"	17.30
8" DIAMETER X 48"	19.70
9" DIAMETER X 48"	22.70
10" DIAMETER X 48"	25.50
11" DIAMETER X 48"	28.70
12" DIAMETER X 48"	32.40

CV1235 MEDIUM

HALF	THREE QTR	FULL
ROUNDS	ROUNDS	ROUNDS
PER LENGTH (2)	PER LENGTH	PER LENGTH
17.70	31.40	31.40
20.60	37.20	37.20
24.10	44.10	44.10
28.10	52.20	52.20
32.60	61.10	61.10
37.40	70.80	70.80
43.30	82.50	82.50
49.00	93.90	93.90
55.40	106.80	106.80
62.80	121.50	121.50







CV1825 SOFT


	QUARTER	HALF	THREE QTR	FULL
	ROUNDS	ROUNDS	ROUNDS	ROUNDS
SIZES	PER LENGTH (4)	PER LENGTH (2)	PER LENGTH	PER LENGTH
3" DIA X 48"	10.50	19.00	33.90	33.90
4" DIA X 48"	12.20	22.40	40.80	40.80
5" DIA X 48"	14.30	26.50	49.00	49.00
6" DIA X 48"	16.70	31.30	58.50	58.50
7" DIA X 48"	19.30	36.60	69.10	69.10
8" DIA X 48"	22.20	42.30	80.60	80.60
9" DIA X 48"	25.60	49.20	94.40	94.40
10" DIA X 48"	29.00	56.00	108.00	108.00
11" DIA X 48"	32.80	63.60	123.20	123.20
12" DIA X 48"	37.20	72.40	140.80	140.80


CV1835 MEDIUM














BUBBLE WRAP



BW5710

FULL ROLLS ONLY

4 standard cell sizes of bubble wrap are available to design the package you need to eliminate or reduce shipping damage caused by shock, vibration and abusive handling.

The air-filled cells protect your articles from shipping hazards.

Flexible, lightweight bubble-wrap--


- · Easy to use
- Reduces material costs
- · Cuts labor costs
- · Lowers shipping costs

Bubble-wrap can be engineered to meet your specific requirements by slitting, perforating or sheeting.

	1/8"	
4 Standard	3/16"	\bigcirc
Cell Sizes		
of	5/16"	
Bubble Wrap	1/2"	

PRODUCT	BUNDLE THICKNESS	PRICE PER LENGTH	PRICE PER LINEAL YD	48" WIDTH
LD-125	1/8"	1000'	(4,000 SQ.FT.) \$1.51	\$582.20
LD-187	3/16"	750'	(3,000 SQ.FT.) \$1.51	\$436.60
LD-312	5/16"	375'	(1,500 SQ.FT.) \$2.08	\$300.30
LD-500	1/2"	250'	(1,000 SQ.FT.) \$2.11	\$203.30

POLYETHYLENE WRAP



PW5720

FULL ROLLS ONLY

Polyethylene Wrap is a low cost, flexible, all-purpose material useful in both packaging and non-packaging applications. Strong, non-abrasive, lightweight and resilient, wtih excellent tear resistance and puncture resistance. Density: 1.2lb. ½" Rolls: 1.7lb.


- Polyethylene Wrap
- Strong: Outperforms the competitions
- Excellent insulating properties
- · Closed Cell superior water protection
- Non-toxic and inert
- Ozone Safe Mfg without CFC's
- Non-Abrasive will not scratch
- Buoyant Approved by U.L.
- · Clean Non-dusting and lint free



PRODUCT	THICKNESS	BUNDLE LENGTH	PRICE PER LINEAL YD	PRICE PER 48" ROLL
PEW-030	1/32"	2,000'	\$.93	(8,000 SQ.FT.) \$617.00
PEW-060	1/16"	1,250'	\$1.38	(5,000 SQ.FT.) \$574.40
PEW-090	3/32"	750'	\$1.97	(3,000 SQ.FT.) \$491.40
PEW-125	1/8"	550'	\$2.47	(2,200 SQ.FT.) \$453.40
PEW-187	3/16"	350'	\$4.52	(1,400 SQ.FT.) \$526.90
PEW-250	1/4"	250'	\$5.33	(1,000 SQ.FT.) \$444.00



PE: 2LB POLY-LAM **PL5520 CHARCOAL** 2" Extruded Polyethylene Plank **Heat Laminated to Plank Thickness SEMI-RIGID ♦** Bumper Inserts Packaging Applications Hot Tub Insulated Covers Case Inserts Special Seating Platforms Flotable Insert В c D SIZES 32.00 29.00 27.00 25.00 ½" x 24" x 108" 1" x 24" x 108" 64.00 58.00 54.00 50.00 128.00 116.00 108.00 100.00 2" x 24" x 108" 64.00 58.00 54.00 50.00 ½" x 48" x 108" 1" x 48" x 108" 128.00 116.00 108.00 100.00 256.00 232.00 216.00 200.00 2" x 48" x 108"




2LB ESTER

PS5420 CHARCOAL
SLAB STOCK & CUT-TO-SIZE

SOUND & VIBRATION DEADENING


- ◆ Packaging Applications
- ◆ Case Inserts
- ♦ Industrial Applications
- ♦ Sound Deadening Panels
- ♦ Sound Deadening Inserts



SIZES				Α	В	c	D
½" X	27"	х	108"	37.70	33.70	32.30	31.00
1" x	27"	х	108"	75.40	67.40	64.60	61.90
1½" x	27"	х	108"	113.10	101.10	96.90	92.90
2" x	27"	х	108"	150.80	134.80	129.20	123.80
2½" x	27"	х	108"	188.50	168.50	161.50	154.80
3" x	27"	х	108"	226.20	202.20	193.80	185.70
½" X	54"	х	108"	75.40	67.40	64.60	61.90
1" x	54"	х	108"	150.80	134.80	129.20	123.80
1½" x	54"	х	108"	226.20	202.20	193.80	185.70
2" x	54"	х	108"	301.60	269.60	258.40	247.60
2½" x	54"	х	108"	377.00	337.00	323.00	309.50
3" x	54"	х	108"	452.40	404.40	387.60	371.40



SPECIAL SHAPING & MORE....




BUFFING SPECIAL
& CUT-OUT
EDGING BOLSTERS

PROFILE BEV
CUTTING SLA

BEVELED SLABS

BEVELED BOAT CUSHIONS


CONICAL & BEVELED CIRCLES




FABRICATING TO BRING SAVINGS TO YOU

Just Because it is "Simple" Fabricating that you could do yourself, doesn't mean we can't bring a SAVINGS to You.


Let our Fast & Efficient Fabricating - Save Time & Money for You.




SIMPLE RECTANGLES & SIMPLE SQUARES



SIMPLE TRAPAZOIDS &
SIMPLE PATTERNS



SIMPLE "D" SHAPES & ROUNDED RECTANGLES




SIMPLE CIRCLES & SIMPLE OVALS


FABRICATING UNLIMITED THICKNESSES


	1/4"	1/2"	3/4"	1″	11⁄4″	11/2"	1¾″	2″	21/4"	21/2"	2¾"
3"	31⁄4″	31/2"	3¾"	4"	41⁄4″	41/2"	4¾"	5"	51⁄4″	5½"	5¾"
6"	6¼"	61/2"	6¾"	7"	71⁄4″	7½"	7¾"	8"	81/4"	81/2"	8¾"
9"	10¼"	111/2"	12¾"	13"	141/4"	151/2"	16¾"	17"	18¼"	191/2"	20¾"


The catalog and mailings can only list so many thicknesses. On nearly every foam, we can cut to virtually any thickness. We can cut full pieces 12" thick, or even 30" in increments of 1/16". Processing time is just as fast as the standard listed thicknesses throughout the foam section.






































































































































































BIOBRED FOAMS

BioBred Foams are Hybrid Foams



A portion of the Polyol is petroleum based.

A portion of the Polyol is soy based.

BioBred Hybrid Foam

Performance Based with BiOH™ Polyols:

- Reduction of density gradients
- Potential lower Fire Retardant additive usage
- Improved UV resistance
- BiOH polyols come from the world's most reliable source for bio-based polyols.
- Foams made with BiOH polyols have a smaller environmental footprint

It's your World, It's your Choice... It's time to Choose... BioBred Hybrid Foams

- Supports the American farmer
- Meets consumers concern for "Green" products
- · Lessens dependency on fossil fuels including foreign crude oil
- Provides smaller environmental footprint

Support the American Farmer

- Consumers would rather buy products that are "Made in America"
- Soybeans are currently harvested in a surplus and exported from the United States.
- Backup crops are available from South America in the event of a natural disaster or shortfall

Meets consumers concern for "Green"

- The green market is moving more mainstream...
- Not the traditional environmentalists
- People like you & me who want to feel good about the choices they make.

Consumers want to make responsible choices...

 Buying furniture and bedding that is more earth friendly without sacrificing style and comfort, quality, and without paying a premium.

A Cargill Innovation

Cargill, a \$71 billion company traditionally in the food and agricultural business, has helped innovate the technology of bio-based polyols used in the production of urethane foams. Polyol makes up approximately 60% of the formulation of foam.





The polyols are made through a proprietary process that contains a variety of natural oils, most notably soy.


Cargill is now able to produce enough volumes of the bio-based polyol to support commercial needs and second generation BiOH polyols are already in development.

Eco-Friendly "Green Foam"

Renewable Resources









CUSHION WRAP & FIBER GUIDE

BONDED FIBERFILL RESIN-BONDED, CROSS-LAPPED, SPLITTABLE, GARNETTED BATTING

POLYESTER PRODUCTS	WEIGHT	HEIGHT	WIDTHS	PAGE
Thin-Bond	½ OZ	1/2"	27" 30" 54" 60" 81"	65
Lite-Bond	3/4 OZ	3/4"	27" 30" 54" 60"	65
Mid-Bond	1 oz	1"	27" 30" 54"	65
Heavy-Bond	1¼ oz	11⁄4″	27" 30" 54" 60"	65

QUILT BOND

LIGHTLY RESIN-BONDED SOFT BLEND, CROSS-LAPPED, SPLITTABLE GARNETTED BATTING

POLYESTER PRODUCTS	WEIGHT/LN YDHEIGHT	WIDTHS	PAGE
Quilt Bond	6.0 oz (.67/SF) 1"	54" 60"	64

THERMO BOND FIBERFILL LOW-MELT, SOFT, SLICK BONDED FIBER BATTING

PRODUCTS NAME	WEIGHT	HEIGHT	WIDTHS	PAGE
Smooth-Bond	.65 oz	5/8"	54" 60"	63
Smooth-Bond	1.2 oz	11/4"	30" 54"	64
Smooth-Bond	2.0 oz	21/2"	30"	64

DACRON SEWN BACKINGS

SOFT GARNETTED BATTING WITH STITCHED BACKING

PRODUCTS NAME	WEIGHT	HEIGHT	WIDTHS	PAGE
Active-Dac: 1-Side	1.1 oz	1"	30" 36"	62
Active-Dac: 2-Side	1.1 oz	1"	30" 54"	62
DuPont Dac-91: 2 Side	1.5 oz	11/2"	30" 40"	62

DACRON PLAIN BATTING

SOFT GARNETTED BATTING WITH ONLY A TISSUE INNERLEAFING

PRODUCTS NAME	WEIGHT	HEIGHT	WIDTHS	PAGE
DuPont Dac-91	2.2 oz	2"	27"	63
Pillow Fill Dac-22	2.2 oz	2"	27"	63

SYNTHETIC DOWN

REVOLUTIONARY TINY FIBER CLUSTERS WHICH FLOW FREELY LIKE DOWN

PRODUCTS NAME	TYPE	FIRMNESS	PAGE
ULTRA-SOFT	Back	X-Soft	66

LOOSE PILLOW FILLS

POLYESTER FIBERS DENSIFIED TO VARYING DEGREES TO ACHIEVE VARIED FIRMNESS

PRODUCTS NAME		PAGE
COMFORT FILL	Loose Fill with Added Resiliency	66
SILK FILL	A Luxurious Polyester Loose Fill	66

DENSIFIED BATTINGS

POLYESTER FIBERS DENSIFIED TO VARYING DEGREES TO ACHIEVE VARIED FIRMNESS

WARNING!

POLYESTER FIBER BATTING
IS FLAMMABLE. ONCE
IGNITED IT BURNS RAPIDLY
RELEASING GREAT HEAT
AND CONSUMING OXYGEN
AT A HIGH RATE. CONSULT
WITH YOUR INSURANCE
CARRIER TO DETERMINE
PROPER HANDLING AND
STORAGE MEASURES.

PRODUCTS NAME	WEIGHT	HEIGHT	WIDTHS	PAGE
FIBER CORE	6 OZ	3″	24"	68
FIBER CORE	8 OZ	4"	24"	68
POLYFELT	⁷ / ₈ OZ	³ / ₁₆ "	54"	67
INSUL-SOFT	3/4 OZ	1/4"	54"	67
INSUL-SOFT	1 OZ	1/2"	54"	67
INSUL-FIRM	3/4" OZ	1/4"	54"	67
FLEX PAD	3.2 OZ	1/2"	20" 24" 36"	67



ACTIVE-DAC SEWN FIBERFILL



A QUALITY DACRON AT COMPETITIVE PRICES



SEWN CONSTRUCTION	SEWN BACKING	WEIGHT	WIDTH	LBS/ROLL	YDS/ROLL
1 SIDE	ACCORD	1.1 oz	30"	11	20
1 SIDE	ACCORD	1.1 oz	36"	11	20
2 SIDE	ACCORD / BONTEX	1.1 oz	30"	11	20
2 SIDE	ACCORD / BONTEX	1.1 oz	54"	20	20

BONTEX: An economical non-woven fabric similar to Cushion-eze. ACCORD: A non-woven fabric that is soft and pliable.


•

FIRE-RETARDANT: Meets California Technical Bulletin #117

		ROLL	2 ROLLS
IL AND MI PER LB	ONE SIDED	9.20	8.60
IL AND MIPER LB	TWO SIDED	9.40	8.80
WISC PER LB	ONE SIDED	9.80	9.20
WISC PER LB	TWO SIDED	10.00	9.40




2-SIDED WEIGHT: 1.10Z THICKNESS: 1"



4 ROLLS	10 ROLLS
8.30	7.80
8.50	8.00
8.90	8.40
9.10	8.60

DuPONT DAC-91 SEWN FIBERFILL



- QUALITY DACRON
- DURABLE
- ODORLESS
- RESISTS MATTING
- GENTLY RESILIENT
- EXCEPTIONALLY COMFORTABLE



- PURE
- LINT FREE
- NATURALLY SOFT
- SMOOTH

SEWN CONSTRUCTION	SEWN BACKING	WEIGHT	WIDTH	LBS/ROLL	YDS/ROLL
2 SIDE	ACCORD / BONTEX	1.5 oz	30"	141/2	18
2 SIDE Ohio Only	ACCORD / BONTEX	1.5 oz	40"	191/4	18

BONTEX: An economical non-woven fabric similar to Cushion-eze. ACCORD: A non-woven fabric that is soft and pliable.


FIRE-RETARDANT: Meets California Technical Bulletin #117

ROLL 2 ROLLS 4 ROLLS 10 ROLLS IL AND MI PER LB: TWO SIDED 10.40 10.00 9.60 9.30 WISC PER LB: TWO SIDED 10.60 10.20 9.80 9.50






1-SIDED WEIGHT: 1.10Z THICKNESS: 1"



2-SIDED WEIGHT: 1.50Z THICKNESS: 11/2"



SEWN

PLAIN

CONSTRUCTION



DuPONT DAC-91 PLAIN HALOFILL





Complies with the Flammability Standards of California Technical Bulletin #117-2013


WEIGHT

1.2 oz.

THE HIGHEST **QUALITY DACRON**

A LUXURIOUS **DACRON BATTING UNBONDED**

WEIGHT: 1.20Z THICKNESS: 11/4"



	ROLL	2 ROLLS	4 ROLLS	10 ROLLS
IL and MI PER LB	9.60	9.20	8.80	8.50
WISC PER LB	9.80	9.40	9.00	8.70

WIDTH

27"

10

20

PILLOW-FILL DAC II

SEWN

NONE

BACKING



Designed specifically for back pillows and similar constructions. Pillow-Dac II is recommeded as a substitute for Quallofil at half the cost.

• DURABLE • HIGH LOFT • DOWN SOFT • RESILIENT


SEWN CONSTRUCTION	SEWN BACKING	WEIGHT	WIDTH	LBS/ROLL	YDS/ROLL
PLAIN	NONE	2.2 oz.	27"	11 ¾"	12

10 ROLLS **ROLL** 2 ROLLS 4 ROLLS IL and MI PER LB 9.60 9.20 8.80 8.50 **WISC PER LB** 9.80 9.40 9.00 8.70

PREMIUM QUALITY **DACRON PILLOW-FILL**

A SUPER-SOFT 2" LUXURIOUS BATTING **UNBONDED**

WEIGHT: 2.20Z THICKNESS: 2"





SMOOTH-BOND 0.65oz THER BOND-PLUS CUSHION WRAP



ALSO KNOWN AS QUILT-BOND

INVALUABLE FOR:

Cushion wraps
 Walls
 Quilts

WIDTHS:	MI	IL	WI	ОН
	54"	54"	54"	60″
WEIGHT / ROLL	12¾	17	17	25
YARDS PER ROLL	30	30	30	40
IL and MIPERLB	ROLL	2 ROLLS	4 ROLLS	10 ROLLS
	9.30	8.70	8.40	7.90
WISC PER LB	9.50	8.90	8.60	8.10



THICKNESS: ¾"



A THIN, SMOOTH, AND SOFT WRAP

SMOOTH-BOND_{1.20z} THERMO BOND-PLUS CUSHION WRAP




- VERY SMOOTH SOFT RESILIENT
- Able to use with the most delicate of fabrics
- Premium quality cushion wrap Fibers are thermally bonded together
- Approx: 18% more fiber per square foot than regular bonded cushion wraps Contains no chemical resins to break down or add extra weight FIRE-RETARDANT: Meets California Technical Bulletin #117

WIDTHS:	MI	IL/WI	MI/IL/WI	OH
WEIGHT / ROLL	27"	30"	54"	30"/60"
25 YARDS PER ROLL	12¾	14	25½	14/25
IL and MI PER LB WISC PER LB	ROLL 9.10 9.30	2 ROLLS 8.50 8.70	4 ROLLS 8.20 8.40	10 ROLLS 7.70 7.90



THICKNESS: 11/4"



SMOOTH-BOND202 THERMO BOND-PLUS CUSHION WRAP



- VERY SMOOTH SOFT RESILIENT Able to use with the most delicate of fabrics

- Able to use with the most deficate of fabrics
 Premium quality cushion wrap
 Fibers are thermally bonded together
 Approx: 18% more fiber per square foot than regular bonded cushion wraps
 Contains no chemical resins to break down or add extra weight
 FIRE-RETARDANT: Meets California Technical Bulletin #117

WIDTH: 30"
WEIGHT / ROLL: 17 18 YARDS PER ROLL

	ROLL	2 ROLLS	4 ROLLS	10 ROLLS
IL and MI PER LB	9.10	8.50	8.20	7.70
WISC PER LB	9.30	8.70	8.40	7.90





THIN-BOND .5 oz. BONDED FIBERFILL

- Premium quality cushion wrap and general purpose padding

- Saves money due to higher yield
 No need to split thin fill
 FIRE-RETARDANT: Meets California Technical Bulletin #117

MULTI-PURPOSE POLYESTER WRAP:

- CUSHION WRAPPING WALL COVERING
- INSIDE AND OUTSIDE BACKS OTHER UTILITY FUNCTIONS

LOCATION:	MI	IL/WI	WI	OH
WIDTHS:	27"/54"	30"/54"	81"	30"/60"
POUNDS / ROLL:	10 / 20	11 / 20	30	9/16
IL AND MI PER LB WISC PER LB	ROLL 9.30 9.50	2 ROLLS 8.70 8.90	4 ROLLS 8.40 8.60	10 ROLLS 7.90 8.10



LITE-BOND .750z. BONDED FIBERFILL

- Premium quality cushion wrap and general purpose padding
 Constructed of lightly bonded, high quality garnetted fibers
 FIRE-RETARDANT: Meets California Technical Bulletin #117

- SPLITTABLE scissor-patterned fiber creating a soft and ultra smooth surface
 Fibers run in a scissor pattern making the surface feel soft and ultra smooth
- Lite and Mid-Bond are the most popular bonded fiberfill weights for cushion wraps

MULTI-PURPOSE POLYESTER WRAP:

CUSHION WRAPPING • PLUSH WALL COVERING • PLUSH PADDINGS

LOCATION:	MI	IL	WI	OH
WIDTHS:	27"/54"	30"/54"	30"/54"	30"/60"
POUNDS / ROLL	10/20	12/20	12/20	12/22
	ROLL	2 ROLLS	4 ROLLS	10 ROLLS
IL AND MI PER LB	9.30	8.70	8.40	7.90
WISC PER LB	9.50	8.90	8.60	8.10

THICKNESS: ¾" 90 FEET / ROLL




MID-BOND 10z. BONDED FIBERFILL

- Premium quality cushion wrap and general purpose padding Constructed of lightly bonded, high quality garnetted fibers FIRE-RETARDANT: Meets California Technical Bulletin #117

- SPLITTABLE scissor-patterned fiber creating a soft and ultra smooth surface
 Fibers run in a scissor pattern making the surface feel soft and ultra smooth
 Lite and Mid-Bond are the most popular bonded fiberfill weights for cushion wraps
- **MULTI-PURPOSE POLYESTER WRAP:**
 - CUSHION WRAPPING WALL COVERING
 - INSIDE AND OUTSIDE BACKS OTHER UTILITY FUNCTIONS

LOCATION:	MI	IL/WI	ALL	
WIDTHS:	27"	30"	54"	
POUNDS / ROLL	10	12	20	
IL AND MI PER LB WISC PER LB	ROLL 9.30 9.50	2 ROLLS 8.70 8.90	4 ROLLS 8.40 8.60	10 ROLLS 7.90 8.10

THICKNESS: 1" 70 FEET / ROLL




HEAVY-BOND 1.2 oz. BONDED FIBERFILL

- Popular weight among furniture manufacturers
- Premium quality cushion wrap and general purpose padding Made from high quality garnetted fibers that are lightly bonded
- Fibers run in a scissor pattern giving a soft and ultra smooth surface SPLITTABLE TYPE allowing for thinner thicknesses For thicker over-stuffed cushions

- FIRE-RETARDANT: Meets California Technical Bulletin #117

LOCATION:	MI	IL/	WI	OH
WIDTHS:	27"/54"	30″54"	30"/54"	30"/60"
POUNDS/ROLL	10/20	11/20	11/20	15/26
IL AND MI PER LB WISC PER LB	ROLL 9.30 9.50	2 ROLLS 8.70 8.90	4 ROLLS 8.40 8.60	10 ROLLS 7.90 8.10

THICKNESS: 11/4" 60 FEET / ROLL






ULTRA-SOFT SYNTHETIC DOWN

SINK INTO LUXURIOUS COMFORT AT AN EXTRAORDINARY PRICE

Ultra-Soft synthetic down is a fiber cluster for back cushions & pillows that provides the luxurious comfort of down with greater loft and durability at approximately half the cost.

Non-allergenic Ultra-Soft is a special blend of medium and heavy denier fibers which provides the right amount of softness for backs and pillows so that cushions have exceptional, re-fluffable, down-like comfort.

- ULTRA-SOFT is made from 100% Dacron polyester and has no odor nor proteins to support micro-organisms that cause allergies.
- · ULTRA-SOFT is manufactured to specifications that ensureconsistency for every run, unlike natural fill blends that also vary in cleanliness and content.
- · ULTRA-SOFT provides luxurious comfort, durability and ease of care.



(Approximate)



ULTRA-SOFT PROVIDES A GREATER PERCENTAGE OF LOFT PER OUNCE

25 LB 130 LB

ULTRA-SOFT

PER LB

10 LB

SILK FILL

DELUXE SUPER-SOFT POLYESTER LOOSE FILL FOR PILLOWS



PER POUND **UPS BOX**

5 LB 10.70 6.00

8.70

50 LBS 25 LB 8.30

100 LBS 8.10

Must be boxed to avoid UPS Surcharges

COMFORT FILL

TOP QUALITY SOFT RESILENT LOOSE FILL FOR PILLOW STUFFING AND MORE!



PER POUND UPS BOX

5 LB 10.20 6.00

25 LB 8.20

50 LBS 100 LBS 7.80 7.60

Must be boxed to avoid UPS Surcharges



POLYFELT

POLY FELT is a 7/8oz NON resinated needle punched polyester batting.

POLY FELT is a thin uniform pad used for arms & outside backs.

POLY FELT gives you a fine tailored & clean look.

POLY FELT can easily be cut for bindings and edging .

POLY FELT has a thin fabric needle punched between the fibers giving it stability and strength.



3/16" X 54" X PER FOOT

50FT ROLL 2.58 (129.00)

150FT ROLL 2.30 (345.00) 3/150FT ROLLS 2.10 (315.00)

INSUL-SOFT

- · Lightly resinated DENSIFIED polyester batting
- Made of SOFT fibers so thin fabrics may be used
- · A uniform pad used for arms and outside backs
- · Displays a fine tailored and clean look
- · Cuts easily for bindings and edging
- · Good strength in one direction



1/2" 1/4"				
	-	_	_	_

OZ/SF ROLL 118.00 1.00 0.50 96.00 2 ROLLS 110.50 90.00

INSUL-FIRM

THIN and FIRM INSULATOR PAD

- 1/4" uniform padding
- · Outside backs and arms
- · Holds a staple
- · Easy to cut
- · Good strength
- Uniform thickness





1/4" X 30"

OZ/SF 0.875

1 50 FT ROLL 69.00

150 FT ROLL 174.00

3 150 FT ROLL 162.00

FLEX PAD

(DURABLE and FLEXIBLE PADDING)

ROLL WIDTHS: 20 inches and 24 inches

ROLL LENGTHS: 35 ft and 105 ft

· Dual density pad

Meets UFAC

· Heavy 3.2 oz./sqft

FLEX PAD is designed to be used over platform spring construction. It does not require other insulation materials. Extremely durable and easy to apply directly over spring base and attach cover. The bottom side of pad is a firm and flexible consistency. The top is soft and springy; will not set, and is noiseless. It replaces multi-material construction. Meets Cal. 117 and UFAC.



	FOOT	35 FT ROLLS	105 FT ROLLS	3 / 105 FT ROLLS
1/2" X 20"	4.30	70.70	163.80	149.10
1/2" X 24"	4.70	79.10	186.90	170.10
1/2" X 36"	6.50	118.30	277.20	256.20





FIBER CORE

- · Densified polyester batting designed to be used as a seat cushion core instead of using foam cores.
- The 4" densified batting provides a medium-soft feel and dries quickly
- · Best to cut with an electric foam cutter.
- Complies with California Technical Bulletin #117

APPLICATIONS:

- · Lawn and Porch Furniture
- · Boat and Marine Cushions

Weight Per Square Foot: 2"=6oz, 4"=8oz.

2" X 24" X 79" 4" X 24" X 79" **TYPE FIRM MEDIUM**


1 SHEET 53.90 71.90

4 SHEETS 49.90 67.90

8 SHEETS 46.90 63.90

16 SHEETS 43.90 59.90

CUSTOM FIBERFILLS, DACRONS & FUTONS



RESIN-BONDED **F**IBERFILLS



THERMO-BOND **F**IBERFILLS



SEWN DACRON Cushion Wraps



POLYESTER FUTON FIBER CORES


MINIMUM ORDERS DEPENDING ON THE ITEM and REQUIREMENTS: 500 - 750 POUNDS PLEASE CALL FOR INFORMATION AND PRICING ON SPECIFIC ITEMS

CUSTOM FABRICATED FIBER PARTS

TAKE ADVANTAGE OF OUR FABRICATORS AND SAVE MONEY!

FIBER TYPE WEIGHT OZ. **THICKNESS** THIN-BOND 0.50 1/2" LITE-BOND 0.75 11/4" MID-BOND 1.00 11/2" **HEAVY-BOND** 1.25 5/8" SMOOTH-BOND 0.65 SMOOTH-BOND 11/4" 1.20 SMOOTH-BOND 21/2" 2.00 SMOOTH-BOND 3.00 4" 3" **FIBER CORE** 6.00 4" FIBER CORE 8.00 **POLYFELT** 1/2" 1.00 1/4" **INSUL-SOFT** 0.50 **INSUL-SOFT** 1.00 1/2" **INSUL-FIRM** 0.75 1/4" 1/2" FLEX PAD 3.20

- 1) CHOOSE FIBER TYPE
- 2) SPECIFY SIZE AND / OR PATTERN
- 3) WE CUT!





ROYAL COTTON BATTING

GRADE NUMBER ROYAL #185


WIDTH 27'

WISCONSIN WEIGHTS 18, 24

ILLINOIS WEIGHTS 12, 18, 24 MICHIGAN WEIGHTS

12, 18, 24

оню WEIGHTS 12, 18



PER POUND

ROLL 4.88 2 ROLLS 4.16

3.96

2 BALES 3.88





SUPREME COTTON BATTING

GRADE NUMBER SUPREME #150

WIDTH 27"

WISCONSIN WEIGHTS 18

ILLINOIS WEIGHTS 12, 18, 24

MICHIGAN WEIGHTS 12, 18, 24

OHIO WEIGHTS 12.18



For Wisconsin stock: Please add a \$.14 destination freight charge.

PER POUND

ROLL 4.40

2 ROLLS 3.68

BALE 3.48 2 BALES 3.40

CUSHION COTTON BATTING

GRADE NUMBER CUSHION #200

WIDTH 27'

WISCONSIN WEIGHTS 18

ILLINOIS WEIGHTS 12, 18, 24

MICHIGAN WEIGHTS 12, 18, 24

оню WEIGHTS 12, 18

For Wisconsin stock: Please add a \$.18 destination freight charge.

PER POUND

ROLL 4.08

2 ROLLS 3.36

BALE 3.16 2 BALES 3.08





POLY SUPREME COTTON BATTING

GRADE WHITE

NUMBER #155

WIDTH 27"


WISCONSIN WEIGHTS 18

ILLINOIS WEIGHTS 12, 18, 24

MICHIGAN WEIGHTS 12, 18, 24

OHIO WEIGHTS 12, 18





For Wisconsin stock: Please add a \$.18 destination freight charge.

PER POUND

ROLL 5.34

2 ROLLS 4.62

BALE 4.42

2 BALES 4.34

SPECIAL SERVICES COTTON BATTING

Cotton batting may be special ordered to your specifications: grade, weight (thickness), and width. The minimum order is 3 bales, which is approximately 480-500 lbs. If you require substantially narrower widths such as 20" for booth work, special ordering can save you 26%. Lead time is 5 to 10 working days.

COTTON BATTING: Put-ups and Shipping

SINGLE ROLLS: Approximately 20 pounds of cotton paper-wrapped batting with a narrow paper separator **PONY BALES:** 2 rolls paper-wrapped together that can be shipped UPS; approximately 40 pounds total weight

BALES: 8 rolls approximate weight of 160 pounds

Weights are per yard, and thickness will vary depending upon the quality of the cotton.

18 oz. cotton is approximately 1" thick.

APPROXIMATE YARDS PER ROLL:

12 oz = 27 YDS 18 oz = 18 YDS $24 \text{ oz} = 13\frac{1}{2}YDS$

> 69 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



NO. 69 BONDED NYLON THREAD 10 oz

#69 Bonded nylon is popular due to numerous advantages over other threads. It has very high tensile strength and great resistance to abrasion. This nylon thread is also resistant to sunlight and mildewing. The colors tend to be more true and more vibrant than cotton, enabling better matches.

8678 Black 8410 Egg Shell 8402 Snow White 8406 White

YELLOW & ORANGE 8618 Burnt Orange 8418 Nectar 8426 Orange 8422 Tangerine 8430 Toboggan 8414 Yellow

8610	Amber
8630	Brown
8642	Dark Brown
8638	Dk Mahogany
8570	Dark Sand
8634	Espresso
8594	Gold Brown
8574	Latte
8598	Light Brown
8622	Rust
8566	Sand
8550	Seal
8614	Sienna
8554	Taupe
8602	Toast
8546	Willow

	REDS
8606	Pink
8442	Cherry
8454	New Berry
8458	Raspberry
8438	Red
8450	Russet
8434	Scarlet
8446	Wine

GREENS		
8542	Beaver	
8526	Emerald	
8534	Evergreen	
8518	Green	
8514	Holly	
8522	Hunter	
8530	Leaf	
8510	Lime	
8502	Misty	
8506	Turquoise	

	BLUES
8482	Blue
8470	Blue Grey
8486	Cadet
8478	Light Blue
8498	Midnight
8494	Navy
8462	Orchid
8466	Purple
8474	Slate
8490	Yale Blue

PER SPOOL SPOOL 35.80

GREYS 8674 Dark Grey 8662 Grey 8654 Light Grey 8646 Mushroon 8650 Nickel 8658 Pewter 8670 Smoke 8666 Steel

BEI	GES & TANS
8558	Ash
8626	Bamboo
8562	Beige
8586	Caramel
8624	Ecru
8538	Hemp
8578	Light Tan
8582	Natural
8484 8590	Tan Wicker
6590	WICKEI

72 COLORS

ACTUAL THREAD
SAMPLED ON
CHARTS

- 8 OZ SPOOLS
- 3,000 YDS / SPOOL
- 6,000 YDS / LB
- TENSILE: 11 LBS
- 3 PLY BONDED
- GOV. SIZE E



4 SPOOLS 8 32.70

8 SPOOLS 31.90 COLOR CHARTS

NO. 69 BONDED NYLON THREAD 1 LB TUBE

• 16 OZ

ALL COLORS

- SPOOLS
- 6000 YDS / LB
- TENSILE: 11 LB
- 3 PLY BONDED • GOV. SIZE E
- PER SPOOL

SPOOL 61.20 4 SPOOLS 59.20 8 SPOOLS 57.20

COLORS

721 WHITE

751 BEIGE

744 BLACK





NO. 69 BONDED NYLON "G" BOBBINS

BASICS

8678 BLACK **8406 WHITE** 8582 NATURAL 8558 ASH

BROWNS

8554 TAUPE 8562 BEIGE 8598 LIGHT BROWN 8630 BROWN

BLUES

8494 NAVY

REDS

GREYS

8650 NICKLE 8662 GRAY 8674 DARK GRAY

8438 RED

• 31 YARDS / BOBBIN

1/2 GROSS BOXES

1/2 GROSS

2 GROSS 56.50

58.50

NO. 69 BONDED NYLON "M" BOBBINS

• 52 YARDS / BOBBIN

1/2 GROSS BOXES

1/2 GROSS 82.40

2 GROSS 78.40

COLORS WHITE **BLACK** BEIGE **BROWN**



NO. 69 BONDED NYLON "A" BOBBINS

• 52 YARDS / BOBBIN

SPECIAL ORDER

COLORS 721 WHITE 744 BLACK 745 BEAVER



1/2 GROSS BOXES

1/2 GROSS

2 GROSS

THREAD CHART NO. 69 BONDED NYLON

LARGE 72 COLORS **SELECTION CHART** of actual thread sampled

THE COLOR CHART WHICH MAKES COLOR **MATCHING EASIER!**

EACH CHART 15.00



SPECIAL ORDERS



Do you have a special application and need a thread you don't see here?

> As you know, having the right thread will make your job easier. So give us a call and let us help!



No.92 AMANN POLYESTER THREAD

An absolute must for outdoor use. Unlike nylon, polyester will hold up to direct sunlight.

- HIGH PERFORMANCE BONDED THREAD
- RESISTANT TO ULTRA VIOLET RAYS
- RESISTANT TO UNTWISTING
- 80Z: ALL COLORS 160Z SPOOLS: MARKED WITH *



BASICS

201 NATURAL WHITE* 202 CREME **203 SAND** 224 BLACK*



YELLOWS 239 OCHRE 212 SUNFLOWER



PHOTOGRAPHIC COLOR SAMPLING CHARTS AVAILABLE

BLUES 213 ROYAL BLUE 214 PACIFIC BLUE 216 NAVY **225 MEDITERANEAN BLUE**







80Z SPOOLS 160Z SPOOLS **SPOOL** 36.90 4 SPOOLS 33.80 59.20

8 SPOOLS 33.00 57.20

CLEARON MONOFILAMENT MODERN MONO

TRANSPARENT MONOFILAMENT SEWING THREAD

#52 MEDIUM • WEIGHTS: #63 HEAVY

8600 YDS / LB 7100 YDS / LB

• 1.5LB CANISTERS (approx)

Ideal for sewing in blindstitch operations and for quilting on soft home products. Also used for specialty industrial applications where thread stiffness and stich removal are required.

100% Nylon Monofilament with Soft Finish Translucent, blends with many colors Minimizes thread changes and machine adjustments Sews well on blindstitch machines

Fiber Resistance to Acid Fiber Resistance to Alkali Fiber Resistance to Bleach and Solvents Fiber Abrasion Resistance

Fiber Resistance to Heat- 142 deg C

8 SPOOLS

48.10

48.10



SHAKESPEARE® MONOFILAMENT

1 SPOOL

52.10

52.10

Invisible Wonder Thread is a softer monofilament thread which blends with all colors, fabrics, designs and materials. It can be used in combination with other types of threads. Not designed for outdoor use.

· WEIGHTS:

NO. 52 MEDIUM

NO. 63 HEAVY

#52 MEDIUM #63 HEAVY

8600 YDS / LB 7100 YDS / LB

- STYLE G-BOBBINS #40 SIZE: .01
- 50/BOX
- 30 YARDS / BOBBIN

NO. 52 MEDIUM NO. 63 HEAVY CANISTERS BASES NO. 40 G BOBBINS

• 1.5LB CANISTERS (approx)

1 SPOOL 49.70 47.30 12.20 3.40 55.90

4 SPOOLS 44.30 41.90 10.90 3.00 50.90

4 SPOOLS

49.60

49.60

8 SPOOLS 42.30 39.90 10.40 2.90

PER POUND PER POUND

Good Good

Good

PER POUND

PER POUND

WonderThread

Shakes

Excellent

Thread & Cannisters Now Sold Seperately.





No.92 SUNGUARD POLYESTER THREAD

An absolute must for outdoor use. Unlike nylon, polyester will hold up to direct sunlight.

- BOAT AUTO CANVAS OUTDOORS
- COLORS TO MATCH SUNBRELLA
- RESISTANT TO ULTRA VIOLET RAYS
- MADE IN THE USA OF DUPONT DACRON
- TENSILE: 14LBS 4 PLY BONDED GOV. SIZE
- 80Z: ALL COLORS 160Z SPOOLS: MARKED WITH *
- G BOBBINS: 25 YARDS/BOBBIN





BASICS 201Q NATURAL WHITEGM1 202Q OYSTERG1 203Q SANDG1 204Q BEIGEGM1 224Q BLACKGM1







213Q BLUE WAVE 214Q PACIFIC BLUE^G 215Q DUSK BLUE^G 2160 NAVYG 225Q MEDITERANEAN BLUE^G 232Q ADRIATIC BLUE^G 235Q MEDIUM OPALG 255Q CONCORD

BLUES







80Z SPOOLS 160Z SPOOLS

"G" PER ½ GROSS BOXES
"M" PER ½ GROSS BOXES

SPOOL 4 SPOOLS 56.50 54.00 106.60 103.40 1/2 GROSS 2 GROSS 74.40 71.80 92.40 88.40

8 SPOOLS 52.00 101.40 **CHARTS** 12.00



24/4 KEVLAR MACHINE THREAD

- · 6000 Yards / Spool
- **1LB SPOOLS**
- **MEDIUM WEIGHT**
- **DECOMPOSITION POINT: 800 F**
- **NATURAL COLOR: YELLOW**

1LB SPOOLS

SPOOL 143.90 4 SPOOLS 137,40

High decomposition temperature and does not melt.



#18 BONDED NYLON HANDSEWING THREAD

• 251 YDS / SPOOL

2008 YDS/LB

BASICS 744 BLACK 721 WHITE **722 NATURAL** 751 BEIGE

GREYS 747 CUB

YELLOWS **752 GOLD 765 LEMON**

SPOOL

13.90

BLUES 765 NAVY

GREENS 770 SAGE 779 DARK GREEN

4 SPOOLS

8 SPOOLS 11.90

REDS 757 RED 766 CHERRY 774 ROSEATE **780 RUST 784 LAVENDER**







2 OZ. SPOOLS



NO. 46 BONDED NYLON THREAD

1LB SPOOLS9,800 YDS/SPLTensile: 8 lbs2 Ply BondedGov. Size B

COLORS 721 WHITE 744 BLACK



SPOOL 4 SPOOLS 1 LB SPOOLS 86.40 82.40

NO. 138 POLYESTER THREAD

USES:

• AWNINGS • TENTS • INDUSTRIAL

• 3000 YDS / LB

• TENSILE: 21 LBS • 3 PLY BONDED • RECOMMENDED NEEDLE: #150 - SINGER 24

• GOV. SIZE: FF

COLORS BLACK WHITE



SPOOL 4 SPOOLS 104.40 100.40 "G" BOBBINS ½ GROSS BXS 92.20

QTC "CONTRAST" T270 Bonded Nylon

701Q Natural

702Q King Blue

703Q Toboggan

704Q Tan

706Q Dark Grey

707Q Scarlet

709Q Forsythia

710Q Dark Pink

712Q Oregon Purple

714Q Chinese Rust

714Q Cilliese Rust

715Q Cathay Blue

716Q Hunter

717Q Saddle

718Q Lime

719Q Scarab

720Q Nickel

721Q White 744Q Black

QTC "Contrast" is perfect for decorative seat trimming, accent stitching and much more.

This thread will create a bold effect in any seam that is guaranteed to get noticed.

• QTC Contrast Thread is a 100% bonded nylon thread, size T270.

· Colors are securely dyed. There is no risk of migration.

 Dyestuffs that are used with nylon thread are not recommended for UV exposure due to the risk of rapid fading.

• Nylon thread inherently has excellent abrasion characteristics.

Frequently asked questions

Why isn't QTC Contrast Thread in polyester?

Some polyester threads are made with dyes that can migrate into vinyl and leather.

What is migration?

Migration is a chemical reaction between the types of dyes used in the thread and certain vinyl and leather.

Note: Although the thread and vinyl are manufactured correctly, the dye transfer may still occur.

*Any dyed polyester product should be thoroughly tested for color migration using an appropriate dye migration test.

Is there any way to fix a color transfer?

Once the migration of color occurs, it is permanent. It cannot be cleaned or repaired.

Just a reminder about contrast stitching

When using polyester thread, only a solution-dyed product inherently has no dye transfer or color migration risk.

Size T-270
Yards per spool (8 oz) 800
Break Strength 49 lbs
Plies 3
Government Size 4/C
% Elongation 22
Recommended Needle Size 24-26



 SPOOL
 4 SPOOLS
 8 SPOOLS

 8 OZ SPOOLS
 55.80
 52.80
 50.80



LUDLOW NYLON BUTTON TUFTING TWINE

- PREMIER HARD-BONDED BUTTON TWINE RESISTS CHAFING KNOT RETENTION
- 700 YARDS PER POUND





6 BOXES 1 BOX **8 OZ BOX** 19.70 21.90

TUBE 2 TUBES **4 TUBES 2 LB TUBE** 69.30 67.10 71.50

RUBY ITALIAN SPRING TWINE

- NO. 1400 6 PLY HEMP TWINE
- 250 FT/LB.
- CAN BE SUBSTITUTED FOR 3/32 WELT

50 LB. REEL (many ends)



Buy Only "Ruby" Brand **Hemp Twine**





6 BALLS BALL 1 LB. BALLS 27.30 26.30 BALL 2 BALLS 6 BALLS 5 LB. BALLS 127.70 125.70 123.20 REEL 50 LB. REEL 973.10

REEL



LUDLOW'S #6 POLYESTER SPRING TWINE

- 33% STRONGER HOLDS KNOTS MORE SECURELY
 COSTS LESS PER YARD SUPERIOR RESISTANCE TO CHAFING
 USED BY MAJOR FURNITURE MANUFACTURERS
- **100 % TREATED POLYESTER**
- TENSILE STRENGTH APPROX. 450 LBS.
- 366 FT / LB
- **MANY ENDS: 50 STRANDS**





	BALL	6 BALLS
1 LB BALLS	28.50	26.20
5 LB BALLS	116.10	108.70
10 LB BALLS	243.70	229.10
50LB BALLS (Many Ends)	999.70	-



#4.5 NYLON COIL ZIPPER

• 100 YARD ROLLS • 1/2" WIDE TAPE • BREAK STRENGTH: 220 lbs • 100 PER BAG

1 ROLL 2 ROLLS 4 ROLLS #4.5 PER ROLL 72.60 68.60 62.60

#4.5 SHORT PULLS BAG 4 BAGS 13.90



#5 NYLON COIL ZIPPER

• 100 YARD ROLLS • 5/8" WIDE TAPE • BREAK STRENGTH: 220 lbs • 100 PER BAG

#5.0 PER ROLL 78.20 74.20 68.20

#5.0 SHORT PULLS 17.90 15.90



#5 ALUMINUM ZIPPERS

• 100 YARD ROLLS • 9/16" WIDE TAPE • NOTCH LOCK

• BREAK STRENGTH: 150 lbs • 100 PER BAG

1 ROLL 2 ROLLS 4 ROLLS WHITE, BEIGE or BLACK 151.70 145.70 139.70

BAG 4 BAGS 100 PULLS 27.40 25.90 100 STOPS: TOP 12.70 11.20 100 STOPS: BOTTOM 10.80 9.30





CUT LENGTH ZIPPERS

#2.5 NYLON 9/16" BEIGE TAPE OPEN TOP ONLY




SIZE	LENGTH	EACH	DOZ
#2.5	18"	1.90	1.50
#2.5	24"	2.10	1.70
#2.5	30"	2.30	1.90
#2.5	36"	2.60	2.20

#3 BRASS 9/16" BEIGE TAPE OPEN TOP ONLY



SIZE	LENGTH	EACH	DOZ
#3	18"	4.90	4.50
#3	24"	5.90	5.50
#3	30"	7.00	6.60
#3	36"	8.10	7.70
#3	72"	15.50	15.10

#5 ALUMINUM 9/16" BEIGE TAPE OPEN TOP ONLY



MARINE AND AWNING ZIPPERS

MORE ZIPPERS ARE IN THE MARINE SECTION PAGE 218.



PIRELLI RUBBER WEBBING



2" Wide x 100 Foot Rolls 20% Elongation

Why is Pirelli the "only" choice for Rubber Webbing?


- Pirelli Rubber Webbing is unexcelled in Longevity.
- Others can dry out and loose shape in just a few years.
- Generic Brands can also prematurely loose their resiliency & elasticity.
- Generic Brands might save you a few dollars, but at what cost?
- 9½ Pounds Per Roll



INTES ELASTIC WEBBING









INTES is the largest webbing manufacturer in the world.

We supply webbing to the most prestigious companies in the United States and the world from our headquarters in Italy.

Elasbelt is our brand of latex elasticized webbing. It is made of the finest quality materials and provides a seating suspension system that is superior to any other support system.

Why Webbing? It is less expensive than other suspension systems; requires less production time; eliminates the need for expensive inventories of varying sizes of springs; and leaves almost zero waste. And webbing provides a high quality seating suspension system for every seating application you can imagine.

Made of the highest quality, Elasbelt Is tested and certified for strength, aging and ozone endurance. It Retains its elasticity after many years of use. Tests show that Elasbelt does not sag or form a permanent set after repeated stretching up to 250,000 times.

· Has polypropylene: Encapsulated latex to ensure long life giving it strength and protection against environmental damage

	STRIPE/				CUTS	1 ROLL	4 ROLL	8 ROLL
TYPE USE	COLOR	FT/RL	WIDTH	STRETCH	FOOT	ROLL (FOOT)	ROLL (FOOT)	ROLL (FOOT)
#2 BACKS	2 GREEN/GREEN	164	2"	90%	1.70	72.16 (.44)	62.32 (.38)	55.76 (.34)
#6 SEATS	1 RED/BLACK	164	2"	20%	1.80	91.84 (.56)	82.00 (.50)	75.44 (.46)
#7 SEATS	2 GREY/BLACK	328	3"	5%	1.90	223.04 (.68)	203.36 (.62)	190.24 (.58)

PIRELLI RUBBER WEBBING CLIPS

2" WIDE CLIPS

• 55 CLIPS / LB



EACH 50 100 500 PER CLIP .52 .42 .32 .24



LUDLOW JUTE WEBBING

- TOP QUALITY
- UNIFORM STRENGTH
- HIGH QUALITY
- TIGHTLY WOVEN
- EVEN SELVEDGES
- 3 1/2" WIDTH X 72 YARD ROLLS



TYPE	STRIPE	WEIGHT	USES
BFM	Black	9 lbs	Seat backs
LMC	Red	11 lbs	Seats



BFM 9 LB. LMC 11 LB.

1	ROLL
	59.80
	67.40

6 ROLLS 56.80 64.40

12 ROLLS 54.80 62.40

THE FINEST WOVEN SYNTHETIC WEBBING

50.80 58.40

SYNTHETIC JUTE WEBBING

- · GREAT FOR DINING ROOM SEATS
- THIN PROFILE EASY TO TAILOR
- ODORLESS DUST FREE
- MILDEW RESISTANT WILL NOT DRY ROT
- HOLDS ITS SHAPE STRONGER THAN JUTE
- · CREATES A STRONG SPRING PLATFORM
- BREAK STRENGTH: 2320 LB TENSILE
- THICKNESS: .047"
- 3 1/2" WIDTH X 100 YARD ROLLS



3 1/2" Width

	USES	1 ROLL	6 ROLLS	10 ROLLS	20 ROLLS
LIGHT WEIGHT: PER ROLL	BACKS	89.50	86.50	83.50	79.50
HEAVY WEIGHT: PER ROLL	SEATS	112.00	109.00	106.00	102.00

YARD

16.00 19.60

SYTEX SUSPENSION FABRIC

Sytex is a seating support system based on unique elastomeric properties of a high strength polyester monofilament. Due to the low elongation requirements of the product, Sytex is simple to apply by hand. However, machines that are specifically designed to apply this material in a safe, efficient manner are available for customers with specific requirements. Sytex has many outstanding features and is manufactured in the United States.

- Sytex is unaffected by fungus, urine, mildew and household cleaners.
- Sytex is easy and safe to apply, and reduces frame stress.
- Sytex is a 100% syntheic product.
- Sytex It exhibits improved heat aging properties & outstanding resistance to ozone.
- Sytex will not sag after years of use. In fact, it will outlast metal spring seats.
- Sytex can be adjusted easily to obtain a firm seat or a deep plush ride.
- Sytex seating support systems surpass the requirements of all government and

business technical specifications, including FNE-83 25-B and BIFMA.

 Sytex complies with the flammability requirements of: UFAC - Class 1

UFAC - Class 1 NFPA 260 California TB #117

SYTEX II: 20" WIDTH SYTEX III: 29½" WIDTH

• Sytex is recommended to be applied with staples with a ½" crown, 3 staples per inch at 45 degree angles. Applied Elongation: 12-16%.

10YD 14.50 18.10	50YD 13.00 16.60	100YD 12.00 15.60
• Sytex III	3-5%	Extra Firm Institutional Quality
• Sytex II	12-16%	Medium Seat Average Grade
TYPE	APPLIED ELONGATION	TYPICAL USE



NEVERSAG STEEL WEBBING

(IDEAL SUPPORT FOR UPHOLSTERY

• THICKNESS: .375"

WIDTH: 1 1/8" WEIGHT / ROLL: 8.7 LBS • Springs slip into place for life

· Staple or nail to frame

No sewing

· No clipping

· No special fasteners



PER 81' ROLL

1 ROLL 79.20

2 ROLLS 76.20

6 ROLLS 73.70

PASLODE ANCHOR STEEL WEBBING

3/4" WIDE STEEL STRAPPING - HOLES EVERY INCH 100 FT. COIL - Approximately: 4½ LBS 300 FT. COIL - Approximately: 131/2 LBS



PER COIL

100' COIL 57.20

300' COIL 134.70

2 300' COILS 4 300' COILS 125.20

121.20

COTTON TWILL TAPES

For steel webbing nails see page 115.

ALL PRICED PER YARD



	YDS/ROLL	YARD	ROLL	4 ROLLS
1/2" WHITE	72	2.36	.62	.46
1/2" BLACK	72	2.54	.78	.60
3/4" NATURAL	72	2.56	.80	.62
3/4" BLACK	72	3.00	1.24	1.00
1" NATURAL	100	2.62	.82	.64
2" NATURAL	100	3.10	1.34	1.08

COTTON WEBBING TAPES

WIDTH TYPE WEIGHT

LIGHT

LIGHT

LIGHT HFAVY

FULL ROLLS PUT-UP: 100 YARDS

COLOR

NATURAL

NATURAL

NATURAL

NATURAL



TYPAR REINFORCEMENT SEAM TAPE

WHITE POLYESTER, FULL ROLLS PUT-UP: 125 YARDS

WIDTH 3/4" 1"

11/2"

2"

PER ROLL 49.00 54.00





FIBER SINGLE WELT CORD

FIRM FIBERFLEX SUPREME

BRAIDED FIBER WELTCORD - BLEACHED, FIRM QUALITY WITH SUPREME CONSISTENCY. CAN COMBINE FOR QUANTITY DISCOUNT.



SIZE	YD/SPL	SPOOL	4 SPOOLS	8 SPOOLS	10 SPOOLS
3/32	1,000	79.20	77.20	75.20	73.20
4/32	500	44.20	42.20	40.20	38.20
5/32	500	49.40	47.40	45.40	43.40
6/32	500	61.40	59.40	57.40	55.40
7/32	650	90.80	88.80	86.80	84.80
8/32	500	84.40	82.40	80.40	78.40
9/32	450	87.40	85.40	83.40	81.40
10/32	350	79.00	77.00	75.00	73.00
12/32	250	73.20	71.20	69.20	67.20
14/32	200	71.40	69.40	67.40	65.40
16/32	120	55.40	53.40	51.40	49.40



FIBER SINGLE WELT CORD BOXED



2,000 YARD CENTER PULL CARTON

SIZE YD/BOX BOX 2 BOXES 5/32 2000 177.80 175.80



FIBER DOUBLE WELT CORD



SIZE	YD/SPL	1 SPOOL	4 SPOOLS	8 SPOOLS	10 SPOOLS
4/32	250	70.60	68.60	66.60	64.60
5/32	250	86.00	84.00	82.00	80.00
6/32	135	68.00	66.00	64.00	62.00

1 SPOOL



COTTON WELTCORD

GREAT FOR QUILTS • COMFORTERS• THROW PILLOWS • WASHABLES

4 SPOOLS

197.50

162.60

190.40

165.10

8 SPOOLS

179.30

147.60

172.80

149.90



AN ULTRA
SOFT WELTCORD
NATURAL COLOR
10 POUND SPOOLS

4/32	
5/32	
6/32	
8/32	
10/32	
12/32	
16/32	
/	

SIZE

10/32 3 12/32 4 16/32 5 22/32 6 32/32 7 48/32 8 64/32 9

SIZE 00

0

155 209.30 120 172.30 85 201.80 75 175.00 60 164.30 44 144.50 25 139.50 10 136.40

YDS/LB

5

155.10 140.70 136.40 123.80 131.60 119.50 136.40 128.70 116.80 132.40 125.00 113.40 149.50 141.10 128.10 139.40 131.50 119.40



COTTON DOUBLE WELT CORD

69% Cotton / 31% Polyster

SIZE SIZE YDS/SP 1 SPOOL 5/32 0 250 96.60





PLASTIC WELT CORD

A SOFT FOAM PLASTIC WELTCORD **THE FOAM TYPE** NOT THE SOLID ROD TYPE



SIZE	YD/SPL	SPOOL	4 SPOOLS	8 SPOOLS	10 SPOOLS
3/32	500	57.80	55.80	53.80	51.80
4/32	500	60.60	58.60	56.60	54.60
5/32	500	68.40	66.40	64.40	62.40
6/32	500	88.80	86.80	84.80	82.80
7/32	600	160.60	158.60	156.60	154.60
8/32	500	198.80	196.80	194.80	192.80



POLY ROD WELT CORD

Great for loose cushion backs, auto cushions and wherever the firmest of welts is needed!

SIZE	YD/SPL	SPOOL	4 SPOOLS	8 SPOOLS
4/32	500	78.40	74.40	70.40
5/32	500	92.20	88.20	84.20



A **SOLID** High Density Plastic Rod

PVC WELT CORD

Great For Marine Applications Firm, Yet Very Flexible.

SIZE	YD/SPL	SPOOL	YD/SPL	SPOOLS
3/32	100	18.80	1000	147.00
4/32	100	27.70	750	165.40
5/32	100	37.40	500	157.20



WIRE STAKE WELT CORD

16 GAUGE

FIRM WELT FOR LOOSE CUSHIONS • A SUPERIOR AUTOMOTIVE WELT STABILIZER WIRE FOR SPRING UNITS • KRAFT PAPER WRAPPED

6175	LENGTH	E 4 C 1 1	 	400	4 5 6 1 6 6 1 1	

ACTUAL SIZES

SIZE LENGTH EACH 10 25 100 150' COIL 4000' COI 4/32 54" 3.10 1.40 1.16 .98 46.90 512.50

PLAIN



WELT GUARDS CLEAR

Chair back protector - Designed to be sewn or stapled.



BEADED			- All land
	FOOT	50'	250'
PLAIN	4.30	2.72	2.32
BEADED	3.42	1.72	1.42
STAPLE-ON	3.60	2.02	1.62

STAPLE-ON





BURLAP

100% NEW JUTE BURLAP 40" width 10oz/yd

YARD **25 YD RL 50 YD RL** 100 YD RL 2.60

PER YARD 4.20 3.08 2.80



SAGLESS BURLAP

30" Width 17.2oz BURLAP 100% NEW BURLAP 100 Yd Pieces (approx.)

One layer of Sagless Burlap can replace a woven construction of webbing!

YARD **25 YD RL** 50 YD RL 100 YD RL PER YARD 10.52 9.28 8.88 8.58



FLW PROPEX SYNTHETIC BURLAP

3.0 oz Per Square Yard 40" Width 50 Yd Rls Woven Polypropylene FLW is a strong woven polypropylene which has a soft facing on one side only.

	WIDTH	YARD	50 YARDS	100 YARDS	200 YARDS
PER YARD	24"	2.70	1.50	1.44	1.28
PER YARD	27"	2.90	1.70	1.62	1.44
PER YARD	36"	3.46	2.26	2.14	1.92
PER YARD	40"	3.70	2.50	2.38	2.14



WP PROPEX SYNTHETIC WEBBING

4.4 oz Per Square Yard

Heavy Woven Polypropylene

	WIDTH	YARD	50 YARDS	100 YARDS	250 YARDS
PER YARD	24"	4.02	2.12	2.00	1.82
PER YARD	36"	6.04	3.18	3.00	2.74
PER YARD	48"	8.06	4.24	4.00	3.66



VERSARE SYNTHETIC BURLAP

2.3 oz Per Square Yard Point Bonded Spun Polypropylene

Versare is a strong non-woven burlap that is smooth, soft, and very quiet.

	WIDTH	YARD	50 YARDS	100 YARDS	250 YARDS
PER YARD	24"	2.98	1.52	1.40	1.28
PER YARD	40"	3.98	2.52	2.32	2.12

CUSHION EZE

FABRICS EASILY SLIDE ACROSS FOR EASY STUFFING!

A lightweight spun polypropylene synthetic fabric for foiling, cushion wrapping and stuffing problems. Wrap cushions up and slide right in. Can be used for the most economical pillow ticking.

		•	-		
PER ROLL	WIDTH	COLOR	WEIGHT	100 YDS	500 YDS
	40"	WHITE	.5oz	59.10	265.50
	60"	WHITE	.5oz	91.40	412.00





ACCORD (SYNTHETIC CAMBRIC)

THE BEST SYNTHETIC CAMBRIC. A spun polypropylene. SEWABLE, HOLDS STAPLES WELL, and not hairy.

A few possible uses for white Accord • dust cover for furniture • as an economical muslin such as for pillows • over foam or dacron like "cushion-eze."

WEIGHT	COLOR	WIDTH	YDS/RL	1 ROLL	2 ROLLS	4 ROLLS
1.25 oz.	Black	20"	100	46.20	45.20	44.20
1.25 oz.	Black	32"	100	70.80	67.80	66.80
1.25 oz.	Black	36"	100	79.80	77.80	76.80
1.25 oz.	Black	36"	500	322.00		
1.25 oz.	White	36"	100	79.80	77.80	76.80
1.25 oz.	Black	42"	100	113.20	109.20	103.20
1.25 oz.	Black	60"	100	156.20	152.20	146.20
1.25 oz.	White	60"	100	156.20	152.20	146.20
2.00 oz.	Black	36"	100	148.60	142.60	138.60
2.00 oz.	White	36"	100	148.60	142.60	138.60



CRINOL SKIRT LINER

A STIFFENED WOVEN	WIDTH	YDS/RL	1 ROLL	2 ROLLS	4 ROLLS
	5"	100	76.40	74.40	72.40
SKIRT STIFFENER.	6"	100	91.70	89.30	86.90
	7"	100	107.00	104.20	101.40
Firmness: Stiff	8"	100	122.30	119.10	115.90
	10"	100	152.90	148.90	144.90



SKIRT LINING / FILLER MEDIUM

A HIGH QUALITY STANDARD SKIRT STIFFENER. Weight: 5.0 oz	WIDTH 5" 6" 7" 8" 10"	YDS/RL 100 100 100 100	1 ROLL 56.00 67.20 78.40 89.60 112.00	2 ROLLS 54.00 64.80 75.60 86.40 108.00	4 ROLLS 52.00 62.40 72.80 83.20 104.00
	14"	50	78.40	75.60	72.80



SKIRT LINING / FILLER FIRM

A LUCII OLIALITY	WIDTH	YDS/RL	1 ROLL	2 ROLLS	4 ROLLS
A HIGH QUALITY	5"	100	56.00	54.00	52.00
THICK , FIRM	6"	100	67.20	64.80	62.40
SKIRT STIFFENER.	7"	100	78.40	75.60	72.80
	8"	100	89.60	86.40	83.20
Weight: 6.2 oz	10"	100	112.00	108.00	104.00
	14"	50	78.40	75.60	72.80



WOVEN SKIRT LINING / BACKING 8" and 30"

Weight: 4-5oz A Medium Weight Woven Skirt backing

WIDTH 25 YD RL 50 YD RL 100 YD RL
Beige 8" - - 1.18
Beige 30" 4.94 4.54 4.04





HEAVY WEIGHT DECKINGS: 30" & 60"

Active Foam believes in quality and as long as we can obtain consistent sources for heavy twills and poplins, we will carry the best. We will stock regular drills only when these premium deckings are not available.

TWILL WEIGHTS: 6oz - 8oz

POPLIN/DUCK WEIGHTS: 6oz - 8oz



Matching up the right decking color will give your job that added smart look giving your customers the added confidence that the job was done right!

	WD	YARD	25 YDS	50 YDS	100 YDS		WD	YARD	25 YDS	50 YDS	100 YDS
Beige	30"	5.60	4.70	4.30	3.90	Blue	30"	6.20	5.30	4.90	4.50
Tan	30"	5.60	4.70	4.30	3.90	Navy	30"	6.20	5.30	4.90	4.50
Ashes	30"	5.60	4.70	4.30	3.90	Burgundy	30"	6.40	5.50	5.10	4.70
Toast	30"	5.60	4.70	4.30	3.90	lvory	30"	6.40	5.50	5.10	4.70
Taupe	30"	5.90	5.00	4.60	4.20	Gold	30"	6.40	5.50	5.10	4.70
Cream	30"	5.90	5.00	4.60	4.20	Rose	30"	6.40	5.50	5.10	4.70
Hunter Green	30"	5.90	5.00	4.60	4.20	White	30"	6.40	5.50	5.10	4.70
Steel Grey	30"	5.90	5.00	4.60	4.20	Black	30"	6.40	5.50	5.10	4.70
Dark Grey	30"	5.90	5.00	4.60	4.20	Beige	60"	11.70	9.90	9.10	8.30
Brown	30"	6.20	5.30	4.90	4.50	Black	60"	13.50	11.70	10.90	10.10

MEDIUM WEIGHT DECKINGS: 30"

A medium weight decking with an outstanding value. Weights are normally in the 4-5oz range tending to be mostly drills and ducks.



COLOR	WIDTH	YARD	25 YD RL	50 YD RL	100 YD RL
Beige	30"	5.36	4.32	3.92	3.52
Grey	30"	5.36	4.32	3.92	3.52

FIREGARD®: FLAME BARRIER

FIREGARD has had many years of scientific research directed to its development, leading to a family of new textile fabrics. The objective was to develop fabrics that would help contain a fire within the room where it started. Part of the results of the research represents the most significant innovation in the FR marketplace in more than 60 years - the FIREGARD Seating Barriers.

FIREGARD° F170

- Heavy Duty Double Face Knit Barrier Targeted at "Hard To Pass" Fabrics & Design
- Composit Product Consists of: Special Intumescent Fibers Covering A Glass Core.
- The Special Covering Chars to Prevent "Burn-Through" Vapor Phase Helps Extingquish Flames
- Perfomance is Unaffected by water spills
- Excellent Upholsterability & Breathability

FIREGARD® F117

- Composit Product Consists of: Special Intumescent Fibers Covering A Glass Core.
- The Special Covering Chars to Prevent "Burn-Through"
 Vapor Phase Helps Extingguish Flames
- Perfomance is Unaffected by water spills
- Excellent Upholsterability & Breathability



Furniture utilizing FIREGARD Seating Barrier fabric, together with CAL 117 foam and various upholstery fabric, has been shown to pass California Technical Bulletin 133. Variables other than the component products described above can affect whether a piece of furniture passes or fails this test. For this reason, furniture manufacturers are responsible for testing and certifying their furniture with respect to California Technical Bulletin 133.

While the manufacturer views its FIREGARD Seating Barrier fabric as a significant improvement over competitive products, all textile fabrics will burn and generate smoke under certain fire conditions. It is up to the customer to determine if FIREGARD Seating Barrier fabric is suitable for its needs.

Extensive composite testing adhering to California Technical Bulletin 133 has shown outstanding results utilizing FIREGARD Seating Barriers. Acting as a barrier between the flame and internal stuffing, there is no need to use expensive modified foam. FIREGARD Seating Barriers are the best on the market, with qualities surpassing those of competitive barrier products.

FIREGARD Seating Barriers are stretchable and moldable. They may be laminated to upholstery fabric* or glued directly to foam. Priced competitively, these barrier fabrics are also durable to wear and abrasion.

STYLE	WT/SY	WIDTH	YARD	10 YARDS	25 YARDS	50 YARDS
F117	5.50	60"	34.80	30.80	28.80	26.80
F170	7.00	60"	39.90	35.90	33.90	31.90



UNBLEACHED COTTON MUSLIN

Active Foam procures some of the finest muslin for the furniture upholstery industry. Our muslin has a soft heavy hand that is easy to work with. Approximately 3 - 4 oz. goods.



48" Width

44 x 40 Thread Count

100% Cotton

48" WIDTH

YARD 7.70 50 YARDS 6.50 100 YARDS 5.90 200 YARDS 5.70

BLEACHED POLY COTTON MUSLIN

Weave: Twill

78 x 54 Thread Count

70/30 Poly/Cotton Blend

60" WIDTH

YARD 10.32 50 YARDS 8.92 100 YARDS 8.42

DOWNPROOF TICKING

Bleached White - Soft Finish - A Fine High Thread Count: 43" 104 x 76 Down is available on page 89. 61" 133 x 72



43" WIDTH 61" WIDTH YARD 12.70 15.20 25 YARDS 10.90 13.40 50 YARDS 10.10 12.60 100 YARDS 9.30 11.80

CAL TB 117-2013 DOWNPROOF TICKING

A Flame Retardant Free Down Proof Ticking that is designed to meet California Technical Bulletin #117-2013. Bleached White - Poly Cotton Blend - A Fine High Thread Count of 104 x 76



63" WIDTH

YARD

25 YARDS

50 YARDS

100 YARDS

03 WIDIH

12.70

10.90

10.10

9.30

WOVEN BLACK CAMBRIC

RAINBOW DUST COVER

Weight: 3½-4oz A heavy cotton blend with a high thread count.



36" WIDTH 46" WIDTH 54" WIDTH YARD 6.54 8.18 9.82 25 YARDS 5.44 6.80 8.16

50 YARDS 4.94 6.18 7.42

4.64 5.80 6.96

100 YARDS



WOVEN STRIPED MATTRESS TICKING

ROLL LENGTH: 75 YARDS REPEAT: 1/2" THREAD COUNT: 72X44 WFIGHT: 6.80z

ACA TICKING: BLUE / WHITE STRIPE

CONTENTS: 100% COTTON CFR 1632, Cig. Ignition: Pass NFPA 701: Pass

Color Fastness to Laundering: AATCC 61 Class 4

YARD 45" WIDTH 18.70 10 YARDS 16.70

25 YARDS 15.70

75 YARDS 14.70



POLY/ THREAD COTTON COUNT Bleached White 70/30 78 x 44 Ivory

65/35 78 x 44

YARD **54" WHITE** 8.80 54" IVORY 8.80

10 YARDS 6.80 6.80

50 YARDS 6.10 6.10

· Water Repellent · Wrinkle Resistant · High Luster

100 YARDS 5.70 5.70

DRAPERY LINING: SONATA SATEEN

The lining dubbed "Timeless Flegance" brings back the look and feel of sateen drapery lining of years past. Imagine the feel of cotton without the wrinkling and sun degradation problems! It's true 5-harness sateen weave along with a polished calendar finish providing a luster that is not overly offensive or shiny. Often used exclusively by quality oriented drapery workrooms when fabricating custom draperies. The Sonata Sateen provides the perfect answer for decorators, workrooms, etc who are looking for the perfect high quality lining that is "second to none", and stands alone in top quality, performance and price. With a look and feel like cotton, it is perfect for lining.

54" WHITE

12 GAUGE

16 GAUGE

YARD 11.30 10 YARDS 10.30

POLY/

COTTON

50/50

50 YARDS 9.80

THREAD

COUNT

96 x 60

100 YARDS 9.20

CLEAR VINYL / FURNITURE COVERS

Clear vinyl rolled with interlining for furniture covers. Can also be used for storm windows.

For clear vinyl for boat windows, see page 163.

YDS/RL 33 25

YARD 11.70 15.30

10 YARDS 9.00 13.00

WIDTH: 54"

8.40 11.00

ANTI-BACTERIAL HOSPITAL TICKING

SPECIFICS

• Weight: 8.0oz

• Width: 56"

• Cold Crack: -40 Degrees F • Abrasion: (Method: 5970) 20+ **FLAME RESISTANCE**

NFPA 701 (small scale) PASS

• California Fire Marshall PASS DOC-FF-4-72

• Staphylococcus Aureau (gram positive) max survival • Klebsiella preumoniae (gram negative)max Ssurvival

• Draize Primary Skin Irritation Index

80 YARDS

COLOR

GREEN

56" WIDTH

YARD 13.20 20 YARDS 11.20

40 YARDS 10.20

9.20

1%

2%

RUBBERIZED CURLED HAIR

Made from 100% natural fibers which are spun into an efficient, high loft, interlocking web, then bonded to a fiberglass scrim backing using a premium latex binder to produce a resilient, durable mechanical insulator pad. Our Paratex® Insulator Pads provide a durable separation layer between the base springs and layers of cushioning.

itex ilisulator raus	provide a durable se	paration layer between	i tile base spriligs a	illu layers of custillollille
THICKNESS	FIRMNESS	PER FOOT	25 FT	75 FT ROLLS
1/2"	Firm	5.60	115.00	307.50
1"	Medium	5.80	120.00	322.50
1 1/2"	Medium	7.90	172.50	480.00





POLYFLEX

A unique combination of cellulose and synthetic fillers give Perflex Edging the greatest strength and resilience available. The white synthetic cover and lip are extra strong for sewing or stapling.

SIZE	COIL	COIL	4 COILS	SIZE	COIL	BULK COIL
1/2"	50'	20.80	15.60	1/2"	2000'	395.60
3/4"	50'	27.80	22.00	3/4"	800'	215.20
1"	50'	35.60	29.20	1"	600'	245.80
11/4"	50'	45.20	38.20	11/4"	450'	250.40
11/2"	50'	58.00	50.20	11/2"	350'	278.00





ECONOMY ROLL EDGE

SIZE	COIL	COIL	4 COILS
1/2"	50'	51.00	43.80
3/4"	50'	65.80	57.80
1"	50'	84.60	75.80
11/4"	50'	112.80	102.60
11/2"	50'	163.00	150.20

A tough 10 oz. burlap cover gives this edging a traditional feel and texture. Synthetic and cellulose fillers gives our burlap covered edging superior strength and resilience.



Jute Covered

CELUFLEX SPRING EDGE

Jute and synthetic fillers with the traditional burlap cover gives this spring edge its unique durability. A double stitched lip creates the tear drop shape.

	SMALL				BULK
SIZE	COIL	COIL	4 COILS	SIZE	COIL
11/2"	50'	191.20	176.60	11/2"	300'



CLIP-ON EDGING - 50' COIL

A tough spun-bonded synthetic cover over a synthetic/paper filler with built in positioning stakes means perfect alignment. Stakes prespaced 11/2" apart for "hog ring" assembly. Synthetic and cellulose fillers make "Clip-On" a firm and durable edging.

SIZE	COIL	COIL	4 COILS
11/2"	50'	80.80	72.40



TRIM-FLEX EDGE-ROLL

Trim-Flex is a Polyethylene Edge-Roll that contours easily around the most demanding shapes. Easy to use, very clean, and durable.

11/62	
1,500	
700	
500	
	700

America's Easy to us "Thumb-Roll"







1" Diameter

RING-FLEX EDGE-ROLL

50' ROLL FT/CL SIZE **BULK** PER ROLL 1" 53.00 255.00 300 PER ROLL 66.00 223.20 200

Construction: High Density P.E.

1/2" Diameter



1" Tall x 2" Wide

For use in place of Cel-U-Flex



11/4" Tall x 21/4" Wide



PILLOW FORMS SQUARE

PREMIUM POLYESTER FILL

WOVEN POLY/COTTON TICKING

Polyester filled pillows in a white woven poly/cotton ticking. A most economical alternative even when making pillows from scratch. The pillow sizes are based on cut sizes, not finished sizes. Please make allowances.

KNIFE EDGED - SQUARE FORMS

	FILL WT	EACH	MIXED DOZ	DOZEN	4 DOZEN
12" x 12"	5	11.00	9.40	8.50	7.80
14" x 14"	7.5	13.60	11.50	10.60	9.80
16" x 16"	10	15.90	13.60	12.50	11.60
18" x 18"	13	18.60	15.80	14.70	13.70
20" x 20"	16	21.60	18.50	17.30	16.00
22" x 22"	19	25.30	21.60	20.40	18.90
24" x 24"	23	29.90	25.50	24.20	22.40
26" x 26"	28	35.30	30.10	28.60	26.60
28" x 28"	34	42.00	35.90	34.20	31.80
30" x 30"	40	48.90	41.80	40.00	37.10

ROUND BOLSTER PILLOW FORMS

PREMIUM POLYESTER FILL



WOVEN POLY/COTTON TICKING

DIA	x	LENGTH	FILL WT	EACH	MIXED DOZ	DOZEN	4 DOZEN
6"	x	14"	71/2	19.60	16.70	15.40	14.40
61/	ź")	x 17½"	12	24.00	20.50	19.30	17.90

RECTANGULAR PILLOW SHAM FORMS

PREMIUM POLYESTER FILL



WOVEN POLY/COTTON TICKING

HT x WIDTH	FILL WT	EACH	MIXED DOZ	DOZEN	4 DOZEN
12" x 16"	8	14.50	12.40	11.30	10.50
12" x 18"	9	16.10	13.80	12.70	11.80
14" x 20"	12	18.70	16.00	14.90	13.80

MICRO DOWN PILLOW FORMS

100% MICRO-FIBER FILL

BRUSHED MICRO-FIBER 230 COUNT TICKING

The Micro-Fiber gives you an unmistakeble high end lush feel. An alternative to Down. The pillow sizes are based on cut sizes, not finished sizes. Please make allowances.

KNIFE EDGED - SQUARE FORMS

Melt Away Into the Silky Suppleness of MICRO DOWN!

	FILL WT	EACH	MIXED DOZ	DOZEN	4 DOZEN
16" x 16"	10	25.10	21.30	19.80	18.40
18" x 18"	13.0	28.70	24.40	22.80	21.20
20" x 20"	16	36.10	30.80	28.80	26.80
22" x 22"	19	44.40	37.80	35.60	33.10
24" x 24"	23	51.40	43.80	41.30	38.40
27" x 27"	28	65.00	55.40	52.40	48.70
30" x 30"	34	84.00	71.60	67.80	63.10



DOWN PILLOWS

CUSTOM SIZES AND FILLS AVAILABLE

Pre-made duck down pillows offer you a great convenience. You can offer them to your customers without the costly expense of stocking the down and the ticking. Easily sell high quality down pillows without the muss and the mess!! Other down fills are available.

180 COUNT DOWNPROOF TICKING





		10/20	DOW	•	23//3 DOWII
	EACH	SIX	DOZ	2 DOZ	EACH SIX DOZ 2 DOZ
16" x 16"	28.20	25.20	24.20	21.70	37.20 34.60 33.60 31.20
18" x 18"	32.00	28.80	27.80	25.30	47.40 44.90 43.90 41.50
20" x 20"	37.00	33.20	32.20	29.70	57.40 54.80 53.80 51.40
22" x 22"	43.80	39.90	38.60	35.80	73.00 70.50 69.50 67.10
24" x 24"	50.60	46.70	45.20	42.30	89.80 87.30 86.30 83.90
26" x 26"	60.20	55.70	54.10	50.90	114.00 111.40 110.40 108.00
28" x 28"	77.00	64.00	63.40	60.90	139.60 137.10 136.10 133.70
30" x 30"	91.20	76.10	75.10	72.60	165.20 162.60 161.60 159.20

KAPOK PILLOW



Ticking: 50/50 Poly-Cotton with a 78/84 thread count 100% Virgin imported Kapok For that natural classic luxurious feel! EACH

18" SQUARE

34.90

BASKETBALL PILLOWS



10/90 Down

12" Sphere - Two Choices of Down

25/75 Down

EACH FOUR DOZEN 89.40 85.30 75.80 129.20 125.20 112.10

DOWN



CONVENIENT **5 POUND BAGS**

Downproof Ticking on Page 85

10%/90% White Goose

25%/75% White Goose

50%/50% White Goose

100% White Duck

5 LB BAGS 23.20/lb (116.00/Bag)

30.80/lb (154.00/Bag)

47.40/lb

(237.00/bag)

114.40/lb (572.00/ Bag)

10 LBS 21.10/lb (211.00/Total)

28.80/lb

(288.00/Total)

45.40/lb

(454.00/Total)

112.30/lb

(1,123.00/Total)

(868.00/Total)

110.30/lb

(2,206.00/Total)

20 LBS

19.10/lb

(382.00/Total)

26.80/lb

(536.00/Total)

43.40/lb 40.60/lb (1,015.00/Bag)

108.80/lb

(2,720.00/Bag)

25 LB BAG

15.60/lb

(390.00/Bag)

25.20/lb

(630.00/Bag)

LOOSE HAIR

All New Hair 15/85 Horse/Hog 100% European Animal Cleaned And Sterilized 15LB Box for shipping UPS.

15/85 Horse/Hog

POUND 15 LB BOX 25 LB BAG 38.90 36.40 33.50

KAPOK NEW SILK FLOSS - A GREAT PILLOW FILLER!

Kapok does not mat together. It is used as stuffing or padding in mattresses, cushions, upholstery. Because it floats and does not soak up water, kapok used to be very common in life saving equipment until more modern synthetics replaced it. In water, kapok can support six times its weight.

PER LB (TOTAL)

5 I R RAG 12.80 (64.00)


25 IR RAG 11.40 (285.00)



UPHOLSTERY SPRINGS

OPEN ENDED

The statistics are approximate, precise put-ups are difficult to control, please use them as rule of thumb. If exact number of pieces are ordered, no matter the quantity, they will be priced as broken bundles. The springs stocked for immediate shipment are considered "medium" in firmness. Hard and soft springs can be special ordered with a minimum of 100 pounds and approximately 4 weeks delivery.



HEIG	HT GAUGE	Weight Bundle	Pieces Bundle	Pieces Lb.	EACH	BUNDLE	3 BNDLS	6 BNDLS
4'	9	25# Approx	100	4.0	2.70/@	5.98/lb	5.58/lb	5.18/lb
5'	9	25# Approx	87	3.5	2.92/@	5.98/lb	5.58/lb	5.18/lb
6'	9	25# Approx	80	3.2	3.08/@	5.98/lb	5.58/lb	5.18/lb
7'	9	25# Approx	72	2.9	3.26/@	5.98/lb	5.58/lb	5.18/lb
8'	9	25# Approx	67	2.7	3.42/@	5.98/lb	5.58/lb	5.18/lb
9'	9	25# Approx	62	2.5	3.60/@	5.98/lb	5.58/lb	5.18/lb
10	" 9	25# Approx	57	2.3	3.90/@	5.98/lb	5.58/lb	5.18/lb
11	" 9	25# Approx	55	2.2	4.02/@	5.98/lb	5.58/lb	5.18/lb
12	" 9	25# Approx	52	2.1	4.16/@	5.98/lb	5.58/lb	5.18/lb

PILLOW SPRINGS




222 Pieces / 30 Lb Bundle

BUNDLE SIZE **GAUGE EACH** 2.20/@ 8.60/lb 13

"X" TOP



Upholstery Springs 9 Guage





EDGEWIRE CLIPS

Tools: 3 Prong Clip Pliers on Page 138

No. 3 No. 32 Pcs/Lb 111 95 Width 1-1/8" 1-1/4"

No. 3



No. 32

Non-Lined

Fully Lined POUND 5 LBS **10 LBS** 25 LBS No. 3 Fully Lined 18.00 16.00 14.80 14.40 Per Lb 13.00 10.40 No. 32 Non-Lined 15.00 12.00 Per Lb

BW CLIPS/C-CLIPS

Tools: #522 BW Clip Pliers on Page 138

Pieces per Lb: 100

FULLY LINED



POUND 5 LBS 10 LBS 25 LBS **PER POUND** 16.80 14.80 13.20 12.00 Per Lb

TORSION SPRINGS

10 GAUGE **DOUBLE TURN**



On the corners of davenports where the edge wire is bent to form this corner, additional spring support is usually needed. One end of the torsion spring is clipped to the edge wire and the other end is nailed to the frame to provide this support. Made from 10 gauge wire.

3.16

PER EACH 3.86

PER 10 PIFCF

PER 100 1.96

KLINCH-IT CLIPS

650 / BOX

5,000 / BOX

HAND TOOL



EACH 91.40 517.50

700.20





NO-SAG SPRINGS



- Please inquire for other available lengths & gauges.
- Please inquire for quotations.
 - Available: Cut to Length springs at no extra charge (1,000 piece minimum)

•	Loop Repeat: 7/8"
•	Loop Width: 1-7/8"

GAUGE	USE	Ft./ROLL	WEIGHT	ROLL	4 ROLLS	10 ROLLS
8	Seats	111	221/4 lbs	116.40	108.00	97.00
81/2	Seats	111	201/2 lbs	108.10	100.30	90.10
9	Seats	120	18¼ lbs	111.10	103.00	92.60
10	Backs	127	15¼ lbs	105.50	99.80	88.40
11	Backs	140	15¼ lbs	103.10	96.30	87.00
12	Backs	154	15¼ lbs	103.10	96.20	86.90

SPRING CLIPS

- The "G" clip is used the same as the EK Clip. It holds the zig zag spring wire slightly below the edge of the frame rather than on top.
- The "SS" clip is used identically as the EK Clip. It only differs in its application. It is slotted versus holes, allowing for staples to fasten the clip to the frame very easily.

FULLY LINED CLIPS



EK Clips

SS Clips

G Clips

Length

2" 35 per Pound

3" 19 per Pound

Closed Wound: 15 Gauge Seats

500

.62

.76





25 LBS 50 LBS 10.60 9.80 10.60 9.80 9.80 10.60

1" EK NAILS: RING BARBED



1" Ring Barbed

PER LB:

POUND 14.60

5 LB 12.60

100

.76

.92

10 LB 11.60

TYPE

BACK

BACK

25 LB 10.90

HELICALS

EDGEWIRE

Lengths are measured from the inside to inside of each hook on the helical.

TYPE	SIZES	EACH	20
SEAT	2"	1.06	.86
SEAT	3"	1.24	1.04

9 Gauge Wire	³⁄4 Lb P	er Piece	Ę	
	PIECE	25	50	100
12 Foot Lengths	5.58	4.66	4.38	3.86

Length-

Open Wound: 17 Gauge Backs 2" 91 per Pound 3" 51 per Pound

SIZES **EACH** 20 100 500 .58 .86 .66 .48 1.10 .90 .80 .66

2"

3"

16 Gauge Wire Oil Tempered Kraft Paper Wrapped Stiff Welt Cord for Loose Backs Stablizer Wire for NoSag Springs

150Ft COIL 4,000Ft COIL 16 GAUGE: REGULAR 50.20 585.60 **GAUGE TYPE** LENGTH 10 25 16

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

100 REG. 54" 1.20 3.00 0.96 0.80 12 **HEAVY** 48" 3.46 1.66 1.42 1.26



No SAG TOOLS



OSBORNE STRETCHER #268 68.60



OSBORNE BENDER #1963 124.90



OSBORNE BENDER #404 103.40





OSBORNE BENDER #401 108.00



No-SAG **BENDER** #720 850.80



OSBORNE CUTTER #719 1163.30

SPRING CLIPPING TOOL

FEATURES AND BENEFITS

Surface clinching tool squeezes instead of folding the clip around wires, fastening and forming the clip into a tight, strong

APPLICATION

- Clipping larger gauge sinuous seat and back springs to stabilizing tie wire.
- · Clipping coil seat springs to border wires in 8-way hand tie upholstered unit application.



3 Prong Clips

2,880





1660.00

PER BOX 158.50

RUBBER BANDS

2.5" LENGTHS

100/LB

PER LB



5 LBS 42,40

10 LBS 38.40

CLIPS/BOX

ZIG ZAG REPAIR BRACKET KIT



These clips repair furniture where zig zag springs have broken off at the rail. The repair can be done quickly and easily from the bottom.

SET

PIECE 2.36


25PCS 1.48

100PCS 1.36

SPRING & WIRE REPAIR KIT

10 Connector Assortment 8 Straight, 1 90°, 1 45°

FACH **ASSORTMENT** 86.40 90 DEGREE (10) 89.00 45 DEGREE (10) 89.00



CONNECTING TUBES

Whenever two pieces of edge wire must be joined together, these metal tubes are used to hold them securely in place. Approximately 67 pieces per pound.

EACH

10 .72

2.5" WIDE

25

FOR 9 GAUGE WIRE

100 .38

Ferrule encapsulating

2 pieces of edgewire

CONNECTING LINKS 21/2" 160 / LB 2¾" 140 / LB LENGTH 1LB **5LBS** 10LBS 25LBS 21/2" 15.90 13.70 12.30 10.60 2341 18.00 15.60 14.00 12.10


TOLL-FREE

CHICAGO:

MILWAUKEE:

800-728-4567

773-582-5400 800-347-3603 414-462-9220





PLATFORM ROCKER UNITS: 13 GAUGE

EXTRA FIRM



HEIGHTS: 2½" 3½" 5.0"

3" Diameter - Hog Ringed - Vantex Covered Coils - 25 Per Bale

HT	COILS	DIMENSIONS	PIECE	THREE	DOZEN	BALE
21/2"	7 X 7	21" x 21"	65.10	61.10	58.10	55.60
31/2"	7 X 7	21" x 21"	70.10	66.10	63.10	60.60
5"	7 X 7	21" x 21"	74.90	70.90	67.90	65.40

MARSHALL CUSHIONS: 14 GAUGE

MEDIUM FIRM



HEIGHTS: 3½"

3" Diameter - Hog Ringed - Vantex Covered Coils

HT	COILS	DIMENSIONS	PIECE	THREE	DOZEN	BALE
31/2"	6 X 7	18" x 21"	55.80	51.80	48.80	46.30
31/2"	7 X 7	21" x 21"	63.20	59.20	56.20	53.70

MARSHALL CUSHIONS: 15 GAUGE

MEDIUM



HEIGHTS: 3½"

3" Diameter - Hog Ringed - Vantex Covered Coils

HT	COILS	DIMENSIONS	PIECE	THREE	DOZEN	BALE
31/2"	6 X 7	18" x 21"	54.00	50.00	47.00	44.50
31/2"	7 X 7	21" x 21"	61.20	57.20	54.20	51.70

LAWSON BACK UNITS: 15 GAUGE

SOFT



HEIGHTS: 5"

3" Diameter - Hog Ringed - Vantex Covered Coils

HT COILS DIMENSIONS PIECE THREE DOZEN BALE 5" 7 X 8 21" x 24" 69.30 65.30 62.30 59.80

DOWN CUSHIONS: 16 GAUGE

SUPER SOFT



HEIGHTS: 2½" 3½" 5"

3" Diameter - Hog Ringed - Vantex Covered Coils

HT	COILS	DIMENSIONS	PIECE	THREE	DOZEN	BALE
21/2"	7 X 7	21" x 21"	58.90	54.90	51.90	49.40
31/2"	7 X 7	21" x 21"	60.20	56.20	53.20	50.70
5"	7 X 8	21" x 24"	67.50	63.50	60.50	58.00



SWIVEL ROCKER BASES

- 5 leg 5 spring 25" spread
- 9" diameter round bottom plate maximum strength
- 5-leg construction with 3 solid rivets per leg
- Extra-large center stake rivet
- · Lubricated raceway with 8 ball bearings
- 5-spring construction
- Center pivot allows for smooth rock and stability of upholstered chair
- Leg crimped around leg glide for longer lasting attachment.
- Hole mounts: 5¾" x 8½"
- Height: measured from the floor to top of the plate on the front edge.

TYPE **REG. STANDARD DUTY** **HEIGHTS** 5" OR 6"

EACH 119.90 **3 UNITS** 117.90

Sizes:

5" High

6" High

6 UNITS 115.90



SWIVEL BASE ONLY

Size: 3.75" High



- 5 leg 25" spread
- 9" diameter round bottom plate
- Extra-large center stake rivet
- · Prelubed raceway with 8 ball bearings
- · Flat top plate design
- · Leg crimped around leg glide for longer lasting attachment.
- Hole mounts: 5¾" x 5¾"

HEIGHT 3.75"

FACH 84.70 3 UNITS 82.70

6 UNITS 80.70

REPLACEMENT ROCKER SPRINGS & BOX

REPLACEMENT SPRINGS: FRONT, BACK, OR CENTER

EACH

PER SPRING: FRONT 6.20 PER SPRING: BACK 6.20 PER SPRING: CENTER





EACH SWIVEL BOX 76.50

PLATFORM ROCKER SPRINGS

Regular Duty Applications: 8 Gauge Coils

Standard size, highest quality spring wire coils held by sturdy brackets stamped from .059 steel. Designed for durability & built to last. Double coil, 8 turns.

Heavy Duty Special Applications: 7 Gauge Coils

Standard size, highest quality spring wire coils held by sturdy brackets stamped from .074 steel. Designed for durability & built to last. Double coil, 8 turns.

10 PAIR **PAIR** Regular 8 Gauge 27.70 24.50 **Heavy Duty 7 Gauge** 28.30

25.00

Size" 3¾" W x 5" L x 2¼" H

JUVENILE ROCKER SPRINGS

Regular Duty Applications: 8 Gauge Coils

Standard size, highest quality spring wire coils held by sturdy brackets stamped from .059 steel. Designed for durability & built to last. Double coil, 7 turns.

Regular 8 Gauge

PAIR 10 PAIR 25.10 22.30



Size" 3¾" W x 2½" L x 2¼" H



SWIVELS/REVOLVING PLATES

Standard Swivels - Memory Swivels - Pitched Swivels

			INCHES BETWEEN			
	TYPE	ANGLE	HOLES	EACH	SIX	DOZEN
7" X 7"	REGULAR	0	5.25"	26.00	23.00	22.00
7" X 7"	REGULAR	3	5.25"	27.30	24.30	23.30
8" X 8"	MEMORY	0	5.75"	42.00	39.00	38.00
8" X 8"	MEMORY	3	5.75'	48.40	43.40	42.40
10" X 10"	REGULAR	0	8.00"	59.90	56.90	55.90
11½" X 11½"	REGULAR	0	10.375"	68.50	65.50	61.50

HIDE-A-BED DECKING

A woven polypropylene fabric used as a decking underneath the mattress.

YARD 10 YDS 25 YDS 60" WIDTH 12.60 10.40 9.60



• The new standard for product quality

HIDE-A-BED SOFA SLEEPER MECHANISM

TWIN SIZE 820.00

Includes 5" Inner-Spring Mattress

Mounting Width: 44"
Mattress Only(5"x36"x72"): \$392.00

FULL SIZE 904.00

Includes 6" Inner-Spring Mattress

Mounting Width: 60"
Mattress Only(6"x54"x72"): \$412.00

QUEEN SIZE 974.00

Includes 6" Inner-Spring Mattress

Mounting Width: 68"

Mattress Only(6"x60"x72"): \$464.00

KING SIZE 1478.00 special order Includes 5½" Inner-Spring Mattress Mounting Width(5½"x65"x72"): 72"

Heavy Gauge Helicals: 2%" \$2.00/Ea \$38.40/24

- All tubular perimeter contoured seat section
 Advanced linkage design
 Streamlined side profile with dual tubular legs
- TV HEADREST

 ADVANCED
 LINKAGE
 DESIGN

 CONTOURED

 CONTOURED


 SLEEP SUPPORT
 CROSSWIRES


 RECESSED CROSSTIES


 TUBULAR PERIMETER

 DUAL
 TUBULAR LEGS

Contoured seat section







T.V. headrest



Positive Lock System



METAL TREAD BALL CASTERS: 21/2" PLANET

shepherd casters







Brass EACH 16 40 16.20 15.20 14.20



Chrome
EACH 16 40
20.00 19.00 18.00



Windsor Antique EACH 16 40 15.10 14.10 13.10



Brass w/ brake EACH 16 40 24.50 23.50 22.50

DYNAMIC: 100 MOBILITY: A STATIC: 950 MOUNTING: 3"

PLANET will accept the 02, 25, 88/23, 87/22, 07 stems as well as the 01 plate.

METAL TREAD BALL CASTERS: 2" SATELLITE

shepherd casters



ALL CASTERS
PRICED
PER PIECE



Brass EACH 16 40 12.80 11.80 10.80



Chrome
EACH 16 40
17.80 16.80 15.80



Windsor Antique EACH 16 40 11.20 10.20 9.20

SATELLITE will accept the 02,26, 25, 88/23, 87/22, 82/11,07,05 stems as well as the 01 plate.

DYNAMIC:75 MOBILITY: A STATIC:675 MOUNTING:218

METAL TREAD BALL CASTERS: 1½" STARLET

shepherd casters



ALL CASTERS PRICED PER PIECE



Brass EACH 16 40 14.30 13.30 12.30



ChromeEACH 16 40
12.50 11.50 10.50



Windsor Antique EACH 16 40 11.70 10.70 9.70

STARLET will accept the 02 stem as well as the 1R plate.

DYNAMIC 40 MOBILITY D STATIC 525 MOUNTING 134



RUBBER TREAD BALL CASTERS

shepherd casters

STEMS SOLD SEPARATELY

CASTERS PRICED PER PIECE



Nova 21/4"Brass EACH 16 21.20 20.20

YNAMIC:75 MOBILITY: G STATIC:750 MOUNTING:25/8"



Nova 21/4"Chrome **EACH** 24.70 23.70 22.70



Nova 21/4"W. Antique EACH 21.40 22,40 20.40



Saturn 3"Brass EACH 24.50 23.50 22.50

SATURN will accept the 02,25, 88/23, 87/22,07 stems & the 01 plate.

NOVA will accept the 02,26, 25, 88/23, 87/22, 82/11,07,05 stems & the 01 plate.

TWIN WHEEL CASTERS

shepherd casters



CASTERS PRICED PER PIECE



Pacer50 2"Brass **EACH** 20,40 19.40



Pacer50 2"Chrome **EACH** 12.80 11.80 13.80



Pacer60 23/8" Brass



Pacer60 23/8" Chrome EACH 18.80 17.80 16.80

PACER50 will accept the 02,26, 25, 88/23, 87/22, 82/11,07,05 stems & the 01 plate. too.buf 52,254 too.buf 52,25

PACER60 will accept the 02,25, 88/23, 87/22,07 stems & the 01 plate. DYNAMIC 100 MOBILITY A STATIC 725 MOUNTING

HOODED BALL CASTERS

shepherd casters



The Chrome is available fitted with three popular stems: "02" wood stem, "87/22" ring stem, and the "26" threaded stem. The Windsor Antique finish is available only with the "02" stem. Since the Baron stem cannot be inter-changed, these are the only stems available.



Baron16 15/8" W. Antique

11.60 12.60



Baron20 2" W.Antique

12.60 11.60



Baron20 2" Chrome


12.60 11.60 13.60


DYNAMIC:75 MOBILITY: G STATIC:625 MOUNTING: 21/8"

DYNAMIC: 80 MOBILITY: E STATIC: 725 MOUNTING: 21/21




ANTIQUE CASTERS: BRASS











METAL SOCKETS

This metal socket is standard for all "02" stems regardless of the caster body type. Hole size for sockets: 3/8" Dia. x 15/8".

Metal Sockets

.72



ORDERED SEPARATELY

2.44

PLASTIC BUSHINGS

Fits on the end of stems and plates to fasten and lock into the body of the caster. Sized per caster stem size.

Plastic Bushings

ORDERED W/CASTER

2.14

No Charge

PLASTIC SOCKETS

SOCKETS FOR ROUND TUBING PART# SOCKET O.D. TUBING GAUGE TUBE I.D. 3027 .450 9/16" 16 Ga. .433 5/8" 2486 .413 16 Ga. .495 3/4" 2489 .637 16 Ga. .620 2488 .667 18 Ga. .652 .765 2491 16 Ga. .745 1" 2495 .887 16 Ga. .870 1.002 11/16" 20 Ga. .992 **SOCKETS FOR SQUARE TUBING** TUBE I.D.

SOCKET O.D. TUBING GAUGE ¾" 20 Ga. 2500 .695 .678sq 2492 .890 16 Ga. .880sq **EACH**

All Sockets 1.00



'02" Stems

24 .60

CASTER RATINGS

Static Load: The maximum one time load a caster can withstand without loss of serviceability or damage to fastening or other components.

Dynamic Load: The load a caster is designed to carry on a continuous basis and can be expected to operate within a Mobility Class as listed below.

Mobility Class: Shepherd defines four Mobility Classes covering most applications. A Mobility Class Rating says that a caster will operate for a certain number of cycles with its Dynamic Load applied. A cycle is a travel of 60 inches with one swivel.

Hard Tread Casters

Class A 100,000 cycles minimim (or BIFMA Chair rated) Class B

50,000 cycles minimum Class C 25,000 cycles minimum

Class D 2,000 to 10,000 cycles minimum

Soft Tread Casters

36,000 cycles minimum.(or BIFMA Chair rated) Class E

Class F 20,000 to 25,000 cycles minimum Class G 10,000 to 15,000 cycles minimum Class H 2,000 to 5,000 cycles minimum

PRICES SUBJECT TO CHANGE WITHOUT NOTICE



KWIK-SPRAY AEROSOL ADHESIVES



WIDE WEB • SPRAY HIGH SOLIDS • FAST TACK • NO CHLORINATED SOLVENTS

This wide web spray adhesive is one of the highest performance aerosol adhesives available. For both temporary or permanent bonding, this high solids product is ideal for uneven or porous surfaces and light-weight materials. Waterproof, flexible, and orange colored, use this product for your toughest adhesive applications with materials such as urethane foam, leather, cardboard, most plastics, polyethylene sheeting and cloth. Formulated with the environment in mind, this product contains NO CHLORINATED SOLVENTS. Cleans easily with mineral spirits.

Not intended for use on paper.



#840 Orange #860 Clear

Not formulated the same as the bulk DAP.


#840 or #860 12oz AEROSOL

CAN 19.20 6 CANS 17.90 12 (CASE) 16.40

DAP WELDWOOD TOP & TRIM SPRAY

Landau Contact Adhesive Aerosol can be used for any application that uses the bulk version!

- High temperature
- Long open time
- Web spray



· High strength, high temperature-resistant bond

- Ideal for use on trim work, door panels, decorative laminates and upholstery work and a wide variety of other projects
- Professional results





16 oz AEROSOL

CAN 26.80 6 CANS 24.00 12 (CASE) 22.80

SPRAYWAY: #92 FAST TAC HI-TEMP TRIM SPRAY

Formulated for the automotive professional!

- Easily bonds heavier-weight materials to metals, woods, & plastics.
- For high-temp, heavy-duty bonding of vinyl tops, headliners, & hood silencer pads.
- Excellent heat and water resistance.
- · Allows repositioning during assembly



20 oz AEROSOL

CAN 26.20 12 (CASE) 23.60



K-GRIP #201 & #203 SPRAY ADHESIVE

DESCRIPTION: This product is a synthetic elastomer based solvent adhesive designed specifically for application with low pressure spray equipment. It is made with nonflammable solvents and is recommended for various foam fabricating operations such as laminating, boxing, splicing taping and knife edging. It is recommended for bonding various types of foam to wood, metal, plastics, fabrics, etc. This product is non-dimpling and will not discolor or cause staining of cover fabrics.

APPLICATION: Is adaptable to either pressure pots or drum pumps. Nylon hoses should be used on all product lines since the nonflammable solvents used in this adhesive will soften the rubber hoses. Use with adequate ventilation.

TYPICAL PHYSICAL PROPERTIES: Viscosity: 240 cps, Solids: 28%, Weight/Gal. 10 lbs.

Base: Synthetic Elastomer

#200 SOLVENT: Used with the K-Grip #201 & #203. It is an absolute must for the best and the most consistent results. The K-Grip #200 Solvent will do the trick in thinning out the adhesive when it thickens. Thickening causes problems in spraying and drying too quickly resulting in inproper adhesion between the two surfaces.

	HALF GAL	GALLON	4 GAL
RED OR CLEAR #201 ADHESIVE	-	70.80	66.80
RED OR CLEAR #203 ADHESIVE	-	73.90	69.90
#200 SOLVENT	-	64.60	60.50
HIDS CEPTIFIED BOY	3 00		









NO UPS SURTAX

NO HAZARDOUS MATERIAL SURCHARGE FOR 1-GALLON JUGS with UPS CERTIFIED BOXES

IL & WI Stock: #203 MI Stock: #201

KWIK-SPRAY #220 & #225 SPRAY ADHESIVE

A non-flammable foam-to-foam adhesive that JUST STICKS!

An unbelievable bond within one minute!

#220 is a low viscosity formulation!

BENEFITS

- Aggresive initial tack
- Low pressure sprayability
- High solids for good yield
- VOC free solvent system

FEATURES

- Colors: Clear or Red
- 30% Solids
- Weight / gal 10 lbs

APPLICATIONS

- Foam-to-Foam
- •-Foam-to-Fiber
- Foam-to-Fabric
- Foam-to-Wood
- Fabric
- Wood
- Metal
- Many plastics











NO UPS SURTAX

NO HAZARDOUS MATERIAL SURCHARGE FOR 1-GALLON JUGS with UPS CERTIFIED BOXES

	QUARTS	GALLON	4 GAL	5 GAL PAIL
RED OR CLEAR #220 ADHESIVE	-	82.70	78.50	361.00 (72.20)
RED OR CLEAR #225 ADHESIVE	-	82.70	78.50	361.00 (72.20)
#205 SOLVENT	32.90	75.80	8.500	320.00 (64.00)



DAP "WELDWOOD" TOP & TRIM ADHESIVE

High Heat Resistant Landau Contact Adhesive

The ideal contact cement for automotive interior applications.

Its high heat resistance is well suited for adhering headliners, fabric, and many other materials during automobile refurbishment.

Easy to apply with hot or cold spray equipment.













For bonding Landau Tops constructed of non-penetrable fabric backings and many other materials.

	COLOR	GAL	2 GAL	4 GAL
GALLON CANS	NATURAL	76.50	72.50	70.50
	COLOR	PAIL	2 PAIL	3 PAIL
5 GALLON PAILS	NATURAL	247.00	243.00	239.00
5 GALLON PAILS	RED	247.00	243.00	239.00





K-GRIP: #202 PLUS

High heat resistant spray adhesive automotive top & trim applications

Same as the K-Grip 203, except with a 215° degree heat limit.

#200 or #205 Solvent can be used as a cleaner or thinner.

DESCRIPTION: This product is a synthetic elastomer based solvent adhesive designed specifically for application with low pressure spray equipment. It is made with nonflammable solvents and is recommended for various foam fabricating operations such as laminating, boxing, splicing taping and knife edging. It is recommended for bonding various types of foam to wood, metal, plastics, fabrics, etc. This product is non-dimpling and will not discolor or cause staining of cover fabrics

APPLICATION: Is adaptable to either pressure pots or drum pumps. Nylon hoses should be used on all product lines since the nonflammable solvents used in this adhesive will soften the rubber hoses. Use with adequate ventilation.

1 GAL 4 GAL Per Gallon 96.00 92 00





VINYL LIQUID PATCH

VLP is a clear, high strength, flexible adhesive designed to mend rips, tears and holes on all types of flexible vinyl surfaces. Most vinyl items can be mended with VLP including car, truck, bus and motorcyle seats, vinyl car and boat tops, rainwear, boots, furniture, luggage, inflatable balls, toys and more. VLP is supplied in a fast drying solvent base (NO HEAT REQUIRED). Dried VLP is clear and will blend with all vinyl colors. Resists deterioration when exposed to outdoor weathering conditions, including sub-zero temperatures.





- Fast
- Efficient
- Economical

 EACH
 DOZEN

 1oz TUBE
 11.10
 10.10

 12oz BRUSH TOP CAN
 35.50
 33.00

HH-66 VINYL CEMENT

GREAT VINYL REPAIR ADHESIVE BONDS VINYL TO VINYL!

HH-66 is a fast drying adhesive that is used extensively for bonding vinyl coated and vinyl laminated fabrics to themselves or to various materials. HH-66 is also used to bond urethanes, vinyl foams and films, rigid plastics, synthetic fabrics, wood, leather, and metals. It is outstanding for sealing or waterproofing stitched seams.HH-66 dries quickly with a very strong, yet flexible bond. It is not affected by weather and temperature extremes, and is highly resistant to oil, fuel, grease, and many other chemicals.



16oz BRUSH TOP CAN

10" x 1/2" Clear 12 Sticks / Pack

EACH 38.70

HOT MELT GLUE STICKS

A clear hot melt for gimps and other trims. A specially formulated high strength bond that allows you to use it on your toughest requirements. Eliminates the need to carry two types of hot melt adhesives.

Approximately: 93 sticks per 5lb Box

Hot Melt Gun on Page 107

PACK 4PACKS 5 LB CASE 25 LBS 17.70 15.70 90.40 412.00



CA SERIES ADHESIVES

Cyanoacrylate Adhesives "Crazy Glue"

FORMULA	PUT-UP	EACH
CA Thin	2oz	24.00
CA Medium	2oz	24.00
CA Thick	2oz	24.00

DEBONDERS/REMOVERS
Activator Pump Spray 4oz 19.80
Activator Dispensor Bottle 2oz 20.50





- Cyanoacrylate Adhesives are industrial grade adhesives.
- Adhesives developed for wood furniture and cabinet trades.
- Three viscosities to cover all of your bonding requirements.
- The CA Series is CFC free and ozone friendly.

PREMIER WOOD EPOXY

QUICK CURE

PREMIER WOOD EPOXY is a specialy formulated wood repair epoxy putty which, when hand mixed (kneaded) to a uniform color, creates a lasting solution to repairs and restrorations. Wood Epoxy has the same density as wood and, upon curing becomes, an integral part of the item being repaired. Wood Epoxy may be used for exterior or interior applications, contains no solvents, will not shrink, crack, rot or pullaway. Wood Epoxy has a 10 minute worklife and hardens in 15 minutes. After the final cure, wood epoxy may be sanded, drilled, tapped, sawed, rasped, machined, painted or stained.

DIRECTIONS: For best results, clean and roughen bond area prior to application. twist or cut off required amount. To mix, knead with fingers to a uniform color. Apply to surface to be repaired (within 5-10 minutes of mixing). Force into any cracks or holes to be filled and strike off excess material. For a smooth appearance of the cured compound, hand rub with water or a damp cloth prior to hardening. Remove excess material before hardening begins. After 45 minutes, the epoxy will harden and form a tenacious bond. Test for stain acceptance. Wood Epoxy may accept stain differently from wood. Some types of oil based stains may be added during the mixing step. Test for color match and hardening before application.

Wood Epoxy: 4oz Tube EACH 13.60





- Fills holes, scratches, gouges, and cracks
- Repair furniture, molding and frames
- Reshape wood carvings and remold wood
- Can be sanded, sawed, painted & stained

PLATINUM ADHESIVE: WEB SPRAY 150

Super Sticky Spray Adhesive VOC Compliant

APPLICATIONS

- Carpet
- Furniture
- Bedding
- Foam to Foam
- Professional Results

FEATURES

- Fast Tack
- Quick Adhesion
- Non-Ozone Depleting
- High Solids
- Non-Staining
- Professional Results





The Recommended Adhesive for the "Snap" Back & "Nib" Back Carpet Backing

CAN 6 CANS 12 (CASE) 12 oz AEROSOL 14.80 12.80 10.80



GLUE GUIDE


CLEAN FLAMM- UP ABLE	3M 8984 YES	3M 8984 YES	MIN-SPIRITS YES	3M 8984 YES	K-Grip 200 NO	K-Grip 200 NO	K-Grip 200 NO	KwikSpray 205 NO	KwikSpray 205 NO	WATER NO 3M 8984 YES	3M 8984 YES	MEK YES	MEK YES			Best Good OK
SET UP TIME	FAST	FAST	FAST	FAST	MED	MED	MED	MED	MED	SLOW	FAST	MED	MED	e set.		FAST
FIBER TO FOAM	:	:	:	•	:	:	:	:	:	•				Bonds woods, & most materials. Stainable, adheres, fills, & fabricates. Fifteen (15) minute set.		
VINYL TO METAL	•	•	•	:	•	•	•	•	•	•	•			icates. Fifte	up time.	foam.
VINYL TO WOOD	•	:		:						:				fills, & fabr	e. Fast Set ı	for foam to
CAR HEAD LINER	:	:				:				•	:		ję.	e, adheres,	of adhesiv	Excellant
LANDAU CAR TOP	:	•		:		:				:		- Seams	ch is neede	ıls. Stainabl	Glue" type	et backing
FOAM TO METAL	•	•	•	:	:	:	•	•	:	•	:	ears - Rips	vinyl: For Where a Patch is needed.	ost materia	ng. "Crazy	" Back carp
FOAM TO WOOD	:	:	•	•	:	:	•	:	:	•		Vinyl to vinyl: For Tears - Rips - Seams	vinyl: For \	voods, & m	Anything to anything. "Crazy Glue" type of adhesive. Fast Set up time.	"Snap" Back & "Nib" Back carpet backing. Excellant for foam to foam.
FOAM TO FOAM	:	:	•	•	:	:	•	:	:	:		Vinyl to	Vinyl to	Bonds	Anythir	"Snap"
PAGE	86	86	86	100	66	100	66	66	66	99	100	101	101	102	102	102
TYPE	Aerosol	Aerosol	Aerosol	Aerosol	Bulk	Bulk	Bulk	Bulk	Bulk	Bulk Bulk	Tube	Tube	Brush Top	Tube	Bottle	Aerosol
	Dap Weldwood	Sprayway Fast Tac 92	Kwik-Spray 840/860	3M 8090	K-Grip 201	K-Grip 202 High Heat	K-Grip Premium 203	Kwik-Spray 220	Kwik-Spray 225	3 Fastbond 100 Weldwood	3M Fast Tack	Vinyl Liquid Patch	HH-66 Vinyl Cement	Premier Wood Epoxy	CA Adhesives	Platinum Web Spray



THE 118 K-GUN

- o A greatly refined glue gun
- o Optional glass jar
- o Siphon type external mix
- o Strong liquid nozzle
- o Easy to clean and maintain
- o Runs on 35-80 psi.
- Adjustable tip

REF.	PART#	DESCRIPTION	EACH
1	70606	Air inlet union	8.90
2	21038	Air nozzle	13.10
3	20950	Air valve ass'bly	15.70
4	20918	Air valve cap	11.70
5	20708	Air valve spring	3.80
6	20215	Cover plate	9.70
7	60103	Cover plate screw	.40
8	20223	Glass jar DISCONTI	NUED
9	20107	Gun body	56.90
10	21525	Jar gasket	4.30
11	20240	Jar ring	4.50



REF.	PART#	DESCRIPTION	EACH
12	20621	Liquid nozzle	16.60
13	20217	Liquid tube	13.00
14	20220	Locknut	5.70
15	20710	Nozzle spring	8.40
16	21518	Packing	1.60
17	20777	Plastic jar	7.60
18	31007	Retaining washer	3.60
21	61401	Swivel pin	.70
22	20406	Trigger	2.40
23	21542	Valve cap gasket	3.60
24	31009	Valve disk	3.10

THE ORIGINAL WEBSTER SPRAY GUN -WELL KNOWN FOR MANY YEARS



PER SPRAY GUN	108.50
REPAIR KIT #20310 (Contains: 10, 12, 13, 14, & 15)	33.50

"EZE" SPRAY GUN

- o Durable Uni-Body design
- o Siphon type external mix
- o Cast aluminum body
- o Brass fittings
- o Stainless steel pickup tube
- o Runs on 35-80 psi.
- o Collar controlled adjuster

SPRAY GUN PARTS

REF.	DESCRIPTION	EACH
1	Air Tip	3.00
2	Glue Tip/Filler Tube	12.00
3	Cup Gasket	2.50
4	Heavy Duty Plastic Jar	7.50
5	Heavy Duty Aluminum Jar	8.50

THE NEW "EZE" SPRAY GUN!

TOP QUALITY CONSTRUCTION





PROFESSIONAL QUALITY!

PER SPRAY GUN

57.00

HIGH PRESSURE SPRAY GUN

- High quality construction
- o Full adjustable pattern control
- o Maximum trigger control
- o Non-bleeder siphon feed
- o External mix for fine atomization

A cost effective spray gun providing professional results.

The adjustable
wide web spray pattern;
great for applying
foam to foam adhesive
with just a
few passes!


GREAT FOR APPLYING AUTO TOP & TRIM ADHESIVE!


PER SPRAY GUN

79.90

















SUREBONDER HOTMELT GLUE GUN

- High Temperature Trigger-Fed Glue Gun
- 2 Solid State PTC Heaters





HE-750 SUREBONDER TIP PACK (3) EACH 54.50 29.70

80 Watts of Power

Before you buy your next glue gun, find out why you are frustrated with your 40 watt and 20 watt guns.

Step up in power so it does not slow you down.

NOZZLES

3 Piece Set

TYPE

















••••••• NEEDLE

¾" Needle 5/64" Orifice



PLASTIC & LEATHER CLEANER 990

PROTECTS ORIGINAL FINISH - WITH OIL OF MINK

An excellent cleaner for all vinyls, leathers and plastics. conditions as it cleans. Adds new life to older vinyls and leathers. Contains lanolin to restore original softness. Contains no silicone.

15 OZ AEROSOL

CAN 13.80 DOZEN 11.80







SOLVENT CLEANER & DE-GREASER C-60

REMOVES GREASE, DIRT, OIL & FRESH PAINT INSTANTLY

Cleans and degreases metals, painted surfaces, rubbers, fabrics, and plastics (except polystyrene). Also can be used on motors and generators.

16 OZ AEROSOL

CAN 21.40 DOZEN 19.40







FURNITURE POLISH 811

BRINGS OUT THE HIDDEN BEAUTY - WITH LEMON OIL

Dusts, cleans and waxes. Leaves a hard, dust free surface. For light and dark furniture, plastic counters and table tops, ceramic and plastic tile, leather articles, chrome, stainless steel, porcelain, brass, marble, vinyl and enameled surfaces.

19 OZ AEROSOL

CAN 15.00 DOZEN 13.00

DOZEN

12.90







VINYL CLEANER

Water based SPECIFICALLY DESIGNED FOR VINYL

All purpose
 Pump spray
 Designed not to harm vinyl finishes!
 Stays wet longer for deep cleaning!

BOTTLE SIX
22 OZ PUMP SPRAY 21.50 19.00
GALLON 4 GAL
GALLONS 59.50 54.50







FABRIC CLEANER 558

CLEANS VELOUR, CLOTH, CARPET, & UPHOLSTERY

Gently foams away soil, dirt, and grime without soaking into the fabric. Leaves surfaces clean and dry. With easy to use inverted spray nozzle.

Note: Not for use on suede or leather.

CAN
19 OZ AEROSOL 16.00







CYPRESS SILICONE GLIDE

Glide is a nontoxic, non-oily scientifically formulated silicone spray which acts as a lubricant, reduces friction and sticking, repels moisture, and prevents corrosion. Glide will not cause discoloration or otherwise damage fabric. Treatment with Glide will reduce wear and give smoother operation. Glide will protect and preserve rubber and plastic.





10.5 OZ. AEROSOL CANS

CAN 20.40 DO7FN 17.50

3 DOZEN 15.80

KWIK-SPRAY #440 UPHOLSTERY SILICONE

This light duty, medium viscosity silicone product is formulated specifically for UPHOLSTERERS. The #440 Silicone's characteristics provide excellent lubrication to aid in cushion stuffing by reducing friction without the build up of heavier silicones. Used to reduce friction on cutting tables, sewing needles, knives and cutters. Protects and restores any rubber, plastic and vinyl parts with periodic coatings, plus no ozone depleting chlorinated solvents!






11 OZ. AEROSOL

CAN 16.00 6 CAN 14.50 **DOZEN** 13.50

HIGH TECH FABRIC GUARD 303

303 Fabric Guard is an easy to apply fluorocarbon based re-treatment product ideal for all natural and synthetic fabrics. Exhibits superior water and staining repellency and contains a UV screening agent to retard fading and degradation. Maintaining an outdoor fabric's repellency with 303 Fabric Guard will eliminate or minimize mildew problems. Goes much farther than silicone based treatments, providing up to 3 years of protection outlasting other products.







Can Be Used On:

Can Be Used For:

- Acrylic Awnings Water Repellency
- Outdoor Furniture
 Stain Resistance
- Boat & Sail Covers UV Screening
- Biminis & Enclosures

16 OZ. TRIGGER SPRAYER

EACH

DOZEN

AQUA-TITE GREEN

An eco-friendly green & clean technology product PREMIUM GRADE DUAL-ACTION WATER & STAIN REPELLENT

AQUA-TITE, containing silicone, is a premium grade heavy duty water repellent solution. It restores the water repellency of cotton and synthetic fabrics. It can be used on flame resistant fabrics without affecting flame resistant properties. Its neutral color is suitable for use on all colors, however it may impart a slightly darker, richer tone to some lighter fabrics. One gallon properly covers approximately <u>500-700 square feet,</u> depending on the absorbency of the fabric. Can be sprayed, brushed, or rolled. Quart comes with premium spray trigger applicator.

184.30

OUART GALLON Can Be Used On:







Nylon

Leather & Canvas

Recommended For:

NO FRAY SPRAY: 821 "Anti-Fraying" - Prevents Seam Slippage

No Fray Spray speeds workroom productivity while preventing unraveling of fabric and tapes during sewing operation. It also reduces seam failure, prevents thread slippage, and saves on sewing time by eliminating costly overstitching. It is transparent and will not stain when used as directed.







10½oz AEROSOL

PFR FACH


CAN 20.90


61.60


DOZEN 18.90


PRICES SUBJECT TO CHANGE WITHOUT NOTICE






















	SIZE	M/BOX	BX/CS	BAICC					
E8006			DAICS	M/CS	BOX	4 BOX	CASE	2 CASES	
	1/4"	10	30	100	19.40	18.40	16.40	15.80	
E8008 5	/16"	10	24	240	20.40	19.40	17.40	16.80	CACCO
E8010	3/8"	10	18	180	20.60	19.60	17.60	17.00	IFASCO
E8012	1/2"	10	16	160	23.20	22.20	20.20	19.60	AMERICA
E8014 9	/16"	10	12	120	26.60	25.60	23.40	22.80	AWIERICA
									WIDE CROWN
				1/4"	5/16"	3/8"	1/2"	9/16"	







200

200

20

40

CROWN: 3/8" WIRE: .045 x .023

Galvanized

3/8"

GO6

10

5

CASE 53.00 47.00 42.20 58.80 52.20 47.00



FASCO #9 STAPLES

Style **FASCO** #910 **FASCO** #912

Size 3/8" 1/2"

PER Box 10M 10M

Box 27.20 30.00



CROWN: 7/32' WIRE: .021 x .030



STAINLESS STEEL STAPLES



COMPATIBLE TO FIT **FASCO BeA #71** PER BOX STYLE SIZE BOX 52.00 71/04 1/4" 10M 71/10 3/8" 10M 58.20 71/12 1/2" 10M 63.80



BeA BRAND #71 Series

STYLE SIZE **PER BOX** BOX 1/4" 54.00 71/04 10M 71/10 3/8" 10M 55.40 71/12 1/2" 10M 58.20



BeA BRAND #80 Series

STYLE SIZE **PER BOX** BOX 58.10 80/06 1/4" 10M 80/10 3/8" 20M 140.90 1/2" 117.00 80/12 15M



COMPATIBLE TO FIT **FASCO BeA #80** PER BOX STYLE SIZE BOX 80/04 1/4" 10M 101.60 80/10 3/8" 10M 123.20 80/12 1/2" 10M 131.00



COMPATIBLE **FASCO** DuoFAST STYLE SIZE **PER BOX** BOX #3108 1/4" 91.00 10M #3112 3/8" 85.60 10M



COMPATIBLE DUOFAST **FASCO** STYLE SIZE PER BOX BOX #508 1/4" 5M 57.80 #5012 3/8" 5M 68.20 1/2" #5016 5M 91.20



For Marine Applications **And Where** Moisture & Hummidty Can Rust Standard Staples



FASCO COMPATIBLE HAUBOLD STYLE SIZE **PER BOX** BOX #1410 3/8" 10M 92.40



COMPATIBLE TO FIT **SENCO FASCO** STYLE SIZE PER BOX BOX 55.40 #C04 1/4" 10M #C06 3/8" 10M 61.80 1/2" #C08 10M 68.00



FASCO STAPLE GUNS

FASCO

1" Standard



- 1" Nose for easy visibility
- Quick magazine release
- Easy loading of staples
- Lubricant on page 145

	PART #	CROWN	EACH
Senco CO	F1B-7C-16	11/32"	338.00
BeA #71	F1B-7C-16	11/32"	338.00
BeA #80	F1B-80-16	1/2"	338.00
Haubold #1400	F1B-14-16	13/32"	338.00
Duo-fast #3112	F1B-31-16	3/8"	338.00
Duo-fast #5012	F1B-50-16	1/2"	338.00

FASCO AUTO-MATIC

1" Standard



Senco CO BeA #71

FASCO

- Shoots up to 1,660 per minute
- 1" Nose for easy visibility
- Full variable speed control
- Single shot lever
- Quick magazine release
- Easy loading of staples

NOSE	CROWN	EACH
1"	11/32	650.00
1"	11/32	650.00

FASCO GIMP GUNS



FASCO

- The right tool for the right job
- Quick magazine release
- Easy loading of staples
- Lubricant on page 149

PART# CROWN EACH Empire #9: NARROW F1A-9-16 7/32 390.00

FASCO LONG-NOSE 2" Long Nose



FASCO

- 2" Nose for great visibility
- 2" Nose for great versatility
- Quick magazine release
- Easy loading of staples

	PART #	CROWN	EACH
Senco CO	F1A-16-NL50M	11/32	530.00
BeA #71	F1A-16-NL50M	11/32	530.00

FASCO PINNER GUNS



FASCO

- The right tool for the right job
- Quick magazine release
- Easy loading of staples
- Lenghts: max: 1¼" min: ½"
- Lubricant on page 145

PART# GAUGE EACH Headless Pinner Gun F20PGA31 18 690.00

BeA AIR STAPLE GUNS Operates on 75-90 PSI BeA Fasteners U NOSE CROWN **EACH #71 Standard Tacker** 11/32 318.00 7/16" #71 Long Nose 2" 11/32 592.80 #80 Standard Tacker 7/16" 16/32 333.00 #80 Long Nose 2" 16/32 626.30

FASCO 18 GA. PINS


FASCO

STYLE EB820P EB825P	SIZE 3/4" 1"	BOXES/CASE 20 16	PER BOX 5 M 5 M	(
STYLE	SIZE	Box	10BOX	20BOX	40BOX
EB820P	³ / ₄ "	24.80	21.80	20.80	19.80
STYLE	Size	Box	5BOX	10BOX	16BOX
EB825P	1"	28.20	25.20	24.20	23.20



FASCO ELECTRIC GUN

- SAFE INTERLOCKING TRIGGER
- •REAR LOADING WITH BUILT-IN PUSHER
- •12' EXTENSION CORD
- •GREAT FOR ON-SITE OR SMALL JOBS
- •NOT RECOMMENDED FOR FULL-TIME USE





BeA: FURNITURE FRAME & CLIP GUN






HEAVY WIRE STAPLER

CROWN: 7/16" WIRE: 16 Gauge GALVANIZED

COMPATIBLE WITH: SENCO N



	CROWN	EACH	
BeA #14/50	7/16"	708.00	
BeA #14 with SS Clip Kit	7/16"	1026.00	

SIZE ITEM# BOX BOX **4 BOX** 11/4" 5 M 38.10 31.90 16/32 11/2" 16/38 5 M 42.60 35.60 1¾" 16/45 5 M 58.70 49.00

STANLEY BOSTITCH The most popular Dacron stapler Slim and light for ease of use

BOX SIZE CROWN EACH 10 BX PER BOX 5M 1/4" 6/16" 10.00 8.00

P-3 HAND PLIER STAPLER 53.30

BOSTITCH B8P STANLEY BOSTITCH Uses "Power Crown" Staples for extra driving power Drives both 1/4" & 3/8" staples SIZE **CROWN** BOX **EACH** 10 BX ITEM# STCR-2115 7/16" 13.80 1/4" 5 M 9.80 3/8" 7/16" STCR-2115 5 M 19.80 15.80 **B8P HAND PLIER STAPLER** 60.50



UPHOLSTERY TACKS D.B. Gurney Co. Height PCS/LB 1 LB 5 LBS 25 LBS 3/16" 426.50 1½ oz. Tack 4,590 87.30 2 oz. Tack 4/16" 4,430 62.60 303.00 2½ oz. Tack 219.50 957.80 5/16" 3,714 45.90 No 1½ 2 3 oz. Tack 795.80 6/16" 1,934 37.70 178.50 4 oz. Tack 170.00 756.60 7/16" 1,624 36.00 6 oz. Tack 8/16" 36.00 170.00 756.60 1,154 8 oz. Tack 9/16" 1,044 32.80 154.00 683.10 10 oz. Tack 10/16" 29.10 135.50 599.60 848

GIMP TACKS

Height PCS/LB 4 OZ 1 LB 4 oz. Tack 7/16" 2,500 26.80 97.00




WEBBING TACKS

5 LBS **25 LBS** Height PCS/LB 1 LB 12 oz. Tack 11/16" 527 28.50 132.50 584.50 14 oz. Tack 12/16" 486 28.50 132.50 584.50 16 oz. Tack 13/16" 475 28.50 132.50 584.50





WIRE BRADS



18.50

SPRING -UP NAILS A smooth finished nail with a large flat head designed specifically to effectively anchor twine to a frame without cutting or allowing the twine to slip. PCS/Lb **POUND** 7/8" x 13 Ga 549 15.30

PANEL NAILS

1.25" x 18 GA

HEAD SIZE: 34" DIAMETER



16.50

	PCS/LB	POUND	5 POUNDS	
LENGTH: 7/8"	127	15.80	14.20	
LENGTH: 1-1/8"	102	15.80	14.20	
LENGTH: 1-3/4"	94	15.80	14.20	

SPRING CLIP NAILS



POUND 10 LB 25 LB 1" EK Barbed 14.60 11.60 10.90 1" Steel Webbing 14.60 11.60 10.90



VELVET EDGE TACKTITE WITH COVERS



Velvet edge tack strips Protect upholstery materials Better than ever!

Velvet edge tack strip now comes in a sleeve! The softest touch In tack strips Just got softer!

You now have the option of getting a plastic cover with Your favorite Tack Tite



- Now the most delicate fabrics and leathers are protected during upholstering and shipment. Handy's rounded edge, Velvet Edge Tack Strips, have always been gentle on fabrics.
- Slim, "soft touch" Velvet Edge Tack Strips are now available with smooth plastic sleeves, they protect better than ever. These sleeves are locked in place on the tack strip to prevent slipping resulting in seams that have a smoother, hand-tailored look with less chance of damage to upholstery materials.

<u></u>			¬
/ /	// V		Δ

TACK 10 LENGTH 30" 100 117.30 500 107.30 1000 101.30

PER 100

TACK STRIP COVERS



30" LENGTHS 1,000 FOOT ROLL EACH 1.26 178.90 100 PIECES

500 PIECES

.34

VELVET EDGE TACKTITE





TACK	LENGTH	100	500	1000	
10	30"	86.80	75.00	71.40	PER 100
10	36"	109.80	94.80	90.20	PER 100
10	54"	146.60	128.20	120.60	PER 100

METAL TACK STRIP



TACK	LENGTH	100	500	1000	
8	30"	131.20	112.90	105.70	PER 100
10	30"	131.20	112.90	105.70	PER 100

PANEL CHIPBOARD

A HEAVY WEIGHT PANEL BOARD

Interior Panel Supports - Heavy Duty Inside / Outside - Arms & Backs

Sheet Size: 36" x 48" Per Pack: 20 Sheets

> SHEET 7.46

20 SHT 40 SHT 5.66 5.46 Thickness: .060"
Weight / Pc: 2Lbs 4oz

60 SHT 5.26

PER 36" x 48" SHEET

PRICES SUBJECT TO CHANGE WITHOUT NOTICE



"HANDY" FLEX-TRIM / PLI-GRIP

Flex-trim is a continuous strip invisible fastener flexible enough to conform smoothly to twists, bends and radical curves without hand sewing. It won't buckle even when twisted and curved at the same time. No more sewing, double welting or gimp tacks. Simply cut off the length you want, when you want it. Galvanized satin finish to prevent rusting and staining.





Available either in two or three tooth Regular or Heavy.

100' COILS

	WT/CS	TYPE	REEL	CASE	3 CASE	
"Regular"	16 lbs	3 Tooth	29.90	25.90	24.10	Priced Per Reel
Heavy"	20 lbs	3 Tooth	33.90	29.90	27.90	5 Reels Per Case

FLEX TRIM PADDING

URETHANE FOAM PADDING

1/2" .040 153/4" 375 2.20

171/4" 415

with SELF ADHESIVE

³/8" .032

APPLIES TO OUTSIDE EDGE of METAL EDGING

ROLL 4 ROLL 1/8" x 3/4" x 100' Rolls 28.30 26.30

• Helps pad and prevent thin fabrics from being cut or frayed

• Helps pad metal edges from giving an uneven appearance Gives a smooth and finished edge

Economy Plus

Regular Economy

CARDBOARD TACKING STRIP

WD	TYPE	ROLL	6 PACK	12 PACK	CASE	RLS/CS
3/8"	ECONOMY PLUS	10.50	8.00	7.00	6.50	(37)
1/2"	ECONOMY PLUS	12.60	10.10	9.10	8.60	(27)
3/4"	ECONOMY PLUS	16 90	14 40	13 40	12 90	(18)



Thickness

.050" .040"

CARDBOARD TACK STRIPS

STRAIGHT 38" STRIPS

10 LBS 50 LBS 4.50 6.10

Cut-Strips Economy Plus THICKER THAN ROLL STOCK

X-HARD TACKING STRIP

Extra-HARD

Extra-HARD

Extra-HARD

TYPE

WD

3/8"

1/2"

3/4"

1/2" x 38" PER POUND

"Extra Tough"

Extra	a Hard	1/2" .05	0 15′/8" 285	3.25
6 PACK	12 P	ACK	CASE	RLS/CS
13.60	12.	60	12.10	33
16.50	15.	50	15.00	27

22.50

18



MARINE BLIND 1/2" TACKING STRIP - NYLON

ROLL

16.10

19.00

26.50

PER ROLL

24.00

100% NYLON - CLEAR Will not soil, rust, or lose shape.

Roll Size: 1/2" x 500' Pack Type: Flat Pancake

23.00

50' RI 500' RL 49.00 290.00


Thickness: .031" Weight / Pc: 2Lbs 6oz




DECORATIVE NAILS

ACTUAL SIZES SHOWN


















DECORATIVE NAILS




ACTUAL SIZES SHOWN
















NAIL HEAD DIAMETER CHART BY SIZE

DIAMETER	8 _{/32} "	⁹ /32"	10 _{/32} "	11 _{/32} "	13 _{/32} "	¹⁴ / ₃₂ "	¹⁵ / ₃₂ "	16 _{/32} "	²⁰ / ₃₂ "	21 _{/32} "	²³ / ₃₂ "	²⁴ / ₃₂ "	27 _{/32} "	31 _{/32} "
STYLE	1019	1012	1043	1990	1010 1910	1560 1963	1009 1909 36 1533	31 1538 1626	1054 32 1620	1038 1920	1610	1037 1622	1052	1050
							1535							

DECORATIVE NAIL TOOLS



No.777




No.6

No. 601 Antique Nail Puller No. 777 Quick Nailer: Aligner/Spacer No. 6750 Pneumatic Nailer w/Loading Board Additional Loading Boards




OLD GOLD ANTIQUE STYLE 1009 SHANK 1/2" PCS/BX 1000 PRICE 52.40




DECORATIVE NAILS




ACTUAL SIZES SHOWN







































BUTTON COVERING SERVICE



Send us the fabric -

We'll do the rest!

One of the TRENDS in furniture is BIG BUTTONS. However, with big buttons, comes a big outlay of money for some very expensive dies and cutters. Secondly, although the trend is going towards these bigger buttons, only a minimum number of buttons are being used on a piece. Therefore, we are providing you with an economical solution; we will make them for you! Orders processed within 24 to 48 hours.









	WIRE	- EYES	PRO	ONGS	NO-	DENTS	F/	ABR	IC
SIZE	FIRST DOZEN	ADDITIONAL DOZENS	FIRST DOZEN	ADDITIONAL DOZENS	FIRST DOZEN	ADDITIONAL DOZENS		EEDE BUT	
#22	25.60	17.60	27.00	19.00	28.20	19.80	11/4"	x	11/4"
#30	26.20	18.00	27.40	19.40	29.00	20.60	11/2"	x	11/2"
#36	26.60	18.40	29.00	20.60	30.80	22.00	1 ⁵ / ₈ "	x	1 ⁵ / ₈ "
#40	29.20	20.40	30.40	21.60	N/A	N/A	17/8"	x	1 ⁷ / ₈ "
#45	30.60	21.40	31.00	22.20	33.80	24.20	2"	x	2"
#50	33.40	23.80	N/A	N/A	N/A	N/A	21/4"	x	21/4"
#60	38.80	27.60	N/A	N/A	N/A	N/A	2 ³ / ₈ "	x	2 ³ / ₈ "
#80	43.60	31.60	N/A	N/A	N/A	N/A	3"	x	3"
#48/65	43.00	31.00	N/A	N/A	N/A	N/A	$2^{3}/_{8}"$	х	$2^{3}/_{8}"$









	SINGL	E PIVOTS	JOINEL) PIVOTS	1PC DU	IRA SNAPS	
SIZE	FIRST DOZEN	ADDITIONAL DOZENS	FIRST DOZEN	ADDITIONAL DOZENS	FIRST DOZEN	ADDITIONAL DOZENS	FABRIC NEEDED
#30	30.20	21.40	34.00	25.20	28.80	20.00	1½" x 1½"
#36	32.80	23.20	36.60	27.00	29.40	20.60	$1^{5}/_{8}^{"}$ x $1^{5}/_{8}^{"}$
#40	N/A	N/A	N/A	N/A	N/A	N/A	$1^{7}/_{8}^{"}$ x $1^{7}/_{8}^{"}$
#45	39.20	28.00	N/A	N/A	N/A	N/A	2" x 2"

DRAPERY GROMMETS: #12



- · Made of heavy duty brass
- Ideal for curtains and draperies
- Cutters and dies work with Handy Junior

SIZE EACH #12 Die & Cutter 195.90

FINISH	SIZE	OD	I.D.	20/BOX
Gold	12	21/2"	1 ⁹ / ₁₆ "	84.40
Nickel	12	21/2"	1 ⁹ / ₁₆ "	84.40
Antique	12	21/2"	1 ⁹ / ₁₆ "	84.40
Black	12	21/2"	1 ⁹ / ₁₆ "	84.40



BUTTONS













STANDARD SHELL

TANDARD STILLE

SHELLS

In 3 Types: Regular, Soft and Rust Resistant. Soft is recommended for heavy weight materials and naughahyde at no extra charge. Complete rust resisting moulds (shells and backs) are standard with many manufacturers because they minimize rusting problems resulting in damaged, costly upholstery. Standard rust resistance is zinc plated which is easily recognizable. The backs (i.e. WE's and prongs) are already rust resistant.

WIRE EYES

Wire Eyes are the industry's choice for twine tufting. The standard has a heavy eye and will withstand 80 lb. pullout tests. The 44 Short Eye has a smaller eye and is intended to be used against delicate materials to minimize piercing and runs. The standard wire eye is available upon request in the liplock or flare model at no extra charge.


PRONG SIZES: 1 1/2" 2" 2 1/2"


Prong button tufting is fast, economical and strong. It eliminates many operations common to twine tufting and requires no special skills or button dies. The prong is anchored firmly in place by bending the flatwire legs over a prong washer in back of the padding.

		GROSS	5 GROSS			GROSS	5 GROSS
22	Shell	7.00	4.20	40	Shell	11.20	8.40
22	RR Shell	9.00	6.20	40	RR Shell	14.20	11.40
22	Wire Eye	11.40	8.60	40	Wire Eye	20.40	17.60
22	1½" Prong	23.60	20.00	40	2" Prong	35.80	33.00
22	2" Prong	27.00	23.40				
22	2½" Prong	42.20	38.60				
				45	Shell	12.60	9.80
				45	RR Shell	15.60	12.80
24	Shell	7.80	5.00	45	Wire Eye	22.60	19.80
24	RR Shell	9.80	7.00	45	2" Prong	32.80	38.00
24	Wire Eye	13.20	10.40				
				50	Shell	18.20	15.40
30	Shell	8.20	5.40	50	RR Shell	21.20	18.40
30	RR Shell	10.40	7.60	50	Wire Eye	32.80	30.00
30	Wire Eye	13.60	10.80				
30	1½" Prong	28.60	25.00				
30	2" Prong	32.20	28.60	60	Shell	21.20	18.40
30	2½" Prong	38.80	35.20	60	RR Shell	26.60	23.80
				60	Wire Eye	40.00	37.20
36	Shell	9.20	6.40				
36	RR Shell	10.80	8.00	80	Shell	30.20	27.40
36	Wire Eye	15.20	12.40	80	RR Shell	41.40	38.60
36	1½" Prong	31.00	27.40	80	Wire Eye	60.20	57.40
36	2" Prong	34.80	31.00				

THE BUTTON COVERING PROCESS

Button covering dies wrap material around the shell and crimp the shell over the sides of the back. Drawing A shows the fabric in place over the shell in the top die. Drawing B shows the fabric wrapped under the shell by die action as the top die plunger moves down toward the bottom die. Drawings C and D show the assembly and clinching of the fabric-wrapped shell against the back, making the button solid and secure.







ALUMINUM BUTTON SHELLS & NYLON HOOK BUTTONS

The nylon hook is used just as you would a regular wire-eye. However, when used with an aluminum shell, you can prevent rust or discoloration in applications where moisture is a concern.

	GROSS	5 GROSS		GROSS	5 GROSS
22 Shell	10.20	7.40	22 Hook	16.80	14.00
30 Shell	12.20	9.40	30 Hook	18.00	15.20
36 Shell	14.40	11.60	36 Hook	20.40	17.60

For marine, patio and everyday furniture!





THREADED NAIL MOLDS

When anchored with a spring lock washer, the Threaded Nail is a fast, positive, alternative to prong tufting. Just insert the nail through the upholstered construction and fasten it on the back with a No. 15 Spring Washer. (for washers, see page 110)

Set: Threaded Button Back, 1 Shell

	NAIL	GROSS	5 GROSS
No. 22 Standard Shell	-	9.00	6.20
No. 22 Thread Nail	2"	35.60	32.40



Set includes Nail Mould and Shell

NO DENT-NAIL MOLDS

Heavy duty 13 gauge corrugated upholstery nails are welded to buttonbacks. The Nail-Molds can be driven through fabric and fastened directly to a frame. The back is stamped of heavy steel and formed to support the shell and prevent denting.

	GROSS	5 GROSS		GROSS	5 GROSS
22 RR Shell	9.00	6.20	22 Nail	26.20	22.80
30 RR Shell	10.40	7.60	30 Nail	43.80	40.40
36 RR Shell	10.80	8.00	36 Nail	34.40	30.80
45 RR Shell	15.60	12.80	45 Nail	44.00	40.40



Set includes Nail Mould and Shell

JOINED PIVOT MOLDS

STOCK PUT-UP WITH SOFT RUST RESISTANT SHELLS

Joined Pivot: Use on pillows and cushions where buttons are wanted on both sides. Easily held together by hand pressure. Serrated nail and spring steel washer hold buttons tight. The nail can be cut for shorter lengths.

	GROSS	5 GROSS		GROSS	5 GROSS
30 RR Shell	10.40	7.60	36 RR Shell	10.80	7.60
30 Back	29.00	25.40	36 Back	34.00	30.60
30 Back/tack	56.60	53.20	36 Back/Tack	56.60	53.20



Set Includes
Back w/
Tack,
Back and
2 Shells

Set Includes

Tack, Back

and Shell

SINGLE PIVOT MOLDS

Single Pivot: Female part of the Joined Pivot with separate serrated tacks to tailor skirts, etc. Using a Single Pivot is an ideal method when a button is required on only one side.

Set: Tack, Back, 1 Shell

	GROSS	5 GROSS		GROSS	5 GROSS		GROSS	5 GROSS
30 RR Shell	10.60	7.80	36 RR Shell	10.80	8.00	45 RR Shell	15.60	12.80
30 Back	24.80	21.40	36 Back	27.20	23.80	45 Back	40.40	37.60
30 Tack	9.00	5.40	36 Tack	9.00	5.60	45 Tack	9.20	5.60



BUTTON WASHERS

No. 1

No. 15





GROSS 5 GROSS BOX Size No. 1 10.60 7.80 Size No. 15 19.60 16.80

#40 FINISHED HOOK BUTTONS

A weatherproof nylon button made to simulate an upholstered button.

Colors: White or Eggshell



eggshell shown

EACH 50 144 Per Fach .44 .26 .18

ONE PIECE DURASNAPS

This economical nylon back is specially designed to snap onto a Durable Wood Screw or Durable Stud when covered. Cover the DuraSnap the regular way, screw the stud into the upholstered panel, and snap the covered DuraSnap over it. The DuraSnap provides a secure hold with little chance of rust or discoloration.

GROSS	2 GROSS BOX
8.20	5.40
22.60	19.80
9.20	6.40
25.60	22.80
	22.60 9.20



DURA-SNAP FASTENERS

100/BOX **CHROME GILT TYPE BRASS BRASS** 22.40 24.90 SOCKET 19.90 26.40 **STUD** 12.80 17.20 **EYELET** 11.70 18.40 SCREWSTUD 3/8"





Socket 548



For marine applications, use brass. For more complete selections, see pages 219-221.





Eyelet(Post) 550A

BRUSHED BRASS BUTTONS

The buttons are pre-assembled with a standard wire-eye back and a brushed, brass finish. Bright Gold and Nickel may be special ordered with a 5 gross minimum. Prong backs may also be special ordered.

GROSS 5 GROSS BOX No. 30 Wire Eye 55.80 52.80 No. 30 21/2" Prong 70.20 62.20



Brushed Brass Cap Standard Wire Eye

VENTILATORS

BRASS

OVERALL SHANK SHANK DIAMETER **LENGTH** Size DIA. 3/4" 9/16" 3/16" 3/4" 19/64"

Brass Ventilators with a gold finish. These ventilators clinch permanently with or without washers. The bevelled under-edge fits smoothly and firmly to any ticking, plastic,

or fabric.
An extra long shank can be special ordered:
No. 1 LS 1/4", No. 2 LS 11/32".

		DOZEN	4 DOZEN
No. 1 Ventilator	Per Dozen	8.60	7.80
No. 1 Washer	Per Dozen	4.00	3.00
No. 2 Ventilator	Per Dozen	12.40	11.40
No. 2 Washer	Per Dozen	3.80	3.00

VENTILATOR DIES





EACH
33.80
50.90
72.80
36.30
70.70
74.40
838.20
930.40



BUTTON MACHINES

HANDY JUNIOR

- Production aproximately 90 per hour.
- Versatile manually operated machine.
- Used with Handy 2-piece die.
- Can also operate grommet, dura-snap, & ventilator dies.

OSBORNE W-2 3-PIECE (SPECIAL ORDER)

- Production approximately 200 per hour.
- Used with 3-piece swivel dies that feed button material into top of die semi-automatically.

	dies son EACH
Handy Junior-2 Piece Machine	341.60
Osborne W-2 3-Piece Machine	1,911.80
Parts:	
Handle For Button Machine	87.40
Top Disc	56.20
Plunger	91.40
Plunger Spring	52.20
Plunger Pin	9.60

BUTTON DIES

TWO PIECE DIES

Dies to be used with the junior button machine and come complete with a short cutter.

THREE PIECE DIES

To be used with various handy three piece machines and comes complete with a long cutter.

DIE WEIGHTS

We stock all the heavy dies in the most common sizes. The light and medium dies can be ordered at no extra charge. The different weights are intended for the different weights in fabric. The medium dies work with the majority of fabrics. If using a lot of naugahyde and having button making problems, a heavy die may help.

		2 PC DIE	3 PC DIE
No. 22		182.40	715.80
No. 24		200.40	780.60
No. 30		200.40	807.40
No. 36		218.20	890.00
No. 40		267.00	1056.00
No. 45		293.40	1116.80
No. 50	The state of the s	313.20	-
No. 60		360.20	1284.60
No. 80		-	1540.60

CUTTING BOARDS

Long-lasting, replaceable fiber cutting boards.



2 1/2" diameter blocks

Fibre Cutting Board

EACH 10.80

CUTTERS

Sharp, hardened steel cutters are available in all sizes. A short cutter comes with a two piece die set, and a long cutter with the three piece set.

	SHORT	LONG
No. 22	85.00	120.80
No. 24	85.00	120.80
No. 30	85.00	125.00
No. 36	90.60	129.40
No. 40	102.80	137.60
No. 45	110.60	185.00
No. 50	138.60	219.00
No. 60	134.20	232.40
No. 80	241.80	401.00



OBA

VENT PUNCH



HOLE PATTERN

#622 VENTILATOR PUNCH

EACH 104.60

BUTTON DRILLS


- The Osborne cutter is made to cut FOAM, VINYL, FABRIC, POLY, and other soft materials.
- Cutters have special carbonized hardened edges.
- Makes diamond tufting easy.
 Makes button circles fast and easy -
- up to 30 buttons at a time.

 Use with a drill press or a hand held drill.




SIZE	HOLE	EACH
22	1"	139.00
30	1-1/4"	139.00
36	1-7/16"	139.00
40	1-1/2"	139.00
Jig		51.10
























3 Prong

Bolt: 1/4"x20

Nail



METAL GLIDES

SINGLE & THREE PRONG GLIDES are precision stamped from a tough, high quality steel or case hardened steel, with sharp shanks tightly embedded in base. All glides are a polished nickel.

sound absorbing cushion making them ideal for eliminating

vibrations. T nickel.	he hardened steel is finishe	d with a polished
TYPE	STYLE	NAIL
Nail	Flat / Nickle	3/4"



Flat / Nickle

Silent Dome

Silent Dome



Single Prong

Nickel Plated







3 Prona Silent Dome Silent Dome Nickel Plated Nickel Plated 1/4 x 20 Bolt

L	DIA	PIECE	50	100	1000
•	3/4"	.54	.32	.22	.12
•	3/4"	.52	.30	.20	.12
•	7/8"	.80	.58	.46	.38
•	7/8"	.90	.68	.56	.44

NYLON GLIDES







1/4"

3/4"

3/4"









5/8" DIA Domed - Beige

Flat - Beige

3/4" DIA Flat - White

Silent Dome


¼" x 20 Bolt Flat - White

5/16" x 18 Bolt Flat - White

NYLON GLIDES - To prevent rust and stains on carpet or tile, choose a plastic glide. These are perfectly formed of tough high density polyethylene and completely uniform in shape. Sharp steel nails drive easily into the hardest wood. Domed glides are perfect for angled legs.

TYPE	STYLE	LENTH	DIA	PIECE	50	100	1000
Nail	Domed/beige	3/4"	5/8"	.60	.30	.20	.10
Nail	Flat/beige	3/4"	5/8"	.62	.32	.20	.12
Nail	Flat/beige	3/4"	3/4"	.62	.32	.20	.12
Nail	Flat/white	3/4"	3/4"	.62	.32	.20	.12
Nail	Silent Dome	3/4"	7/8"	.86	.64	.50	.42
Bolt: 1/4-20	White	1"	5/8"	1.22	.98	.78	.68
Bolt: 5/16"x18	White w/T-nut	11/2"	1"	1.30	1.06	.86	.74

SOFT-GLIDE FELT GLIDE







FELT FLOOR PROTECTORS

Nylon Construction



7/8" Diameter

Felt is 3/16" Thick

For Wooden **Furniture Legs**

Wool Felt Base Soft-Glides install easily with the tap of a hammer into the endgrain of wooden legs. They will not come off and last longer than self-adhesive felt. They will not rust like metal glides and are stronger than nail-in types. Made with wool to protect wood, vinyl, terrazzo marble and tile floors.

FERRÜLE DIA 11/16"

FERRULE HT 3/16"

DIA 7/8"

Ferrule easily nails into wooden legs.

PIECE 1.20

50 .84

100 .64

1000 .46

T-NUTS ROLTS & SCREWS

	,	. .				
		RREL PRO	NG EACH	50	100	250
Type T-1 1/	4" x 20 5/	/16" 3	.64	.36	.22	.16
Type T-2 1/	4" x 20 7/	/16" 3		.40	.26	.20
Týpe T-3 1/	4" x 20 9/	/16" 3	.68	.42	.28	.22
Type T-4 5/1	l 6" x 18 5	/8" 3	.70	.42	.30	.22
Type T-5 7/1		/8" 3	.78	.50	.36	.30
Stainless Ste	el1/4" x 20 5/	/16" 3	2.00	1.60	1.50	



#7 Square/Flat



Length: 3" 12 24

.62 .42 12 24 1 .90 .62 .42

.90

Threaded to fit: 5/16" x 18

LEG PLATES

STYLE & PITCH	NO	EACH	DOZ	2 DZ
Square / Flat	7	3.00	2.70	2.34
Square / Angle	7A	3.00	2.70	2.34
Triangle / Flat	20	3.40	3.10	2.74
Triangle / Angle	1	3.40	3.10	2.74

Pitched & Flat





#20 Triangle/Flat #1 Triangle/Angle

#7-A Square/Angle







NOTE: All colors shown have been reproduced as accurately as possible. Final results will vary, according to type and color of wood to be stained. We suggest testing stains for color in an inconspicuous place before making the entire application.

*** = discontinued; stock may be available

101 TRUE MAHOGANY
102 ROCK MAPLE***
103 TRUE WALNUT***
104 CORDOVAN MAHOGANY***
105 FRENCH WALNUT***
106 SHADOW WALNUT***

108 DEEP WALNUT

116 BURNT UMBER

109 SANDY FRUITWOOD***
110 BROWN MAHOGANY
112 NUTMEG
113 LIGHT FRUITWOOD
114 AMERICAN WALNUT***
115 RAW UMBER

117 TRUE MAPLE
118 PROVINCIAL MAPLE***
119 MEDIUM WALNUT
120 DARK OAK***
121 RED MAHOGANY/CHERRY
122 EXTRA DARK WALNUT
201 NATURAL WALNUT***

202 NATURAL MAHOGANY***
203 NATURAL MAPLE***
205 NATURAL OAK
206 VAN DYKE BROWN***
207 GOLDEN OAK***
402 EBONY BLACK
403 NATURAL WHITE***
404 ANTIQUE WHITE
409 FLAT WHITE***

TOP COAT LACQUER, LEVELER & SEALER

300 CLEAR FLAT
301 SATIN CLEAR FLAT
302 ULTRA FLAT CLEAR***
303 GLOSS CLEAR

305 FLAT OIL FINISH 306 SANDING SEALER 307 LACQUER LEVELER



TOP COAT URETHANES & SHELLAC

304 SHELLAC***

601 SATIN POLYURETHANE***

COLOR CHARTS AVAILABLE AT NO CHARGE

CAN MIX DOZ DOZEN 3 DOZ Aerosol: 13oz 20.40 18.30 17.50 15.80



TOUCH-UP MARKERS

Premier

VALVE-ACTION STAIN MARKERS

PREMIER'S Touch-Up Marker is a valve type marker which seals, stains and finishes in one easy step. Touch-Up Markers are available in many of the most popular shades and can be applied over wood fills, "rub throughs" or worn edges to create an invisible repair. Touch-Up Markers may be used with all types of finishes without worry.

202 NATURAL

210 RED OAK

211 COLONIAL MAPLE

212 FRUITWOOD

215 UNIVERSAL CHERRY

216 LIGHT WALNUT

219 UNIVERSAL WALNUT

220 MEDIUM WALNUT

224 BROWN CHERRY

227 TRADITIONAL MAHOGANY

229 BROWN RED MAHOGANY

230 DARK OAK

233 DARK WALNUT

234 DARK PECAN

237 BLACK



Per Touch-up Marker

EACH 8.30

1/2 DOZEN 7.30

MIXED DOZ 6.90

DOZEN 6.30

TOUCH-UP STICKS



WAX-BASED COLORED STICKS

A rub-on wax pencil that fixes and eliminates scars, scratches, gouges, and abrasions on furniture, picture frames, leather, china, plastics and paneling. Accepts any type of top coat.

102 NATURAL

103 NATURAL LIGHT OAK

109 LIGHT OAK

113 HERITAGE OAK

114 MAPLE

120 MEDIUM WALNUT

127 TRADITIONAL MAHOGANY

129 BROWN RED MAHOGANY

132 MEDIUM DARK WALNUT

133 DARK WALNUT

182 OFF WHITE

189 PICKLE FROST



1/2 DOZEN

MIXED DOZ

DOZEN

Per Touch-Up Stick

EACH 4.40

3.90

3.50

3.10



JIFFY ESTEAM

Features

- · Made in USA
- · Removes wrinkles from clothing, drapery, tablecloths, bedspreads and upholstery
- Guaranteed not to scorch or burn any fabric
- 600 Watt heating element with automatic safety thermostat
- · Three times more power than similar steamers
- · Steam in three minutes with powerful continuous flow of steam
- · Doubled insulated outer housing for cool-to-touch operation
- · No pumps or water lines to become plugged
- Uses plain tap water (no salt)
- Largest reservoir on the market (10.5oz)
- · Water level window on both sides
- · Wide mouth easy to fill
- · Same internal wiring & thermostat controls as our industrial models
- 9ft long power cord
- Fits easily into attache case

· Weight: 1lb 9oz

ESTEAM PORTABLE

EACH 183.00



The world's most powerful

hand-held steamer!

JIFFY CLEANER

- Made in U.S.A. since 1940
- Can be used in all Jiffy Steamer models
- Unique de-scaler removes hard water deposits from all internal parts.
- Easy to use



First and still the finest!


10oz Bottle 16.60

JIFFY J-2 and J2000 STEAMERS

J-2 versus the J-2000. The traditional J-2 is still made with a rugged cast aluminum body to take the punishment of commercial workrooms. The J-2000 offers an up-to-date design, using a high impact polymer outer shell with an integrated water reservoir. The newer reservoir's lower profile allows it to fill easier from faucets, with only a small sacrifice of $\frac{1}{2}$ hour less capacity of steam; otherwise, the components are virtually identical.

Features

- · Quick 2-minute heat-up time
- · 1300 watt heating element die cast in solid brass
- · 50/60 Hertz electrical system
- · Fusible link with automatic shut-off for safety
- · New Noryl steam head, lighter weight and cool-to-the-touch
- · 360 Degree swivel caster set for mobility
- "No Spill" check valve cap
- · J-2000 has a high-impact polymer outer housing
- · J-2000 has a low profile, easy-to-handle water reservoir
- · J-2000 has over 1.5 hours of steam per filling
- · J-2 has die cast aluminum outer housing for durability
- · J-2 has an impact resistant one gallon water reservoir
- · J-2 has over 2 hours of steam per filling



The original first and still the finest! Made in U.S.A. since 1940!

STEAMER	EACH
J-2	438.00
J-2000	438.00

J-2000 PARTS	
Plastic Jar	20.90
Plastic Jar w/value (New)	35.90
J-2000 Switch: Toggle	27.20
J-2000 Switch: Rocker	42.00
J-2000 Heating Element Kit	238.70

All 3 MODELS: hoses, heads and stand

Plastic Head Only	65.00
Metal/Wooden Head Only	114.50
Wooden Handle only (for Metal Heads)	23.00
Hose(5½') w/ Plastic Head	152.70
Hose(7½') w/ Plastic Head	152.70
Hose(5½') w/ Metal/Wood Head	213.50
Hose(7½') w/ Metal/Wood Head	213.50
Rod Stand	79.10

JIFFY J-4000 STEAMER

Model J-4000 for upholstery. Ideal for furniture and upholstery shops. Moisture and heat allows fabrics to be stretched when installed. Will dry in minutes without a wrinkle or pucker.

Model J-4000D for Drapery. Features a standard 7½' long hose allowing for extra long reach.

Model J-4000A for Auto Trim. Removes wrinkles, stretches fabrics, shrinks fabrics and tightens seams. Comes with dual iron head for hard to reach areas. Comes with extra pipe head.

Features

- · Durable die cast aluminum outer housing unit
- · Color-coded high temperature wiring
- · Convenient PREHEAT and STEAM settings
- · 1500 watt incoloy heating element
- 50/60 Hertz electrical system
- · Fusible link with automatic shut-off for safety
- Over 1.5 hours of steam per filling
- · Corrosion-proof internal 304 stainless steel boiler tank
- · No water lines to be clogged by water deposits
- · Built-in easy-to-read water level sight gauge
- · Sediment build-up indicator



The original first and still the finest! Made in U.S.A. since 1940!

The J-400 Pro-Line Series is Jiffy's Steamer's most powerful model designed for commercial purposes. Known as a durable "workhorse" in the industrial fabric and garment trades, the Model J-4000 is an essential tool in a multitude of applications ranging from removing wrinkles, to retouching drapery and installling carpet. Coupled with the several available hose attachments, the J-4000 Pro-Line Series Jiffy Steamer is a welcome presence in any industry.

J-4000 PARTS

J-3 Switch (older model)	117.40
J-4000 Heating Element	100.00
220 Thermostat (steam)	32.20
L-170 Thermostat (preheat)	32.20

STEAMER	EACH
J-4000	618.00
J-4000A Automotive Head	678.00

J-4000D Drapery - extra long hose 630.00



CURVED NEEDLES-ROUND POINT

EXTRA THIN

FOR SILK & DELICATE FABRICS

SIZE	GA.	EACH	DOZEN
3"	21	5.20	3.30
4"	19	5.90	3.90



CUR	/ED	NEEDL	ES-ROUN	ND POINT	1
SIZE	GA.	EACH	DOZEN		
2"	21	3.90	2.10		
3"	19	4.80	2.90		
4"	18	5.00	3.10		J
5"	16	5.40	3.40		Ш
6"	15	5.40	3.40		
8"	15	7.70	5.40		Y.

"T" PINS		S ½ Lb BOXES	
SIZE	LENGTH	вох	6 BOXES
No. 20	1 1⁄4"	30.40	25.40
No. 24	11/2"	30.40	25.40
No. 32	2"	30.40	25.40







DRESS	MAKER PINS	ONE POUND BOXES
SIZE	LENGTH	BOX 6 BOXES
No. 20	11/4"	22.60 20.40
No. 28	13/4"	22.60 20.40
No. 32	2"	22.60 20.40



OSBORNE	K-3 NEE	OLE KIT		
Gauges:	3" 4" 5" 18 17 16 One of Each			KO MAD A SALE PORT AND A SALE PORT OF A MAD A SALE PORT OF A
CARD		EACH 11.20	12 9.20	

STRA	IGH	T-DOU	IBLE ROU	JND POINT
SIZE	GA.	EACH	DOZEN	
8"	14	8.10	5.60	
10"	13	10.60	7.80	
12"	13	11.20	8.30	
14"	13	12.90	9.80	
16"	12	13.90	10.70	
18"	12	15.00	11.70	
	_			



PINA	поп	טטט-ו	DLE LEA	THER POINT
SIZE	GA.	EACH	DOZEN	
8"	13	12.30	9.30	
10"	12	17.00	13.40	
12"	12	18.60	14.90	
14"	12	20.10	16.10	
16"	11	21.50	17.40	
18"	11	24.90	20.40	

REGUL	ATORS	
	EACH	
6" & 8" Meta	I 17.80	
10" Metal	17.90	
12" Metal	20.70	
10" Plastic H	landle 20.40	- 173-342-5400
9" Ice Pick	5.00	
9" ICE PICK	5.00	



HAMMERS No. 33 Bronze Magnetic (solid head) 7 Oz. 67.50 No. 33 No. 34 Hammer Handle 10.10 No. 39 Bronze Magnetic (solid head) 9 oz. 77.40 No. 36 C.S. OSBORNE 70.80 No. 222 Magnetic Split Head 7.5 Oz. No. 36 Nylon Tip Hammer 7.0 oz. 82.30 No. 39 No. 36-T Nylon Tips 9.00 No. 396 No. 396 Rubber Mallet 35.70 No. 89.5 No. 89.5 Hickory Mallet 3½" 12oz. 43.40 No. 196 Rawhide Mallet No.4 75.70


PLIERS C.S. OSBORI	NE -		No. 445
No. 445 Spring Clip Pliers - 3 Prong	139.90	No. 600	
No. 91 Diagonal Cutting Nippers	22.80		No. 91
No. 94 End Cutting Nippers	33.70	No. 602	
No. 522 BW Clip Pliers	103.20	0 0 0	No. 522
No. 7658 Offset Hog Ring Plier (with closing spring)	68.70	AAA	
No. 7657 Straight Hog Ring Plier (with closing spring)	70.60		No. 7657
No. 98 Duck Bill Pliers	83.70	A CONTRACT OF THE PARTY OF THE	No. 7658
No. 1440 Hog Ring Pliers (A) (not spring aided)	59.30	A B	
No. 1440 Hog Ring Pliers (B & C) (not spring aided)	64.10	No. 1440	No. 98
No. 787A Side Cutter	113.70		
No. 600 Plier Staple Remover	55.80		No. 94
No. 602 Plier Staple Remover w/Post	158.10	No. 787A	NO. 94





TACK & STAPLE LIFTER	RS	No. 124	QUALIX.
C.S. OSBORNE		BERRYS	TOOK 1. (LAN)
No. 124 Berry Remover	31.80	No. 124-12	
lo. 124-12 Berry's Long Handle	60.10		No. 12
No. 120.5 Staple Remover	41.10	No. 120	(Lilliani)
No. 120 Staple Remover	41.10	[manual]	No. 40
No. 402 Ripping Chisel	31.40	No. 402.5	
No. 402.5 Combo Tack Lifter/Ripper	31.80		No. 12
No. 121 Tack & Staple Remover	43.30	No. 202	
No. 202 Tack Claw	39.90) No. 76
No. 763 Grove Staple Remover	28.40		
No. 710 Sharp Point Grove Staple Remover	47.00	No. 710	No. 10
lo. 1066 Staple Remover	47.10		C.S. OSBORNE & Co.











































RULERS	& ME	ASURI	NG TA	PES	SIDES	
TYPE	STYLE	LENGTH	WIDTH	EACH	MARKED	Action
Wooden	160	60"	1 11/16"	107.20	One	
Wooden	160	72"	1 11/16"	65.20	One	
Aluminum	802	36"	11/2"	32.40	One	
Aluminum	802	60"	11/2"	33.10	One	C.S. OSBORNE
Aluminum	161	60"	11/2"	25.20	Both	No. 160: One Edge marked in "Inches" on one side.
Gripper Tape		25Ft	1"	17.90	One	No. 802: One Edge marked in "Inches", one in "Metric"
Stick & Tape		12Ft	1"	14.70	One	No. 161: One Side marked in "Inches", one side in "Metric"



ALLSTAR ROTARY FABRIC CUTTER

ALLSTAR-100 FABRIC CUTTER	353.30
ACCESSORIES	EACH
SHARPENING STONE	10.10
SHARPENING SPRING	1.10
SHOE	15.60
SHOE CREW	.70
CUTTING GLIDE	41.80
HEXANGONAL ROTARY BLADE	19.30
UPPER BLADE with CARBIDE TIP	37.10
CUTTING BLADE SCREW	1.10
KNIFE LOCK SCREW	6.40
GEAR ASSEMBLY	32.60
MOTOR ASSEMBLY DISC	9.40
MOTOR SHAFT COUPLING	5.30
MOTOR ASSEMBLY	217.40
MOTOR BRUSH	5.00

IMPROVE YOUR EFFICIENCY!



- · High torque motor
- Squeeze type switch with comfort grip
- Built-in "push-button" sharpener
- Hexagonal blade rotates against counter blade for smooth cutting
- · Cut intricate curves without snagging

KAI SHEARS

- AU-6 Stainless Steel with Molybdenum Vanadium for hardness and durability.
- HRC 56 58 (hardness Rockwell C scale)
- Pivot: Easily adjustable nut with nylon insert to prevent loosening. (nylon stop nut)
- Handles: Larger, more ergonomic, (easy on the hands), unbreakable black Santoprene® soft thermal plastic. (not ambidexterous)
- MODEL CUT LENGTH EACH 5220 3³/₈" 9" 58.00 5220-L 3³/₈" 9" 58.50

- Larger handles to allow using all fingers during cutting!
- Soft Santoprene insert to cushion your hands!
- · Nylon insert to prevent loosening!



KAI SHEARS

- Light weight AND stronger than most all metal shears!
- · Professionally honed cutting edge.
- Ergonomically styled and padded grip made of "Elastomer" soft plastic for maximum ease of handling.
- · Larger handles to reduce stress.
- · Thicker blades for heavy duty cutting.
- Full-length "blade-to-grip design for optimal cutting balance.
- Novel Duplex Interlock Screw for lasting blade tension.
- Available in 3 sizes
- A -8 High Carbon Molybdenum Vanadium Stainless Steel for extra long life & cutting efficiency.
- Approximately 60 HRC one of the hardest & smoothest shears available.

MODEL	CUT	LENGTH	EACH
7250	3¾"	10"	167.00
7280	5″	11"	201.50
7300	5½″	12"	223.50

- Double-locking nuts for strength!
- Steel throughout handles for strength!
- Soft Santoprene insert to cushion your hands!



DESCRIPTION Repair Kit EACH 11.50





WISS UP	HOLS1	ERY SHE	ARS	T170
STYLE NO.	SIZE	EACH		Wiss
No 1DS	8"	51.00	OTHERSHALL SERVICE AND ADDRESS OF THE PROPERTY	44100
No. 28	8"	64.20	No 1DS	O
No. 29	9"	73.20		WISS PROFFEE OF MAN
No. 20W	10"	104.80		No. 28 & No. 29
No. 20	10"	83.80	No. 20 Lefty	
No. 20 Lefty	10"	93.10		THE SETTIONS (D
No. 22W	12"	125.60	Wass-care Name - Division - Divis	No. 20 & No. 22
No. 22	12"	103.40		
TC-1 Thread S	Snips	42.00		No. 20W & No. 22W
Economy Thre	ead Snips	8.00	Economy Thread Clips	

UNIVERSAL HAND SHEAR SHARPENERS

TWICE AS SHARP® Scissor Sharpening System

SHARPEN YOUR OWN SHEARS LIKE A PROFESSIONAL!

- ½" wide sharpening wheel,
 100 grit friable aluminum oxide grain structure prevents burning.
- Able to sharpen 20 to 30 blades per hour; no need to disassemble
- Shears-Lock clamp opens wide for thick blades, self adjusts for blade taper
- Eye shields, wheel covers and finger guards for safety.
- Honing wheel or standard buffing wheel produces shears 2 to 6 times sharper than new.
- Free floating arm system and sealed bearings provide years of maintenance free use.



ELECTRIC SHARPENER

958.00



AIR POWERED BANTAM BINDER RIPPER



Amazingly Lightweight 2 Chisels Included

8-Position Locking Slip Chuck

Variable Speed Trigger

REMOVES

Staples Couch panels Bindings Welt Tackless strips Tacks Zig-Zag clips and more!

The smallest air hammer made! 1/3 the weight of clumsy auto tools! A great deal quieter too!


The air-powered Bantam Ripper weighs only 11/4 lbs and removes upholstery 50% faster. The air hammer comes with 2 chisels for ripping couch panels, pulling tacks, and removing welts, tackless strips, and zig-zag clips. The Bantam Ripper has a variable-speed trigger and a locking chisel retainer that can hold the chisel in 8 different positions.


> BANTAM RIPPER (Comes complete with both chisels) #11300 Tack Puller Chisel #11702 Staple Remover Chisel



61.60

WOODEN DOWEL Length: 2" 1000 100 3/8" 13.60 82.60 7/16" 14.40 90.00 1/2" 17.60 116.60







GRIP-PAD[®] Non Slip Padding

CHURCH PEWS • UNDER CARPETING • MANY MARINE USES

COLORS

Tan

Black or White

Black or White

Black or White

FOR USE:

Grip Pad

- · Under carpets and rugs
- · Cushions and futons

Premiere Grip Pad

Premiere Grip Pad

Premiere Grip Pad

· Armrest covers and more



24"

24"

36"

72"





FT/RL	CUTS	10 FT	ROLL
100	6.20	3.30	2.20
65	6.50	3.60	2.50
65	7.70	4.80	3.70
65	15.10	9.30	7.10

If you don't want it to slip, use SUPER GRIP!



per foot per foot per foot per foot



CHALKS & MARKERS





Tailors Chalk





China Marking Pencil



DOZ

11.00

1.90

3.30

EACH

13.00

2.50

21.10

Sir	
Silver Vinyl Marking Pen	23144
Mark:	Chal
wing pen	

VINYL MARKING P	ENS: Silver
-----------------	-------------

Use on vinyl, leather, and many more fabrics.

TEXTILE	PENCILS:	White,	Blue,	Red	& Green
1	cial farmulatio	n dociono	dunach a	fram	a mact fabric

(TILE PENCILS: White, Blue, Red & Green	
A special formulation designed wash out from most fabrics.	

REDIMARK FOAM MARKERS: Blue	4.30

A permanent marker with a chisel-tip that allows for easy drawing on foam.
--

Write on, wipe off. Use on Vinyl, Leather, and many more fabrics.

TAILORS CHALK: Black, White, Yellow & Red 32 Pieces/Box	22.00	-
Composition chalk in beveled squares; compressed for non-crumbling.		

PRANG HYGEIA HARD SCHOOL CHALK: White	21.10

Hard round sticks.	144 sticks: 12 sticks/box,	12 boxes/carton.	The most popular fabric marker.	

PRANG HYGEIA H	ARD SCHOOL CHALK: Yellow	
Hard round sticks.	144 sticks: 12 sticks/box, 12 boxes/carton. T	he most popular fabric marker.

WALTHAMS TAPERED CHALK STICKS: White	21.10	-

Soft tapered round sticks.	144 per box.

CHINA MARKING PENCILS: Black, White, Yellow 2.30 1.70



CONSEW FOAM CUTTER

- Heavy-duty for fast, production cutting of all densities of foam rubber and flexible plastic forms.
- · Versatile-will cut all types of carpeting including shag and foam-backed.
- · Quick blade change.
- · Slim motor housing fits even the smallest hand.
- 90 Day Warranty

Complete 8" Foam Cutter	1,363.20
Complete 12" Foam Cutter	1,413.60
Description	Each
8" Blade	94.60
8" Blade Guide	177.80
12" Blade	110.10
12" Blade Guide	216.50
Foot Plate	177.80
Motor	975.00



"ACU-CUTTER" FOAM CUTTER

- · Heavy duty safety stanchion
- · Solid steel construction
- · Free standing
- · Detachable foot plate with rollers
- · Blade length: 9"
- · Foot equipped with glide bearings
- · Removable foot-plate
- 3,200 Rpm. Variable speed.

INTRODUCING THE FIRST
HIGH QUALITY,
HIGH PERFORMANCE,
YET MODERATELY PRICED,
FOAM CUTTER

WARRANTY: Foam Queen Ltd. warrants this product for one year against any defects due to faulty material or workmanship. The unit should be returned complete, transportation prepaid, to the seller for free replacement. Proof of purchase may be required. This warranty does not apply to accessories, such as blades. This warranty gives you specific legal rights and you may have other rights which may vary from state to state.

MODEL	DESCRIPTION	MOTOR	HP	EACH
ACU-CUTTER: #350	Single Action Blade	4.0 amp	1/3	590.00
ACU-CUTTER: #500	Double Action Blades	4.0 amp	1/3	850.00
REPLACEMENT BLADES	Acu-Cutter: 8" Length			78.00
REPLACEMENT BLADES	Foam Queen: 9" Length			118.00



FOAM SCULPTING DISCS

Power Through Sculpting With Just a Light Touch! Attach Discs To Any Power Drill!

3½" Curved Disc	45.60
3½" Flat Disc	20.20
5" Flat Disc	29.50
Mandrel	19.80
Full Set	109.35





SUPER SOFT & SILKY

NOISELESS

SILK FILM

SILK FILM & EZE CUSHION STUFFER

CUSHION STUFFER

- Plugs into 110 electric outlet
- · Draws down foam quickly for easy stuffing
- · Easy to operate right on your work table

SIX Easy Steps:

- 1) Lay foam on top of "Eze" Cushion Stuffer
- 2) Drape "Eze" film over foam

EZE CUSHION STUFFER

- 3) Turn on "Eze" Cushion Stuffer
- 4) Slip cover over foam and turn off Stuffer
- 5) Adjust cover as foam expands

6) Pull foam and cover off the board **EACH**

Height: 9" Width: 14" Length: 24" SILK FILM WIDTH 100 YD RL

670.00

NALIX

CENTER FOLD SINGLE WOUND 54"

54"

20 LB RL 228.70 48.90

790.30

OSBORNE #1212 FOAM DRILLS

- The Osborne cutter is made to cut FOAM, VINYL, FABRIC, POLY, and other soft materials.
- · Cutters have special carbonized hardened edges.
- · Makes diamond tufting easy.
- Makes button circles fast and easy up to 30 buttons at a time.
- · Use with a drill press or a hand held drill.

	BUTTON		
DIAMETER	CONVERSION	EACH	C.S. OSBORNE
1/2"	-	116.20	m
3/4"	-	121.70	
7/8"	-	121.70	
1"	22	150.20	
1-1/4"	30	150.20	101 101 101
1-7/16"	36	150.20	121 101 101
1-1/2"	40	150.20	EST EST EST
Jig for Cutt	ers	51.10	

OSBORNE U-CUTTER

U-Cut is fast, flexible and foolproof. The operator places U-Cut on a table or on the floor along with the slab of material to be cut. The desired cutting thickness is quickly obtained by means of an adjustable screw setting. The operator then merely pushes and pulls U-Cut in a saw-like action and in seconds, the desired cut of material has been made neatly and accurately. U-cut can also be used to make wedges, curves, arcs and other special shapes by making an inexpensive form to support the material to be cut. These are used particularly for orthopedic seating, auto, as well as furniture.

U-Cut will cut from a minimum of 1/4" to a maximum thickness of 9". Material up to 36" in width and unlimited length can be processed.



#410 **U-CUTTER EXTRA BLADES** #410-B

229.60 57.10

UPHOLSTERY PRESS

√ It's Quick!

√ It's Easy

√ It Boosts Production!

√ It Produces a Better Product!

TECHNICAL SPECIFICATIONS

Overall dimensions: 30"DP x 34"WD x 60"HT **Table Size:** 24" x 34"

Throat Dimension: 16" 12" **Working Height:**

Cylinder Size: 2" DIA bore 6" Stroke

Air Pressure Req: 90 PSI **Height Adjustment:**

Tube Specifications: 2" x 2" x 10ga CRS

PRESS 5,194.00


- · Made for high or low production use.
- · Extra heavy steel tubing construction to last for years.
- Three leg construction, to minimize leg obstruction during operation.
- · Adjustable leg height to adjust to uneven floors.
- Designed to accommodate upholstery of all office furniture seats and backs.
- Can do curved or flat seats in any shape. Provides consistency needed to ensure quality.
- Design allows operator to be hands free and maintain consistent pressure. Pressu that is standard. ure. Pressure is adjustable by a pneumatic air regulator
- One lever operation for clamping and unclamping. Heavy duty pneumatic cylinder and actuator controls. Non-electric.
- Air regulator attached to control air pressure or air cylincer for various seat and back foam densities.
- Large work area with high pressure laminate top and "t" molded with PVC bumper.
- The Upholstery Press comes pre-assembled ready to hook up to your air assembly. 90 PSI required.
- Typically 1-2 Week Delivery. May take up to 6-8 weeks.



GANGING DEVICE CONNECTOR: FLAT

- · Mounts flat horizontal surfaces
- · Steel zinc plated
- · Connects modular furniture
- · Easily connects to opposing piece
- · When not used pivots under surfaces
- · Easily fastens under furniture

Flat Connector per pair



PAIR 6 PAIR 24 PAIR 12 PAIR 26.60 24.60 22.60 20.60

PANEL CLIPS

Made of High Strength Aluminum

Great for hanging

- Upholstered boards
- Head boards
- Boothbacks
- · Wall panels
 - · Bulletin boards
 - Shelves
 - · Wall cabinets
 - · Wall accessories



-9/16"['] 2-5/8"3"

Cleat per pair

PAIR 10 PAIR 8.18 7.38

Standard Clip

50 PAIR 6.98

100 PAIR

6.42

INTERLOCKING HANGERS



Flushmount is a simple 2-piece interlocking hanger; invisible when installed. It is ingeniously designed to support or stabilize objects of practically all sizes and weights. Made of 16 gauge quality CR steel plated. • Upholstered boards

- · Head boards
- · Boothbacks
- Paneling
- · Bulletin boards
- Shelves
- · Wall cabinets
- Wall accessories

PAIR 10 PAIR **50 PAIR** 100 PAIR Standard Clip per pair 3.90 3.30 3.00 2.60 Adjustable Clip per pair 3.90 3.30 3.00 2.60



The Adjustable Interlock Clip has a 3/8" side clearance. Easy to line up, plenty of room to locate into mating hanger.





POLY-FURNITURE COVERS

Give your work the professional look!

Keep shipping smudges down.

1.0 Mil clear plastic covers


42" High covers

	ACTUAL				
	LENGTH	EACH	25/RL	100/RL	200/RL
28" Chair	54"	3.58	46.50	118.00	224.00
42" Chair	72"	3.70	51.00	130.00	248.00
60" Love Seat	92"	4.04	61.00	164.00	312.00
116" Sofa	148"	5.10	90.50	270.00	520.00



WELT FEET Single Double TYPE 6/32 8/32 Single 157.00 157.00 Double 157.00 157.00









WOVEN CANE 24" WIDE ROLLS FINE-FINE 7/16" FINE 1/2" MEDIUM 5/8" COMMON 3/4" **RADIO FINE FOOT** 10 FT 25 FT 50 FT **Fine Fine** per foot 23.80 21.40 20.40 19.40 Fine per foot 18.30 15.90 14.90 13.90 Medium per foot 15.90 14.90 13.90 18.30 Common per foot 18.60 16.20 15.20 14.20 Radio Fine per foot 18.60 16.20 15.20 14.20

SPLINE

- SOLD IN FULL LENGTHS PRICED PER FOOT
- APPROXIMATELY 10 TO 12 FOOT PIECES

	10' PCS	100'
Spline: No 7	.74	.40
Spline: No 8	.82	.48
Spline: No 9	.88	.54
Spline: No 10	1.00	.66









 No. 7
 No.8
 No.9
 No.10

 Height
 7/64"
 5/32"
 3/16"
 15/64"

 Width
 5/32"
 3/16"
 7/32"
 9/32"

PATTERN CHIPBOARD

Sheet Size: 36" x 48" Thickness .030

Weight: 1LB 7oz

SHEET 10 SHEETS 25 SHEETS 50 SHEETS
PER SHEET 4.98 3.18 2.90 2.70

PATTERN PAPER

50 LB KRAFT PAPER Color: Brown Weight: 63 Lb

Weight: 63 Lbs

WIDTH DIA FT/RL ROLL
PER ROLL 48" 9" 972' 164.50 See Page 116 for Panel Chipboard



RAYON SCROLL GIMP STYLE 9940 Ε Ε 29 C 4 C D 15 16 **52** 18 23 Ε M R Ε 17 C Ε YG 16 51 19 **SCROLL GIMP FRENCH GIMP YARD SPECIAL ORDER** 3.42

36 YD

51.12

36 YD

69.84



MIDWEST DUCK

#4

• 100% Cotton • Color: Natural · Weight: 24 oz. per square yard

· Finish: None applied

YARD **10 YDS 20 YDS 50 YDS** Width: 48" 34.30 30.30 28.30 26.30



#6

• 100% Cotton • Color: Natural · Weight: 22 oz. per square yard

· Finish: None applied

Width: 36" Width: 60"

YARD 18.40

 Re-enactment Civil War Tents **10 YDS**

14.40 21.20

Suggested Uses:

· Heavy bags

Table covers

Suggested Uses:

· Director chairs

Aprons

20 YDS 12.40

50 YDS 10.40 17.20



#8

• 100% Cotton • Color: Natural

· Weight: 18 oz. per square yard

· Finish: None applied

Width: 48" Width: 60"

YARD 20.50 26.30 **10 YDS** 16.50 22.30

20 YDS 14.50 20.30

Aprons • Tool holders • Bags

· Murals · Roofing · Floor covering

50 YDS 12.50 18.30



#10

• 100% Cotton • Color: Natural · Weight: 14 oz. per square yard

· Finish: None applied

Width: 36" Width: 48"

Suggested Uses:

· Bags · Laundry Carts · Director chairs

· Floor Covering · Murals · Roofing



YARD

20.60

YARD

10 YDS 12.10 14.50

20 YDS 10.10 12.50

20 YDS

14.60

50 YDS 8.10 10.50



#12

• 100% Cotton • Color: Natural · Weight: 12 oz. per square yard

· Finish: None applied

Suggested Uses:

Filters

16.60

Heavy bags

Table covers

Painters canvas


Conveyor belts

Suggested Uses:

Cot covers

10 YDS

50 YDS 12.60



STA-SOF #10 COVER DUCK

• 100% Cotton • Color: Olive Drab (direct dyed)

· Width: 60"

Width: 72"

14 oz. per square yard

• Water resistant • Pliable (stays soft in cold climate)

· Dry finish - will not rub off

Width: 60"

36.70

10 YDS 32.70

20 YDS 30.70

50 YDS 28.70



TOLL-FREE TOLL-FREE

CHICAGO MILWAUKEE

800-728-4567 800-347-3603

773-582-5400 414-462-9220





BANTEX: WHITE

· Color: White • Widths: 36" and 72"

· Weight: 10 oz. per square yard

· Smooth surface is ideal for printing

YARD Width: 36" 22.10 Width: 72" 24.80 Suggested Uses:

· Outdoor banners · Pennants · Spa covers

(If required, please request a certificate of flame resistance.)

50 YDS 10 YDS 25 YDS 18.10 16.10 14.10 20.80 18.80 16.80



POOLTEX: SWIMMING POOL COVER FABRIC

· Polypropylene mesh-knit

· Colors: Black / Green • Widths: 72"/73"

• Weight: 4.1 oz. per sq. yd.

· Specially designed for pool covers

· Lightweight - easy to handle and fabricate

· Resists alkalies and acids

· Sun and mildew resistant

(For heavy duty pool covers where mesh is not desired, coated vinyls or laminates are recommended.)

10 YDS 20 YDS 50 YDS YARD Width: 73" 46.50 42.50 40.50 38.50



UTILITY TRASH TARP FABRIC

· Woven Polyester, open mesh

· Color: Multi-Color

· Finish: Vinyl encapsulated

• Width: 70"/72"

· Weight: 12 oz. lineal yard

100 yards per roll

Ideally suited for trash truck covers and tarpaulins where rain or moisture protection is not required. Used to secure truckload contents against littering of roadways from fall-out or blow-off. This material may be sewn together or bonded and is highly abrasion and UV ray resistant.



100 YDS YARD **20 YDS 50 YDS** Width: 70"/72" 15.80 23.80 19.80 17.80

> **TOLL-FREE TOLL-FREE**

CHICAGO

800-728-4567

773-582-5400

MILWAUKEE 800-347-3603 414-462-9220



HYDROTUFF: POLYESTER FABRIC

BLACK

• 600DN x 450DN on PVC

Ideally suited for:

Color: BlackWidth: 58"/59"

BackpacksPouches

• Banners • Sporting goods

• 10

Toiletry bagsGym bags

Width: 58"/59"50 yards per roll

Pizza bags

Tote bagsGolf BagsGarment bags

Purse liners

Width: 58"/59"

YARD 12.00 25 YDS 9.00

50 YDS 7.40 Other colors available 50 yard minimum

BILLIARD POOL TABLE FELT CLOTH

• 75% Wool, 25%Nylon

• Width: 66"

• Weight: 21 oz. per square yard

COLORS:
DARK GREEN
BURGUNDY

TOP QUALITY



YARD Width: 66" 74.60

FISH SHANTY CANVAS

• 50% Polyester / 50% Cotton

Color: BlackWidth: 64"


Weight: 12 oz. Per Sq. Yd.Pigmented Vinyl Coated

• Flame Retardant-CPA1 84

An opaque flame retardant fabric, specially coated to allow moisture vapor transmission.

Ideally suited for camping tents and ice fishing shantys.

YARD 25 YDS 50 YDS Width: 64" 23.60 21.60 19.60



HEALTHCARE FABRICS

"Comfort-Tick is a Polyurethane coated Polyester Knit that is ideal for wheel chair and rehab cushions. Fabrics has excellent memeory and low shear characteristics. Provides an exceptional support surface for patients that are prone to decubital ulcers.

"Soft-Tick" is a PVC coated 70D Nylon suitable for general hospital mattress cover.

	WD	YDS/RL	CUTS	25 YDS	50 YDS	100 YDS
Comfort-Tick	56"	100	26.70	20.50	19.40	18.40
Soft-Tick	58"	100	22.30	16.10	15.00	14.00



CORDURA® NYLON: BLACK and CAMOUFLAGE

Other Colors Available

CORDURA Nylon is a versatile nylon fabric with more strength and bulk than No. 7 Duck, at little more than half the weight. Cordura Nylon is made from high tenacity nylon fiber lending a natural spun-like appearance, with excellent resistance to fading, abrasion, rot and mildew. Also very quick drying and highly water repellent.

Suggested Uses: Courier bags • insulated food service carriers • gun cases • stuff bags • "motocross" bicycle handlebar covers • motorcycle pants and reinforcements • airplane seat upholstery • camera bags • wallets duffle bags • soft sided luggage • purses, handbags • horse blankets • police, air and sea rescue supply bags surfboard/ski carryings bags • casino money bags • briefcases • backpacks • promotional items • beverage container covers • key fobs • scuba diving equipment • water ski vests • exercise equipment • children's large play balls • sporting goods • equipment and fishing harnesses



YARD 10 YDS 50 YDS Black 45.80 41.80 39.80 Camouflage 51.60 47.60 45.60 • 1000 Denier Nylon

• Width: 59"

• Weight: 11 oz. per sq. yd.

• Finish: Urethane coated



CAR COVER SUNTAN FLANNEL

- 100% Cotton
- Width: 56" · Weight: 8 oz.
- · Mildew resistant
- · Water repellent

- · Ideal for car and boat covers where soft flannel is needed to reduce marring of finishes.
- · Recommended for indoor storage only.



YARD **10 YDS 30 YDS 50 YDS** Width: 56" 17.60 15.90 15.40 18.60

NO-SEE-UM POLYESTER SCREENING

- GRAY POLYESTER NETTING
- Width: 72" · Finish: None
- 100 yards per roll
- · Excellent flexing action
- Tight construction prevents even the smallest bugs from entering enclosure

Uses: Tent windows • Mosquito netting • Add-a-Room



COLOR SCREEN YARD **10 YDS 30 YDS** 100 YDS Width: 72" 19.00 25.00 21.00 17.00 Grev 18 x 16

FIBERGLASS SCREENING

- FIBERGLASS SCREENING E330 F
- FIRE RETARDANT CPAI-84
- · Not effected by salt air, smoke or fumes
- · 33 yards per roll

Very strong and does not shrink or stretch

· Will not support combustion (Not recommended for pool covers)

Uses: Windows • Doors • Tents • Mosquito netting

COLOR SCREEN YARD **10 YDS 33 YDS** Width: 48" Silver/Grey 22.50 16.50 18 x 14 18.50 Width: 72" Silver/Grey 18 x 14 28.90 24.90 22.90



NYLON PACK CLOTH: SOLIDS

- · 100% Nylon
- · 420 Denier
- · Weight: 62 oz. lineal yard
- · Not effected by rot or mildew
- Heat set for excellent dye fastness
 Life vests, Backpacks
- · 34 oz. coating of urethane for
- superior water repellency

Width: 60"

- Rainwear Sport bags
- · Hunting and fishing vests
- · Windsocks
- Luggage

YARD

35.10



SILVER

10 YDS **25 YDS** 31.10 29.10



WHITE KELLY GREEN

RED

50 YDS 27.10

SPECIAL ORDER

(Allow 2 to 4 extra days) **ROYAL BLUE** NAVY ORANGE

YELLOW BROWN LILAC GRAPE

BURGUNDY BEIGE

NYLON PACK CLOTH: CAMOUFLAGE

• 100% Nylon

· 400 Denier

· Weight: 62 oz. lineal yard

· Not affected by rot or mildew

· Heat set for excellent dye fastness · Life vests, Backpacks

• ¾oz. coating of urethane for

superior water repellency

Suggested uses:

· Rainwear · Sport bags

· Hunting and fishing vests

· Airplane covers,

· Luggage · Windsocks, etc.

YARD **10 YDS 25 YDS 50 YDS** Width: 58"/60" 29.50 25.50 23.50 21.50





TWILIGHT

FINISHES and TREATMENTS:

- · Heat sealable
- Cold Crack -10 F°
- · Mildew resistant: backing and face
- UV stabilized pigments:
 500 hours minimum
- · Anti-bacterial and anti-microbial

Width: 54"

Manufactured with PRODURATECT™ S "A POPULAR SPA COVER VINYL!"

10 YDS

17.00

SPECIFICS:

- Width: 54"
- Weight: 28 ozs.Thickness: 0.97mm
- 40 yard roll

YARD

20.50

Cleaning Instructions:

This product should be cleaned with mild soap and water.

Do not use alcohol based cleaners!

20 YDS

13.90



TWI 5519 WALNUT TWI 5510 SPICE

HAARTZ® TONNEAU COVER



Binding

available

Page 220

• For full size trucks without a seam. • Durable Polyester Vinyl Truck Bed Cover Fabric

INSTRUCTIONS FOR MAXIMUM PERFORMANCE:

- Cover must be secured at all points when vehicle is in motion.
- An unsecured cover will "wind-whip", resulting in damage to the vinyl fabric.
- Covers removed completely in temperatures below freezing will be difficult to resecure.

YARD 10 YDS 25 YDS 50 YDS Width: 78" 28.80 27.80 26.30 24.30

YARD

22.50

YARD

30.30



#1402 BLACK

ADVANTAGE 18 MEDIUM DUTY

TECHNICAL DATA:

- · Vinyl coated polyester
- High tensile strength: 450 x 450 pounds (ASTM D5034)
- High tear strength: 85 x 85 pounds (ASTM D2261)
- Adhesion: 25 lbs / 2" (ASTM D751)
- Low temperature: -30° F (FS 5874 / ASTM D2136)
- Resistant to UVR: UV pigments
- Anti-mildew treated
- Heat sealable Waterproof

SPECIFICS:

Width: 61"

- Finish: Matte Count: 20 x 20
- Width: 61" 75 yards per roll
- Yarn: 1000 D Polyester x 1000 D Polyester
- Weight: 18 oz. per sq. yd.

Vinyl coated polyester PVC fabric specifically developed for truck covers, mats, and tarpaulins.

TYPICAL APPLICATIONS:

- Truck covers
- Tarpaulins
- Construction curtains
- Pond liners Mat coversSwimming pool covers
- Concrete curing blanket
- Flexible container bag
- Agricultural cover
- Pontoon boat covers
- Shelters Dock sealsAthletic products
- Machinery covers

20 YDS

19.30

And many more!



COLORS:

RED BROWN
GREY TAN
BLACK PURPLE
WHITE PINK
GREEN BURGUNDY
ROYAL BLUE LIME GREEN
YELLOW LIGHT BLUE

ORANGE NAVY

McDonald's Playland colors:
PURPLE • PINK • BURGUNDY

ADVANTAGE 22 HEAVY DUTY

TECHNICAL DATA:

- · Vinyl coated polyester
- High tensile strength: 400 x 400 pounds (ASTM D5034)
- High tear strength: 132 x 143 pounds (ASTM D2261)
- Adhesion: 28 lbs / 2" (ASTM D751)
- Hydrostatic resistance: 881 lbs/sq inch (ASTM D751)
- Mullen Burst: 924 LBS/SQ. Inch (ASTM D3786)
- High temperature: 176° F continuous, 200° F intermittent
- Low temperature: -40° F (FS 5874 / ASTM D2136)
- · Abrasion, puncture and tear resistant
- Abrasion: start 250, complete 400 cycles (FS 5306/ASTM D3884)
- Resistant to UVR: UV pigments
- Anti-mildew treated Heat sealable Waterproof

SPECIFICS:

Width: 61"

- Finish: Matte Count: 16 x 16
- Width: 61" 75 yards per roll
- Yarn: 1500 D Polyester x 1500 D Polyester
- · Weight: 22 oz. per sq. yd.

Vinyl coated polyester PVC fabric specifically developed for truck covers, mats, and tarpaulins.

75 YDS

17.50

- EXTREMELY DURABLE
- HIGH TENSILE AND TEAR STRENGTH

TYPICAL APPLICATIONS:

- Truck covers
- Tarpaulins
- Construction curtains
- Pond liners Mat covers
- Concrete curing blanket
- Flexible container bagAgricultural cover
- Swimming pool cover
- Pontoon boat covers
- And many more!

25 YDS 75 YDS 27.10 25.30



COLORS:

BLACK BLUE

GREEN GREY

RED YELLOW WHITE TAN



ACTIVE FOAM PRODUCTS, INC.

SUNBRELLA®

Acrylic Marine Duck



Suitable Applications:

- Marine use
 Tote bags
- Umbrellas
 Outdoor awnings
- · Boat cushions · Furniture cushions

To protect your boat from the elements, you need SUNBRELLA! The #1 marine fabric in the world!

Above or below deck, Sunbrella fabrics are the smart choice for sail covers, biminis, dodgers, winch covers, cushions, interiors, curtains and more.

Fade-resistant Sunbrella fabrics protect your investment from salt water and all kinds of weather. Because it's woven, Sunbrella breathes, not trapping heat and moisture like vinyl. Vinyl can mildew, but Sunbrella looks great season after season. In fact, Sunbrella fabrics are so durable we back them with the best limited warranty in the business!

Every boater knows the inconvenience of mildew in close quarters. That's why Sunbrella is the boating world's choice for cushions and other cabin appointments. Available in a wide range of designs, textures, and weaves specifically created for marine decor. Sunbrella provides you with options suitable for a wide range of watercraft; from cocktail cruisers to fishing boats.

As you know, the right bimini top or cockpit enclosure will not only make your boat look great, it also provides crucial sun and weather protection for you and you crew. Start your boating season earlier in the spring and end it later in the fall with a Sunbrella top!

The elements can be hard on a boat, so to help you protect your investment and fully enjoy life on the water, Sunbrella has created a large range of specialty marine fabrics for any on-board application.

STOCKED COLORS

6001 PACIFIC BLUE

6008 JET BLACK 6017 ROYAL BLUE (RED)

6030 CADET GRAY

6031 BURGUNDY (RED) 6037 FOREST GREEN

6043 PERSIAN GREEN 6044 CHARCOAL GREY

6046 CAPTAIN NAVY

6054 LINEN TWEED

(Allow 2 to 4 extra days)

6009 ORANGE (RED)

6010 TURQUOISE

6011 SEA SPRAY

6002 SUNFLOWER (RED)

6006 DUBONNET TWEED (RED)

6000 ERIN GREEŃ

SPECIAL ORDER

6020 BEIGE

6026 NAVY

6051 SILVER

6003 JOCKEY RED (RED) 6004 NATURAL

6005 HEMLOCK TWEED

6018 WALNUT BROWN

6007 CHARCOAL TWEED





SPECIFICS

 \bullet Width: 46" or 60" where indicated

SUNBRELLA - COLORS Width: 46" SUNBRELLA - REDS Width: 46" SUNBRELLA - COLORS Width: 60" SUNBRELLA - REDS Width: 60"

- Weight: 9.25 ozs. per square yard
- Solution dyed to give excellent fade and weather resistance

Color cards are available!

YARD	15 YDS	25 YDS	50 YDS
48.00	44.00	42.00	40.00
53.60	49.60	47.60	45.60
55.60	51.60	49.60	47.60
62.60	58.60	56.60	54.60

SPECIAL ORDER (Allow 2 to 4 extra days)

4613 BROWN 4614 TAN 4616 MOCHA 6021 TRUE BROWN

4622 TERRA COTTA (RED) 6023 AQUAMARINE

4624 SKY BLUE 4627 SALMON (RED) 4628 TOAST

4629 VANILLA 6033 LINEN

4635 BUTTERCUP 4638 CORAL (RED) 4639 MAUVE (RED)

4640 BLACK CHERRY (RED) 4641 SAPPHIRE BLUE

4641 SAPPHIRE BLUE 6042 OYSTER

6045 SEA GRASS GREEN 6047 PERSIAN TWEED 6048 TAUPE

6049 PLUM (RED) 6050 TEAL TWEED


6052 MEDITERRANEAN 6053 MEDITERRANEAN TWEED

4655 ALPINE 6066 LOGO RED (RED)

6067 MAHOGANY (RED)

2587/60 MULLED BERRY (*RED*) 2589/60 RODEO RED (*RED*)

Hi-Tech Fabric Guard #303 The only repellency treatment recommended by and for Sunbrella! (See page 109)



Because Sunbrella patterns and colors are changed frequently, please call for availability.

SPECIAL ORDER Awning Fabric: Colors

Awning Fabric: Colors
Furniture Fabric: 5400 Solids
Furniture Fabric: 5400 Reds
Specialty Weaves: 8000 Reds
Specialty Weaves: 8000 Reds
Specialty Weaves: 8300
Richard Frinier Collection - 32000
Furniture Fabric: Stripes 56000
Furniture Fabric: Stripes 5600

Call For Pricing

SPECIAL ORDER
Jacuards: 45099
Jacuards: 7253
Rib: 7700
Highpoint Collection - 42000
Highpoint Collection - 44000
Highpoint Collection - 44000
Highpoint Collection - 45000
Highpoint Collection - 47000
Shadow: 51000

Call For Pricing



SUNBRELLA PLUS

SPECIFICATIONS

- · Fabric: Woven solution dyed acrylic
- · Finish: Face fluorocarbon Back polyurethane
- Width: 60"
- Weight: 10.0 oz. per square yard (ASTM-D-1682-86)
- Break Warp: 310 lbs. (ASTM-D-1682-64)
- Strength Fill: -170 lbs.
- Abrasion: (Wyzenbeek ASTM-D-3597-81, Sec. 7.5)

Face: Warp-Fill 75,000 cycles Back: Warp-Fill 200,000 cycles

- Water: 110 cm
- Repellency: (Hydrostatic Pressure-AATCC 127-1985)

WIDTH

60"

60"

YARD

81.10

90.30

• NOT FIRE RETARDANT

FINISHES and TREATMENTS

- · Highly moisture resistant
- · Excellent abrasion resistance
- Dimensionally stable

•	bright and	Coloriast	
C	OLORS		

COLORS	
REDS	

Acrylic Marine Duck

Made from the same high quality as the traditional Sunbrella fabric. Sunbrella Plus offers superior water resistance by utilizing a durable polyurethane undercoating. Sunbrella Plus can be used alongside regular Sunbrella® colors for coordinating marine applications when both water resistance and breathabilty are essential.


SUITABLE APPLICATIONS

- Canopies
- Biminis
- Dodgers
- Awnings
- Cockpit covers
- Travel covers
- Camper tops

25 YDS	50 YDS
77.10	75.10
86.30	84.30

SPECIAL ORDER

(Allow 2 to 4 extra days)



8403 JOCKEY RED (RED)

8404 NATURAL

8406 DUBONNET TWEED (RED)

8408 JET BLACK

8417 ROYAL BLUE

8423 AQUAMARINE

8430 CADET GREY

8431 BURGUNDY (RED)

8437 FOREST GREEN

8442 OYSTER

8443 PERSIAN GREEN

8446 CAPTAIN NAVY

8451 SILVER



This limited warranty is only valid if a copy of the invoice for the item purchased is submitted showing date of original purchase and covers fabric that has become unserviceable due to loss of color or strength from normal usage and exposure conditions; including sunlight, mildew and atmospheric chemicals. Consumer is responsible for normal care and cleaning of the fabric. This warranty covers fabric only. Glen Raven's liability is expressly limited to this warranty.

The coverage period is five (5) years for Sunbrella*, ten (10) years for Sunbrella Plus* and five (5) years for Sunbrella Supreme' fabrics. This limited warranty covers five (5) years from the date of original installation. For the Sunbrella® marine interior fabrics, this limited warranty coverage three (3) years from date of original installation. Glen Raven will supply new fabric free of charge to replace fabric that has become unserviceable. You must call the dealer or retailer from whom you purchased the product to inspect the claim. They will contact the manufacturer of the item purchased. The manufacturer will then contact Glen Raven and secure replacement fabric for you.

SUNBRELLA CLEANING INSTRUCTIONS

Sunbrella * features a soil and stain resistant finish that makes clean-up a breeze. Spot wash by sponging briskly with a soapy solution of natural soap in lukewarm water. Rinse thoroughly with clean water to remove soap and air dry. For stubborn stains or suntan lotion, use a fabric spot remover. Follow directions on container. Rinse thoroughly with clean water, and air dry. Solutiondyed acrylic does not promote mildew growth, however, mildew may grow on dirt and other foreign substances that are not removed from the fabric. To clean mildew stains, prepare a mild solution of one cup bleach plus two capsful of a natural soap per gallon of water. Spray on entire area and allow to soak in. If necessary, scrub vigorously with a sponge or clean rag. Sponge thoroughly with clean water and let air dry. For a more extensive set of cleaning instructions, please contact your retailer.


ACRYLIC BINDING

Colors to match Sunbrella / Acrylic Marine Fabric

401	YELLOW	409	WHITE	417	CHARCOAL TWEED	4642	OYSTER
402	BURGUNDY	410	GREY	418	GREEN TWEED	4644	CHARCOAL
403	GREEN	411	TAN	419	TEAL	4646	CAPTAIN NAVY
404	BLUE/BLACK	412	NAVY	420	PERSIAN GREEN	4648	TAUPE
405	RED/BLACK	413	MAHOGANY	4604	NATURAL	4651	SILVER
406	BROWN	414	AQUA	4633	LINEN	4654	LINEN TWEED
407	BLACK	415	MAROON	4637	FOREST		
408	NAUTICAL BLUE	416	RED	4641	SAPPHIRE		

YD/RL 4 ROLLS YARD **ROLL** 3/4" DOUBLE FOLD 50 4.44 102.00 97.00 11/4" SINGLE FOLD 4.76 118.00 113.00







PHIFERTEX® CASUAL FURNITURE and AWNING FABRIC

- · 100% woven vinyl coated polyester
- · Protected with Microban®
- Width: 54"
- · Weight: 11.3 oz per square yard
- 60 yards per rollPlain weave: 17 x 11CSFM Flame Retardant
- Lead Free
- · Mildew, mold, and odor resistant
- · Easily cleaned with mild soap & water
- · GreenGuard certified
- · Made in the USA



Great For:

- Umbrellas Outdoor furniture
- · Orthopedic equipment · Safety vests
- Upholstery Breather and drainage panels



YARD 10 YDS 25 YDS Width: 54" 42.20 38.20 36.20

PHIFERTEX®-PLUS



- 100% woven vinyl coated polyester
- Protected with Microban®
- Width: 54"
- · Weight: 16 oz per square yard
- 60 yards per rollTight weave: 42 x 14CSFM Flame Retardant
- Lead Free

Width: 54"

- Mildew, mold, and odor resistant
- Easily cleaned with mild soap & water
- GreenGuard certified
- Complies with California TB #117
- Complies with MVSS-302
- Made in the USA

SPECIAL ORDER ONLY 2-4 EXTRA DAYS!

SOLID COLORS DUPIONE SPICE DUPIONI KIWI DUPIONI POOLSIDE DUPIONI SAPPHIRE METALLICA PLATINUM **METALLICA SMOKE METALLICA WHITE** METALLICA SALSA METALLICA LAGOON STRAW MAT BLUE STRAW MAT COGNAC **BURLAP** WHITE **GRAY SAND** STUCCO SALSA **SNAPPY** YELLOW GARDEN GREEN **HOLLY GREEN ROYAL BLUE NAVY PIER**

DESIGNED ESPECIALLY FOR SLING and UMBRELLA APPLICATIONS

STRIPES TEMPO STONE SKYLINE **LEENA INDIGO** WINSTED BEACH **DELRAY KIWI** COASTLINE PEACOCK **DELRAY POOLSIDE** AQUAFINO WINDSOR SPA SANTIAGO **PULSE DAHLIA DELRAY CONCH** CHARISMA CITRUS **RALEIGH WILLOW** TRIXIE MYRTLE SAYLOR SEPIA **BAILEY CITRONELLE BAILEY AQUA SHIMMER** PALAZZO HARBOR **OWEN SURF** VINEYARD COPPER VINEYARD SILVER

TWEEDS
TAFFY
INDIGO
CITRONELLE
AQUA SHIMMER
MADRAS HARBOR
MADRAS SURF
SPRING COPPER
SPRING SILVER



PLATINUM

YARD 10 YDS 25 YDS 52.50 48.50 46.50



TOP GUN®

- Width: 62"
- · Weight: 11 oz. per square yard
- · Acrylic impregnation
- Mildew and ultra-violet resistant
- · Stay-True long lasting colors

• 100% Polyester high count woven base fabric

- · Highly water repellent and breathable
- · Stabilized maximum stretch or shrinkage less than 1%
- · 4 Ply construction for superior wearability and toughness

A REVOLUTIONARY NEW AWNING AND MARINE FABRIC

TOP NOTCH solution-dyed woven polyester has

raised the bar on fabric availability for the awning

and marine markets. TOP NOTCH is an advanced

time that all the best qualities of both acrylic and

polyester fabrics have been combined into one

polyester fabric with a fluorocarbon finish that

associated with solution-dyed acrylic fabrics.

exhibits the color fastness and UV resistance long

Yet, TOP NOTCH has the strength, durability, tear

resistance of any premium quality polyester fabric.

The fluorocarbon finish provides outstanding water

resistance, dimensional stability, and abrasion

repellency, oil and soil resistance, breathability,

a luxurious hand and appearance.

new hybrid of everything you want from both

acrylic and polyester fabrics. This is the first

TOP NOTCH is an 840 Denier solution-dyed

TOP GUN Coated Polyester marine fabric is guaranteed for a five year period from date of original installation from excessive loss of color or strength during normal exposure conditions for marine top/cover applications. In the unlikely event of fabric failure, the manufacturer will supply the original owner with replacement TOP GUN fabric free of charge. Full terms of this product pledge are covered in the printed warranty.

Periodic cleaning with a solution of 4 ozs. of bleach and 2 ozs. of soap, NOT DETERGENTS, in one gallon of water is recommended to minimize accumulations of dirt and bird droppings, which can support surface mildew growth and cause fabric staining. Treatment with AQUA-TITE water repellent after cleaning may be required to restore the original level of water resistance.

NOT FLAME RESISTANT. DO NOT EXPOSE TO DIRECT FLAME OR EXTREME HEAT.

- · American made texturized Polyester Duck.
- · High count provides outstanding tensile and tear strength, puncture resistance and dimensional stability.
- · Four-ply construction for maximum wear and abrasion resistance.

- · Specially formulated polymeric coating that will not harden, crack or peel after outdoor exposure, or when subjected to temperatures below 0°F.
- · Highly water resistant, but permeable to water vapor.
- Will not trap excess moisture.
- · Coating formulated to be resistant to mildew, sunlight, and atmospheric chemicals.

FINISHED FABRIC

- · Highest Strength.
- · Maximum abrasion-puncture resistance.
- · Highly water resistant, yet breathable.
- · Dimensionally stable, less than 1% shrinkage or elongation.

		YARD	10 YDS	25 YDS	50 YDS
COLORS Width:	62"	36.70	33.50	31.50	28.70
REDS Width:	62"	39.20	36.00	34.00	31.20

product.









TOP NOTCH

· Colorfast & UV resistant

- Luxurious appearance and feel
- Breathable
- Water, oil and soil repellent
- Strong, durable, and tear resistant
- Abrasion resistant
- Dimensionally stable
- Five year warranty



- Width: 60" Width
- Weight: 11.50 oz Per Sq. Yd
- 840 Denier Polyester Fabric
- Solution Dyed
- 50 yards per roll
- Hydrostatic, 8" for 10 minutes: 0
- Water repellency, spray rating: 100
- Tongue tear, lbs. warp x fill: 102.2 x 92.7
- Tensile strength, lbs. warp x fill: 732 x 432
- Fluorocarbon finish for UV resistance and color fastness

	YARD	10 YDS	25 YDS	50 YDS
COLORS	39.90	37.90	35.90	33.90
REDS	42.40	40.40	38.40	36.40



- 458 CHARCOAL
- 459 TAUPE
- 461 SAND
- **462 AQUAMARINE**
- **463 CARIBBEAN BLUE**
- 464 ROYAL BLUE (RED)
- 465 HEMP BEIGE
- **466 TURQUOISE**
- 467 **SEA GULL GRAY**
- **ARCTIC WHITE** 468 469 BROWN
- 470 BUCKSKIN TAN
- **471 ONYX BLACK**
- 472 IND BIRCH
- **473 HARBOR BLUE**
- 474 NAVY BLUE
- 476 BURGUNDY (RED)
- 477 RED (RED)
- 478 TEAL
- **FOREST GREEN** 479





TAUPE 559

563 BLUE

GRAY 567

TAN

BLACK 571

576 **BURGUNDY** (RED)

577 RED

579 FOREST GREEN

594 OCEAN BLUE 558 CHARCOAL

574 NAVY

RED (RED) 577

581 YELLOW (RED)





SUNFORGER® BOAT SHRUNK

YARD

29.40

GENERAL CHARACTERISTICS: SUITABLE APPLICATIONS:

- Practical, durable · Superior strength
- 100% Cotton finish
- · Easily cleaned

FINISHES & TREATMENTS:

- Water repellent
- · Mildew resistant
- · Weather resistant · Mineral dyed
- · Rot resistant
- · Outdoor furniture covers · Patio grill covers

Tents

Boat covers

- Awnings
- SPECIFICS: • Width: 36"
- Weight: 12.65 oz. per sq. yd.

10 YDS

25.40

• 50 yards per roll

COLORS:

25 YDS

21.40

714145 KHAKI 714105 PEARL GRAY 714124 NATURAL



Sunforger Boat Shrunk is a durable water-repellent and mildew resistant fabric with an added feature; an exposure shrinkage of approximately 3% or less under normal use.

A popular fabric for where normal water and moisture exist!

AQUALON® EDGE

Aqualon Edge, the next generation of multi-use, high quality marine cover fabric. Powered by cutting-edge Perfecta Marine® technology, Aqualon Edge reduces heat gain, keeping surface and interior temperatures cooler.

50 YDS

20.50

Width: 60"

Width: 60"

Width: 36"

- Weight: 9 ounces per square yard
- · Two-ply polyester duck; topside is double-coated with a pigmented vinyl resin and underside with a durable water resistant clear finish
- Excellent dimensional stability
- Remains flexible in all climates
- · Resistant to mildew, abrasions, water penetration, most petroleum products, ultra-violet rays and a wide range of acid and alkaline liquids

YARD

39.00

- · Color will not rub off
- · Will not crack, peel or harden

5507 RED **5508 IVORY** 5509 BURGUNDY 5510 DARK BROWN 5511 TURQUOISE

25 YDS

35.00

50 YDS 33.00

COLORS:

5500 BLACK

5504 TEAL

5503 FOREST

5517 WHITE 5518 CHARCOAL 5522 METALLIC BLACK 5528 NAVY 5541 AQUAMARINE 5542 SILVER 5549 TAN 5550 PEARLESCENT

5557 ULTRA WHITE 5562 METALLIC BLUE 5564 METALLIC NAVY



WHICH BOAT COVER FABRIC TO USE?

SUNBRELLA® - ACRYLIC

Beautiful colors with the ability to stay "new looking", for the longest possible time. NO color rub-off, largest variety of colors available, and is the most fade resistant of all boat cover fabrics. Requires more care by the boat owner than with other fabrics. With proper care, it has a useful lifespan longer than the others and remains attractive for a much longer time period; guaranteed not to fade or mildew for five (5) years. Abrasion resistance is not as high when compared with the others. Unlike cotton, this has a tendency to stretch slightly, but does not shrink. Reinforcements in the contact areas with the boat, and a method of tie-down with provisions for tightening down the cover and taking up the "slack" are necessary. The boat owner must be made aware of their responsibility to keep the cover tight if they are towing it down the road. Wind-whipping can be most detrimental. With this in mind and proper care, this acrylic fabric will last longer and look better over a longer period of time and may cost less in the long run. It may be necessary to retreat the fabric for water repellency every few years to maintain utmost service, during its' long life span.

SUNFORGER® - 100% COTTON

("Vivatex" and "Marineshrunk") - Most economical, short-term solution. Water repellency can not be beaten by the best synthetic alternatives with good abrasion resistance and best general overall service throughout the life of the fabric. Colors are limited to muted mineral dye shades. Life expectancy, with good care, will be about 1/2 to 2/3 that of the synthetics. Also more adversely effected than synthetics by tree sap, bird droppings, acid rain, etc.

TOP GUN - AQUALON POLY BOAT DUCK


Agualon is the toughest, strongest & most abrasion resistant of the three, also, more stable with regard to stretching or shrinking, requiring less care than the others. Available in many desirable colors, however, color is more likely to fade over the first few years, and "crocking" or "color rub-off", can be a concern, especially upon contact with vinyl seats, etc. When it comes into contact with vinyl upholstery, etc., a protective patch of cotton or vinyl should be sewn underneath. Water repellency is not as high (or consistent) as the others over the long term. For the boat owner who does not want to take care of their cover, this type fabric is as tough as nails and should be considered.



SPECTROPILE LX® AUTO • MARINE CARPET

72 " non-woven polyester! Dries faster than tufted carpet!

- 100% FOSSFIBRE° solution-dyed polyester fibre for consistent color, maximum color fastness, and high **UV** resistance
- · High heat resistance superior to polypropylene
- · Exceptionally lush, uniform appearance with no linear pattern
- · Will not fray or unravel
- · High resistance to chemicals including hydrocarbons, salts, acids and alkalis
- · Resists mold and mildew
- · Resists staining and soiling
- · Custom colors available
- · Custom widths available
- · 60 lineal yard rolls



COLORS: per yard **REDS:** per yard

YARD 36.20 37.90 **10 YDS** 32.40 34.10

25 YDS 30.40 32.10

50 YDS 28.80 30.50

Discontinued: Call for availability

FOSS® SEATING AUTO • MARINE CARPET















Width: 60"

YARD 33.00 **10 YDS** 29.20

25 YDS 27.20

50 YDS 25.60

FOSS® FLOORING AUTO • MARINE CARPET





Width: 60"

YARD 40.80 **10 YDS** 37.00

25 YDS 35.00

50 YDS 33.40

Marine

Hampton



MARINE HEADLINER

MANUFACTURED TO MEET

THE FOLLOWING CODES: California Tech Bulletin #117

- Motor Vehicle Safety Standard 302
- Marine Cold Crack: -10°F
- · Mildew resistant backing and face
- Marine UV stabilized pigments

SPECIFICS:

• Width: 54" (137cm)

· Weight: 21 oz.

• Roll Size: 50 yard roll

CLEANING

25.70

- · Clean with mild soap and water.
- · Do not use alcohol based cleaners

10 YDS 30 YDS 27.30 23.50



HDL-1004 MARINE PERF WHITE HAP-2616-A **HAMPTON PERF SNOW** HAP-6439-A **HAMPTON PERF GRANITE** HAP-6508-A **HAMPTON PERF EBONY**



MARINE UNDERLINING

Seat and Cushion Underlining

22.10

· Base Fabric: 100% Polyester · Weight: 9 oz. Per Lineal Yard

• Yards Per Roll: 100

- Breathable
- · Mildew and Rot Resistant

25 YDS

14.10

· Dimensionally Stable



MARU-001 BLACK

MARU-002 WHITE

MARU-003 GREY

MARU-004 BRIGHT WHITE



10 YDS YARD Width: 54" 17.00 14.80

BOAT WINDOWS: CLEAR VINYL

YARD

32.40

30.50





SUPER DOUBLE POLISHED CLEAR SPECIFICATIONS

Gauge	16	20	30	40	ASTM
Softness (PHR)	42	45	45	50	D-2240
Tensile Strength (PSI)	2980	2700	2400	2400	D-882-61
Elongation (%)	220	240	260	298	D-822-61
Tear Strength (LB/IN)	34	34	32	32.5	D-689
U. V. Rating (HOURS)	200	200	200	200	D-1790
Cold Crack (F°)	+0	+0	+0	+0	D-11204

	WIDTH	YDS/RL	YARD	10 YDS	ROLL
16 GAUGE	54"	25	16.70	14.40	12.40
20 GAUGE	54"	20	19.20	16.90	14.90
30 GAUGE	54"	15	33.60	31.30	29.30
40 GAUGE	54"	10	44.10	41.80	39.80

SOLARSCREEN PPS

Flexible PVC Pressed Polished Screen Sheets

- High UV Resistance
- Mildew Resistant
- **Heat Weldable**
- **Privacy Screening** Passes FMVSS-302
- **High Tear Resistance**

Now you can protect your interior from the sun's hottest UV rays while still maintaining visibility. Our soft hand, 50" x 100", 40 gauge Pressed Polished Window with encapsulated

screens not only provide a high level of UV protection againt both UVA and UVB rays, but also provide much sought after privacy. Black one side and white on the other. Specifically designed to be heat weldable, mildew resistant and withstand severe weather conditions. Excellent for marine, RV, Jeep, Golf Carts and outdoor enclosure applications

PER SHEET

Sheets: 50" x 100"

300.00



VINYL COLLECTION GUIDE

SPRADLING COLLECTION

	CATALOG PAGE	STOCK LOCATION	TYPE	YARDS PER ROLL	WT PER LN. YD.	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESIST	HEAT SEALABLE	PERMA BLOK ³ °	PERMA GUARD	NAPA FINISH
Allegro Soft	170	WI	PVC	30	27	54"	-10°F	Yes	Yes	Yes	Yes			
Apex Soft	170	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes	Yes		
Aries Soft	170	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes			
Atmosphere	170	WI	PVC	30	35	54"	-20°F	Yes	Yes	Yes	Yes			Yes
Beluga	171	WI	PVC	30	29	54"	-20°F	Yes	Yes	Yes	Yes		Yes	
Buckskin	171	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Caprice	171	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Cenery	172	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Carbon Fiber	171	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes			
Corinthian Soft	172	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes			
Dolce	209	WI	PU	30	40	54"	-10°F	Yes	Yes	No	Yes			
EZ Vinyl	204	WI	PVC	40	25	54"	-10°F	Yes	Yes	No	Yes			
Flotilla II	172	WI	PVC	40	29	54"	-10°F	Yes	Yes	Yes	Yes			
G Grain	173	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Gemini Soft	172	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes	Yes		
Grand Prix Soft	173	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Heidi Soft	173	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Heidi Soft Marine	173	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Islander Soft	174	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes			
Longitude	174	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Madrid Soft	174	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Marlin	174	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes		Yes	
Milled Pebble	175	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes		163	
Montana Soft	175	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Monticello Soft	175	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Navigator Soft	175	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes			
Nuance	176	WI	PVC	30	26	54"			Yes	Yes	Yes			Yes
							-10°F	Yes						res
Orion Soft	176	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Oxen Soft	176	WI	PVC	30	28	54"	-10°F	Yes	Yes	Yes	Yes	V		
Patriot Plus II	177	WI	PVC	30	34	54"	-20°F	Yes	Yes	Yes	Yes	Yes		
Pegasus	178	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes			
Polaris	178	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes	.,		
Prelude	178	WI	PVC	30	32	54"	-20°F	Yes	Yes	Yes	Yes	Yes		
Reflex	179	WI	PVC	30	32	54"	-20°F	Yes	Yes	Yes	Yes	Yes		
Renaissance	179	WI	PVC	30	34	54"	-20°F	Yes	Yes	Yes	Yes	Yes		
Ruffino	179	WI	PVC	30	281/2	54"	-10°F	Yes	Yes	No	Yes			
Seabreeze Soft	180	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes			
Sierra Soft	180	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Simtex	181	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Soho	181	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Stratosphere	181	WI	PVC	30	28	54"	-30°F	Yes	Yes	Yes	Yes	Yes		
Sutton	181	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Torino	182	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Trexx Met MQ	182	WI	PVC	30	28	54"	-10°F	Yes	Yes	Yes	Yes			
/erona	182	WI	PVC	30	28	54"	-10°F	Yes	Yes	No	Yes			
Wallaby Soft	182	WI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes			
Whisper	183	WI	PVC	30	27	54"	-20°F	Yes	Yes	Yes	Yes			Yes
Zander	183	WI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes		Yes	
5000 Marine White	204	WI	PVC	40	25	54"	-10°F	Yes	Yes	Yes	Yes			



ENDURATEX® COLLECTION

	CATALOG PAGE	STOCK LOCATION	TYPE	YARDS PER ROLL	WT PER LN. YD.	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESIST	HEAT SEALABLE	PROD- URATEC	FORBID
Armada	184	IL	PVC	40	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Aspirations	184	IL	PVC	30	26	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Berwick Tweed	185	IL	PVC	30	25	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
British Sterling	185	IL	PVC	30	30	54"	-10°F	Yes	Yes	Yes	No	No	Yes
Brushed Aluminum	195	IL MI	PVC	40	35	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Carbon Fiber	186	IL MI	PVC	30	35	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Chain Maille	186	IL	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	No	Yes
Coastal Ranch	186	IL	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Crianza	187	IL	PU/PVC	30	34	54"	-20°F	Yes	Yes	Yes	Yes	No	
Corinthian	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Counterpane	187	IL MI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes	No	
Eclipse	189	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
El Capitan	187	IL MI	PVC	20	44	54"	-40°F	Yes	Yes	No	Yes	No	
Doeskin	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
G Grain	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Gran Reserva	188	IL	PU/PVC	30	34	54"	-10°F	Yes	Yes	Yes	No	Yes	
Grand Vista	188	IL	PVC	30	36	54"	-10°F	Yes	Yes	Yes	No	No	Yes
Hampton	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Heidi	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Honda	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
	189	IL MI	PVC	30	32	54"	-10°F		Yes	Yes	No	No	Yes
Independence II			PVC			54"		Yes					162
Jetstream	189	IL MI		40	30		-10°F	Yes	Yes	Yes	Yes	Yes	
Kodiak II	203	IL MI WI	PVC	20	50	61"	-40°F	Yes	Yes	Yes	Yes	Yes	
Lighthouse	190	IL MI	PVC	40	28	54"	-10°F	No	No	Yes	No	No	
Longitude	191	IL	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Lunar	191	IL 	PVC	30	26	54"	-10°F	Yes	Yes	Yes	Yes	No	
Luxor	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Madrid	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Mercedes	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Milled Pebble	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Montana	195	IL MI	PVC	30	29	54"	-10°F	Yes	Yes	No	Yes	Yes	
Monticello	195	IL MI	PVC	30	34	54"	-20°F	Yes	Yes	Yes	Yes	Yes	
Nissan	195	IL MI	PVC	30	29	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Ossie	191	IL	PVC	30	32	54"	-20°F	Yes	Yes	Yes	Yes	Yes	
Oxen	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Paul Bunyon	204	IL MI WI	PVC	20	38	54"	-30°F	Yes	Yes	No	No	No	
Phantom	192	IL	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Prizm	192	IL	PVC	30	36	54"	-10°F	Yes	Yes	Yes	No	No	Yes
Promotional Blacks	204	IL MI WI	PVC	40	26	54"		No	No	No	No	Yes	
Rapper	203	IL	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Rapper Extreme	203	IL	PVC	30	29	54"	-40°F	Yes	Yes	Yes	Yes	Yes	
Sierra	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Slipstop	203	IL	PVC	40	28	54"	-30°F	Yes	Yes	Yes	Yes	Yes	
Soho	192	IL	PVC	30	32	54"	-10°F	Yes	Yes	Yes	Yes	No	Yes
Surrey	193	IL	PVC	30	28	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Toyota	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Tradewinds Plus	193	IL MI	PVC	40	32	54"	-10°F	Yes	Yes	Yes	No	No	Yes
Twilight	156	IL	PVC	40	28	54"	-10°F	No	No	Yes	Yes	Yes	163
Vaquero	194	IL	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes		
												No	V
Verona Wallahy	194	IL II MI	PVC	30	32	54"	-10°F	Yes	Yes	Yes	No	No	Yes
Wallaby	195	IL MI	PVC	30	30	54"	-10°F	Yes	Yes	Yes	Yes	Yes	
Windsong 2	194	IL MI	PVC	40	32	54"	-10°F	Yes	Yes	Yes	No	No	Yes



VINYL COLLECTION GUIDE

BOLTAFLEX® COLLECTION

	CATALOG PAGE	STOCK LOCATION	YARDS PER ROLL	WT PER LN. YD.	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESISTANCI	HEAT E SEALABLE	PRE-FIXX°
Colorguard	198	IL	30	36	54"	-20°F	Yes	Yes	No	Yes	Yes
Grand Sierra	198	IL	30	36	54"	-20°F	Yes	Yes	No	Yes	
Harmony	198	IL	30	36	54"	-20°F	Yes	Yes	No	Yes	
Levante	199	IL	50	22	54"	-20°F	Yes	Yes	Yes	Yes	
Capitano	200	IL MI	30	29	54"	-20°F	Yes	Yes	Yes	H.E.	

MORBERN® COLLECTION

	CATALOG PAGE	STOCK LOCATION	YARDS PER ROLL	WT PER LN. YD.	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESISTANCI	HEAT SEALABLE	PERMABLOK³°
All Sport	202	WI	40	36	54"	-60°F	Yes	Yes	Yes	N/A	No
Allante	201	WI	40	29	54"	-25°F	Yes	Yes	Yes	N/A	No

SPECIALTY and MISCELLANEOUS VINYLS, and URETHANES

CHARACTERISTICS	PAGE	WH	PRODUCTS
Convertible Topping	238	WI IL	Haartz Topping
Exotic Animal Patterns	197	IL	Urban Exotics
Heavy Duty: Blacks	204	WI IL	Paul Bunyon
Landau Topping	239	IL	Haartz Landau Vinyl Topping
Marine Topping	160	WI	Haartz Boat Topping
Nanocide Treated	201	WI	Dimensions

CHARACTERISTICS	PAGE	WH	PRODUCTS
Pleated Vinyls	180	WI	SeaQuest
Promotional: Black	204	ALL	Based on Availability
Recycled Leather	197	IL	Recast
Spa Covers	156	IL	Twilight
Tarps	156	WI	Advantage 18 and 22
Tonneau Cover	156	WI	Haartz Tonneau Cover
Urethanes	208	IL	Infiniss, Skintex

CULP COLLECTION

	CATALOG PAGE	STOCK LOCATION	TYPE	YARDS PER ROLL	WT PER LN. YD.	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESIST	HEAT Sealable	iClean
Cantina	196	IL	PU	30	22	54"	-10°F	No	Yes	Yes	N/A	
Castillo	196	IL	PU	30	26	54"	-10°F	Yes	Yes	No	N/A	Yes
Dillon	196	IL	PU	30	20.3	54"	-10°F	Yes	Yes	No	N/A	
Gunslinger	197	IL	PU	30	20.3	54"	-10°F	Yes	Yes	No	N/A	
Oregon Trail	197	IL	PU	30	20.3	54"	-10°F	Yes	Yes	No	N/A	



VINYL COLLECTION GUIDE

FAUX LEATHER COLLECTION

	CATALOG PAGE	YARDS PER ROLL	WT PER LN. YD.	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESISTANCE	HEAT SEALABLE	PRE-FIXX°
Infiniss	208	30	30	54"	-20°F	Yes	Yes	Yes	H.E.	Yes
Infiniss Distressed	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Infiniss Dove	208	60	25	54"	-20°F	No	Yes	Yes	Yes	No
Infiniss Maya	208	60	25	54"	-20°F	No	Yes	Yes	Yes	No
Infiniss Murano	208	40	30	54"	-20°F	No	Yes	Yes	Yes	No
Infiniss Tuscany	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Nuvtex Berretta	208	30	26	54"	-10°F	No	Yes	No	Yes	No
Nuvtex Big Bird	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Nuvtex Croco	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Nuvtex Gator	208	25	51	72"/75"	-20°F	No	Yes	Yes	Yes	No
Nuvtex Patent	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Skintex Adante	208	30	26	54"	-20°F	Yes	Yes	Yes	H.E.	Yes
Skintex Essence	208	40	30	54"	-20°F	No	Yes	Yes	H.E.	Yes
Skintex Lychee	208	35	22	54"	-10°F	No	Yes	Yes	Yes	No
Skintex Lychee Metalli	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Skintex Ostrich	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Skintex Provence	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Skintex Snake	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Texuede Soave 500	208	30	32	54"	-20°F	Yes	Yes	Yes	Yes	N
Texuede 1000	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
Texuede Snake	208	30	34	54"	-20°F	Yes	Yes	Yes	H.E.	Yes
Texuede SP	208	30	30	54"	-20°F	Yes	Yes	Yes	Yes	No
								H.E Heat l	Embossable, but no	ot heat sealable.

NASSIMI COLLECTION

	CATALOG PAGE	STOCK LOCATION	YARDS PER ROLL	WT PER LN YD	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESISTANCE	HEAT SEALABLE
Symphony Classic	206	IL	40	29	54"	-20°F	Yes	Yes	Yes	No
Symphony San Remo	207	IL	30	36	54"	-10°F	Yes	Yes	No	No
Symphony Glaze	207	IL	30	36	54"	-10°F	Yes	Yes	No	No
Symphony Vintage	207	IL	30	36	54"	-10°F	Yes	Yes	No	No
New Soho	194	IL	40	28	54"	-20°F	Yes	Yes	Yes	Yes
Seaquest	180	MI	PVC	32	54"	-10°F	Yes	Yes	Yes	Yes

NAUGAHYDE COLLECTION

	CATALOG PAGE	STOCK LOCATION	YARDS PER ROLL	WT PER LN YD	WIDTH	COLD CRACK	MVSS 302	CAL 117	MILDEW RESISTANCE	HEAT SEALABLE
Chamea	201	IL	35	26	54"	-20°F	Yes	Yes	Yes	No
Allure	200	IL	35	26	54"	-20°F	Yes	Yes	Yes	No



CALIFORNIA'S PROPOSITION 65 - "PROP 65"

Chemical Fabrics and Film Association

Frequently Asked Questions (FAQ)

What is Proposition 65?

Proposition 65 is a California law officially known as the California Safe Drinking Water and Toxic Enforcement Act of 1986. It requires businesses to provide a "clear and reasonable" warning before exposing persons consumers, employees, and the general public to chemicals that are known to the state of California to cause cancer, birth defects, or other reproductive harm ("Listed Chemicals"). The Proposition 65 warning applies to exposures from consumer products, emissions from facilities, and workplace exposures in the State of California. Proposition 65 is a "right to know" law as opposed to a safety law, meaning Proposition 65 does not ban the use of any chemicals, but is intended to ensure the public is informed as to its exposure to Listed Chemicals.

What is/are the chemical(s) involved?

The list of the 800+Prop65 chemicals can be found at: http://www.oehha.ca.gov/prop65/prop65_list/Newlist.html . This list is periodically updated.

Are workers/employees/consumers at risk using products with a Prop65 warning?

A Prop 65 warning does not mean that the product is unsafe; however, employees and consumers should be made aware of and heed all product handling and use warnings. A Prop 65 warning does not mean that the product will actually cause cancer or other reproductive harm when used in its intended manner. Prop 65 standards for warnings are often very stringent. For example, for reproductive toxicants, the level for warnings is 1000 times lower than the lowest level at which animal studies reported no reproductive health effect.

How is a supplier selling and distributing a product containing a Prop65 Listed Chemical to provide the required warning?

A business must provide a warning with its product if it is reasonably foreseeable that a person in California will buy or receive the product. The regulations provide that the warning may appear (1) on a product, its packaging, or written materials accompanying the product, (2) at the retail outlet through shelf labeling or signs, or (3) appear through a system of signs, public advertising identifying the system, and toll-free information services provided that the warning is "clear and reasonable". The Attorney General has also advised that the warning must be provided prior to purchase for internet or mail order sales or the supplier must offer free return shipping.

Who is subject to the Proposition 65 Warning Requirement?

Proposition 65 applies to any "person in the course of doing business" with ten or more employees, including companies located outside the State of California. The term "person" is defined broadly to include any individual, trust, firm, joint stock company, corporation, company, partnership, limited liability company, and association. "In the course of doing business" means any act or omission by an employee that furthers the purpose or operation of the business, whether or not the act or omission is for profit.

Are there exceptions to the Proposition 65 Warning Requirement?

A business is not required to provide a warning if it can prove that the exposure to any Listed Chemical present in the product resulting from its normal, intended use does not pose a "significant risk" to the average user. Unfortunately, while the State of California has identified so-called "safe harbor" exposure levels, there is little regulatory guidance to determine whether or when the use of a product results in exposure below those levels and thus poses no significant risk to the average user. Because Proposition 65 places the burden on the business to prove that intended use of a product poses no significant risk, many businesses choose to provide a warning out of an abundance of caution.

Why are you telling me? I am not even in California nor do I sell anyone in California.

An out-of-state business whose products are sold and distributed within the State (including sales via the internet or by catalogue) may be liable under Proposition 65 for failing to provide adequate warnings on products that contain Listed Chemicals.

Please note that the Proposition 65 warning requirement is widely known in California and to the California legal community. As noted below, the statute includes a private enforcement mechanism that allows private citizens to bring enforcement actions against those businesses they believe have failed to meet the warning requirements. Successful private enforcers, typically law firms, are allowed to recover their attorney's fees and costs of investigation as well 25% of any penalties. In the 25+ years since Proposition 65 was adopted, these private enforcement actions have far exceeded state enforcement initiatives and resulted in thousands of settlements involving millions of dollars paid. Regardless of your location, if you don't have a Prop 65 strategy and your product can end in a sale in California, it is recommended that you may want to consult a Prop 65 knowledgeable lawyer.

Who is warning in California?

There are many commonly used consumer products and items that contain Listed Chemicals and may required warnings under Prop 65. Some of the businesses that have been sued for failure to provide a Proposition 65 notice on a product include grocery stores, drug stores, garages, hardware suppliers, car dealerships, medical facilities, retail stores, amusement parks, and many more. Some of the product categories sold in the State of CaliforniÄ that require California Prop 65 warning include: dog toys, shoes, belts, fabric, imitation leather, foam, medications, synthetic and non-woven material, decorated glassware, decorated ceramics, beauty products, tools, garden equipment, toys and much more.



CALIFORNIA'S PROPOSITION 65 - "PROP 65"

Why are we notifying customers and warning now?

When a warning is given by a business, it means one of two things:

(1) the business has evaluated the exposure associated with its product and concluded that intended use of the product exceeds the no significant risk level; or

(2) the business has chosen to provide a warning based solely on its knowledge that the product or one of its components contains a Listed Chemical, without attempting to determine whether intended use results in a significant exposure or because there is no clear guidance on how to establish that exposure is insignificant.

Recent litigation in California has shown it to be very difficult for producers to defend their product, even if the producer believes it has scientifically valid reasons to defend their position. The legal repercussions outweigh the notice implication.

Who enforces Proposition 65?

Proposition 65 gives authority to the State Attorney General and local governments (district attorneys, city attorneys and county counsel) to take enforcement action against businesses that violate the law. The statute provides for a court to impose penalties of up to \$2500 per day against a business for each day of exposure to a product sold or

distributed by that business without a required warning. Proposition 65 further authorizes for injunctive relief requiring warnings be provided on future sales and distribution of products containing listed chemicals and directing market withdrawal of products that do have such warnings.

As noted above, Proposition 65 also permits a private citizen to bring the same enforcement actions against businesses to impose penalties, obtain injunctive relief and recover investigative costs and attorney's fees, provided that the private plaintiff satisfies certain procedural requirements. The vast majority of Proposition 65 litigation in California today is brought by private plaintiffs represented by a handful of law firms that specialize in this type of litigation. These private plaintiffs are commonly called "bounty hunters".

How do I protect myself from the bounty hunters?

Consider consulting a California Prop. 65 knowledgeable lawyer.

I'm uncertain of my next steps. What do I do?

Prop. 65 warnings are common throughout California in a wide range of commercial and other settings -- in hospitals, restaurants, bars, hotels, schools, grocery stores, amusement parks and on a wide variety of consumer products. People are used to them in California. If you want more information about your specific product, contact your supplier for more information regarding the chemical composition of products, product components and raw materials supplied to you. Check the Material Safety Data Sheet that accompanies any raw materials used in your own processes. If your product can end up in California, then you need a Proposition 65 strategy.

WHY ARE WE LABELING PRODUCTS?

Question: Why label products?

Answer: We identified that labeling our products was the clear and reasonable way to communicate to our customers and end users. Since our goods move around the country, this was the best way for us to show the State our full compliance with Prop 65.

Question: What does this label mean to me?

Answer: The label on our products means that we are being compliant with the State of California and have identified that some of our goods contain one or more of the chemicals that are currently on their growing list of more than 800 chemicals that could be harmful to one's health. You will now find other trusted products now bearing the same required labeling.

Question: What if our chemicals aren't on the list?

Answer: That doesn't mean they won't soon be on the list. The State of California has required that the Governor add to the list of harmful chemicals every year, at least once a year.

FOR MORE INFORMATION ON - "PROP 65"

Prop 65 Homepage http://oehha.ca.gov/prop65/p65faq.html

Prop 65 in plain language http://oehha.ca.gov/prop65/background/p65plain.html

List of Prop 65 chemicals http://www.oehha.ca.gov/prop65/prop65_list/Newlist.html



ALLEGRO SOFT

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117
- · Federal Standard 191-A Method 5304

FINISHES and TREATMENTS

- Abrasion heavy duty: Wyzenbeek/CFFA-1
- Heat sealable
 Cold Crack
 -10 F
- · Mildew resistant backing and face
- · Light fastness: 300 hours minimum
- · UV stabilized pigments



SUITABLE

APPLICATIONS:

- Office
- Residential
- Automotive Marine • RV

SPECIFICS

- Width: 54"
- · Weight: 27 ozs. · Yards Per Roll: 30
- ALL-7052 WEATHERED GREY ALL-7053 ALABASTER ALI-7054 GARNET
 - ALL-7055 COGNAC ALL-7056 ROSEWOOD

ALL-7057 CHESAPEAKE ALL-7058 CAPRI BLUE

ALL-7050 BRITTANY BLUE

ALL-7051 LIGHTNING GREY

ALL-7059 BLUSH WHITE

ALL-7060 COAL

ALL-7061 GLACIER

ALL-7062 SHADOW GREEN

ALL-7063 SAGE GREEN

ALL-7064 TAUPE

ALL-7065 OLD WHISKEY

ALL-7066 BRIARWOOD

YARD **10 YDS** Width: 54" 33.30 30.00

High-Loft²

MARINE

RAVEN

PFARI

CHERRY WOOD

BRILLIANT WHITE

STEEL SILVER

APEX™ SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- BIFMA
- UFAC Class I

Width: 54"

FINISHES and TREATMENTS

- · Superior abrasion Wyzenbeek/CFFA-1a 200,000 cycles
- · Heat sealable · Cold Crack -10 F
- Antibacterial protection
- Mildew resistant backing and face
- · UV stabilized pigments

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

30 YDS

27.50

30 YDS

32.10

MARINE QUALITY EXPANDED VINYL

SUITABLE APPLICATIONS

- Corporate Interiors
- Residential Sunroom
- Casino · Hotel · Motel
- Restaurant Healthcare

SUITABLE APPLICATIONS:

Residential · Marine · RV · Auto

SPECIFICS:

· Width: 54"

· Weight: 29 oz

· Yards Per Roll: 30

Office/commercial seating

· Automotive · RV

SPECIFICS

YARD

39.00

- Width: 54"
- Weight: 29 oz
- Yards Per Roll: 30



PERMA**BLOK**3®

APX-2556 LAME APX-2557 PARAKEET APX-2558 ESPRESSO

APX-2555 MIDNIGHT

APX-2548

APX-2549

APX-2550

APX-2551

APX-2554

APX-2559 FROG

ADVANCED VINYL PROTECTION

HIGH-LOFT²

SOFTSIDE THE AUTOMOTIVE COLLECTION

SOFTSIDE THE MARINE COLLECTION

SOFTSIDE THE MARINE

ARIES SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard #302
- California Tech Bulletin #117
- · Abrasion heavyduty (Wyzenbeek)
- · Federal Standard 191-A Method 5304

FINISHES and TREATMENTS:

- Heat sealable
- Cold Crack -10°F (-23.3°C)
- · Mildew resistant backing and face
- UV stabilized pigments
- · Light fastness: 1000 hours continuous exposure CFFA-2

Width: 54"

YARD

33.30

10 YDS 30.00

10 YDS

35.10

30 YDS 27.50

High-Loft²

ARI-1601 BRILLIANT WHITE ARI-1602 GUNMETAL

ARI-1603 MIDNIGHT

ARI-1604 SAND DOLLAR

ARI-1605 PEBBLE

ARI-1606 EBONY

ATM-1801 AZURE

ATM-1804 IRON

ATM-1805 TAUPE

ATM-1806 BRONZE

ATM-1807 COPPER

ATM-1808 MERLOT

ATM-1809 ESPRESSO

ATM-1810 MINERAL

ATM-1811 PISTACHIO

ATM-1812 EVERGREEN

ATM-1813 AUBERGINE

ATM-1814 CAFE

ATM-1815 ALDER

ATM-1802 CHAMPAGNE ATM-1803 ALUMINUM

SOFTSIDE THE AUTOMOTIVE

COLLECTION

ATMOSPHERE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E
 SPRADLING
 MIENATIONAL, NO
- Class Ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- · Heat sealable · Cold Crack -20 F
- · Mildew resistant backing & and face
- · UV stabilized pigments: 500 hours minimum
- · Anti-bacterial and anti-microbial: Pass*

Width: 54"

YARD 47.70

which provides superior abrasion resistance. Napa topcoat possesses a soft hand intended for a comfortable, elegant leather experience but durable hand to withstand elements such as erosion caused by scratching, rubbing, and natural wear-&-tear.

SPECIFICS:

10 YDS

42.90

- Width: 54" Weight: 35 ozs.
- Thickness: 1.10mm Yards Per Roll: 30

SUITABLE APPLICATIONS:

- Residential Office • RV
- · Healthcare
- · Contract Seating

30 YDS 40.60

High-Loft²

SOFTSIDE THE FURNITURE

ATMOSPHERE IS MADE WITH

Spradling's NAPA TOPCOAT FINISH

Spradling's Napa Finish is a waxy urethane topcoat

- Automotive



BELUGA

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- BIFMA
- · Port Authorities of New York
- and New Jersey
- UFAC Class 1
- IMO A.652(16) 8.2 & 8.3

SPECIFICS:

- · Width: 54".
- · Weight: 32 ozs.
- · Yards Per Roll: 30

YARD Width: 54" 35.00

FINISHES and TREATMENTS:

- Anti-microbial and
- anti-bacterial protection
- Anti-stain finish
- Easliy cleaned
- Abrasion heavy duty:
- 100,000 cycles Wyzenbeek/CFFA-1
- Heat sealable
- · Oil resistant
- · Mildew resistant backing and face Sulfide stain resistant / all colors
- Cold Crack -20°F (-28.9C)
- · UV stabilized pigments

10 YDS 30 YDS

29.80



PERMAGUARD®

SUPERIOR STAIN RESISTANCE

BEL-3301	LIGHT YELLOW	BEL-3309	BURGUNDY
BEL-3302	PURE WHITE	BEL-3310	PEARL GREY
BEL-3303	OFF WHITE	BEL-3311	DOVE GREY
BEL-3304	WHITE CAP	BEL-3312	TRUE BLUE
BEL-3305	DUNE	BEL-3313	CELESTIAL
BEL-3306	PAPAYA	BEL-3314	FOREST
BEL-3307	OCHRE	BEL-3315	MOCCA
BEL-3308	CHERRY	BEL-3316	BLACKBEARD

Підн-Lогт² BACKING

SOFTSIDE COLLECTION

BUCKSKIN

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013
- California 1.8. 117-2013 FMVSS 302 IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2 NFPA 260- Cover Fabric Class I UFAC Fabric Class I

- FINISHES and TREATMENTS: PVC with an Acrylic Topcoat
- Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable

Width: 54"

- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD

33.30

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

- SUITABLE APPLICATIONS
- Office

31.50

- Residential Automotive
- Restaurant
- Hospitality
- Commercial

SPECIFICS

- Width: 54"
- · Weight: 28 ozs.
- Yards Per Roll: 30

CHARACTERISTICS

Formaldehyde Free No Heavy Metals

Sulfide Stain Resistant Superior Abrasion: 50,000 cycles |

Wyzenbeek #10 Cotton Duck

UV Stabilized Pigments: Xenotest: AATCM Blue Wool | 1,000 hours

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

Cold Crack: -10°F

Exclusively Interiors

15 YDS 30 YDS 30.00 27.50

SPRADLING



BUC-7485 CHARCOAL BLACK

Hi-Loft T



CAPRICE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013 FMVSS 302 IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2 NFPA 260- Cover Fabric Class I UFAC Fabric Class I

FINISHES and TREATMENTS:

- PVC with an Acrylic Topcoat
- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable
- · Cold Crack -10 F
- · Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD

YARD

36.00

Width: 54" 33.30

SUITABLE APPLICATIONS

- Office
- Residential Automotive
- Restaurant
- Hospitality
- Commercial

SPRADLING **SPECIFICS**

• Width: 54"

15 YDS

30.00

· Weight: 28 ozs. · Yards Per Roll: 30

Superior Abrasion: 50,000 cycles | Wyzenbeek #10 Cotton Duck

30 YDS

27.50

UV Stabilized Pigments: Xenotest: AATCM Blue Wool | 1,000 hours

Cold Crack: -10°F

CHARACTERISTICS

No Heavy Metals

Formaldehyde Free

Sulfide Stain Resistant

Exclusively Interiors



CAP-7454 MEDIUM SLATE CAP-7495 MEDIUM KHAKI CAP-7842 LIGHT FROST BEIGE

SOFTSIDE THE AUTOMOTIVE Hi-Loft TP

CARBON FIBER

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

Cold Crack -10 F

Width: 54"

- · Mildew Resistant Front & Back
- Superior Abrasion:
- 50,000 cycles Wyzenbeek/CFFA-1

SUITABLE APPLICATIONS:

- · Residential
- General seating
- · General sewn products · Auto · RV
- SPECIFICS: • Width: 54"
- Weight: 28/29 ozs./ln.yd. Yards Per Roll: 30

32.30



CAR-1100 BLACK CAR-1101 SILVER PEARL WHITE CAR-1109 AUTOBAHN CAR-1102

CAR-1103 TOAST CAR-1104 MOCCASIN CAR-1105 SANTA FE

CAR-1106 ARLINGTON CAR-1107 CHESAPEAKE

CAR-1110 FLINT CAR-1111 WHITE CAR-1112 CAPE COD

10 YDS 30 YDS

30.60

High-Loft²

SOFTSIDE THE AUTOMOTIVE COLLECTION

SOFTSIDE THE FURNITURE COLLECTION



MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013
- FMVSS 302
 IMO FTP 2010 Code MSC.307(88) Part 8:
- 3.1 & 3.2 NFPA 260- Cover Fabric Class I UFAC Fabric Class I

FINISHES and TREATMENTS:

- · PVC with an Acrylic Topcoat
- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable
- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD Width: 54" 33.30 Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

- SUITABLE APPLICATIONS
- Office
- Residential Automotive
- Restaurant
- Hospitality
- Commercial

SPRADLING

30 YDS

27.50

30 YDS

SPECIFICS

· Width: 54"

15 YDS

30.00

- · Weight: 28 ozs.
- · Yards Per Roll: 30

CHARACTERISTICS

Formaldehyde Free

No Heavy Metals

Sulfide Stain Resistant

Superior Abrasion: 50,000 cycles | Wyzenbeek #10 Cotton Duck

UV Stabilized Pigments: Xenotest: AATCM Blue Wool | 1,000 hours

Cold Crack: -10°F

Exclusively Interiors

Hi-Loft P

CEN-7448 PEBBLE 3

CEN-7449 MEDIUM FLINT

CORINTHIAN SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- Superior Abrasion:
- 50,000 cycles Wyzenbeek/CFFA-1
- Cold Crack -10 F
- · Mildew resistant

SUITABLE APPLICATIONS:

- · Auto · RV
- Residential
- · General seating

SPECIFICS:

• Width: 54"

10 YDS

- Weight: 28/29 ozs./ ln. yd.
- · Yards Per Roll: 30



COS-7291 TORCH RED

High-Loft²

SOFTSIDE THE AUTOMOTIVE COLLECTION

Width: 54" 33.30 30.00 27.50

YARD

FLOTILLA II MARINE VINYL: PLAIN & CHANNEL

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California Tech Bulletin 117
- Superior Abrasion (Wyzenbeek)
- Federal Standard 191-A Method 5304

FINISHES and TREATMENTS

- · Heat sealable · Cold Crack -10
- Mildew resistant backing and face
- UV Stabilized pigments
- · Light fastness 300 hours minimum
- Antimicrobial protection SUITABLE APPLICATIONS

YARD Width: 54" 33.00





10 YDS 29.80

30 YDS 27.80

- Residential
- Marine RV Auto

SPECIFICS

- Width: 54"
- · Weight: 29 oz.
- Yards Per Roll: 30



70.00



FLT-554 **SNOW WHITE** FLT-569 MARINE WHITE

High-Loft²

GEMINI™ SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- BIFMA
- UFAC Class I

FINISHES and TREATMENTS

- Superior abrasion Wyzenbeek/CFFA-1a 200,000 cycles
- · Heat Sealable · Cold Crack -10 F
- · Antibacterial and antimicrobial protection

YARD

- · Mildew Resistant Backing and Face • UV stabilized pigments

Width: 54" 37.60

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

GEM-2568

SUITABLE APPLICATIONS

- · Coporate Interiors
- Residential Sunroom
- Casino · Hotel · Motel
- · Restaurant · Healthcare
- · Automotive · RV

SPECIFICS

15 YDS

33.80

- Width: 54"
- · Weight: 29 ozs.
- · Yards Per Roll: 30



30 YDS

31.00

PERMA**BLOK3®** ADVANCED VINYL PROTECTION

GEM-2561 PEARL **METROPOLITAN** GFM-2562

ALUMINUM GFM-2563 GEM-2564 ALABASTER WHITE

ELECTRIC

GFM-2565 JUICY FIG GEM-2566 **GREEN APPLE** GEM-2567 PASSION

SOFTSIDE THE AUTOMOTIVE COLLECTION

SOFTSIDE THE MARINE



OLD BOURBON

GEM-2569 TANGERINE

PARAKEET

ESPRESSO

MOLTEN

RAVEN

GEM-2570

GEM-2571

GEM-2572

GEM-2573

GEM-2574

G GRAIN

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- Abrasion: heavy duty Wyzenbeek
- Heat sealable
- · Mildew resistant · Anti-fog
- Cold Crack -10 F QUV: 650 hours

SUITABLE APPLICATIONS:

- General seating
- · General sewn products
- Marine Auto RV

SPECIFICS:

- Width: 54"
- · Weight: 40 ozs./ln.yd.
- · Yards Per Roll: 30



GGR-7114 MEDIUM GRAPHITE

GGR-7119 LIGHT GRAPHITE

GGR-7167 MEDIUM PRAIRIE TAN

GGR-7221 MEDIUM PARCHMENT

EBONY GGR-7227

GGR-7357 MEDIUM FLINT

15 YDS 30 YDS YARD Width: 54" 33.30 30.00 27.50

High-Loft²

THE AUTOMOTIVE COLLECTION

GRAND PRIX SOFT

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable
- · Cold Crack -10 F

Width: 54"

- · Light fastness: 300 hours minimum
- · UV stabilized pigments

SUITABLE APPLICATIONS

- Office
- Residential
- Automotive

SPECIFICS

15 YDS

30.00

- · Width: 54"
- · Weight: 29 ozs.
- · Yards Per Roll: 30



30 YDS

27.50

GPX-9450 **SNOW WHITE** GPX-9451 **SOFT WHITE** GPX-9452 CADET BLUE **LAPIS BLUE** GPX-9453 GPX-9454 ROYAL BLUE

GPX-9455 FLAME GPX-9456 CARMINE

BURGUNDY GPX-9457 GPX-9458 **EGGPLANT** GPX-9459 MULBERRY

GPX-9460 **CRANBERRY** GPX-9461 SILVER GREY GPX-9462 LIGHT SLATE GPX-9464 MFD. OPAL GPX-9465 MED. DARK GREY GRAPHITE

GPX-9466 GPX-9467 **BLACK**

GPX-9468 SPICE

GPX-9469 **BEECHWOOD** GPX-9471 **SAND BEIGE**

BUCKSKIN GPX-9472 GPX-9473 **ANTELOPE**

GPX-9474 **BRIAR BROWN** GPX-9475 TEAL

High-Loft²

SOFTSIDE THE AUTOMOTIVE COLLECTION

SOFTSIDE THE AUTOMOTIVE

MEDIUM TEAL

HEIDI SOFT AUTOMOTIVE

YARD

33.30

YARD

33.30

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117

FINISHES and TREATMENTS

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- Heat Sealable

Width: 54"

- · Cold Crack -10 F
- Light fastness: 300 hours minimum
- · UV stabilized pigments

• Width: 54"

10 YDS

30.00

SPECIFICS

• Width: 54"

· Weight: 29 ozs.

· Yards Per Roll: 30

- · Weight: 29 ozs.
- · Yards Per Roll: 30

Tough AND Soft • Hi-Loft Backing

HDI-5916 CHARCOAL HDI-6106 SMOKE HDI-6205 CHESTNUT

SCARLET HDI-6247

HDI-6332 SANDALWOOD HDI-6428 CRYSTAL BLUE

HDI-6431 TITANIUM

HDI-6507 EBONY

HDI-6588 LIGHT MOCHA

HDI-6688 MEDIUM OPAL

HDI-6812 LAPIS BLUE

HIGH-LOFT²

HDI-6858

HEIDI SOFT MARINE

Tough AND Soft · Hi-Loft Backing

30 YDS

27.50

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117

FINISHES and TREATMENTS

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- Heat Sealable
- · Cold Crack -10 F
- · Mildew resistant backing and face
- · Light fastness: 300 hours minimum
- · UV stabilized pigments

Width: 54"

YARD 33.30 **15 YDS** 30.00

30 YDS 27.50



HDI-6850 ASH HDI-6851 PFARI CHAMPAGNE HDI-6852 HDI-6854 ZINC

HDI-6855 VANILLA HDI-6856 SATIN HDI-6857 PEACOCK

HIGH-LOFT²

ANTIQUE GREEN HDI-6859 HDI-6860 ALPINE HDI-6861 CLASSIC BLUE HDI-6862 CARDINAL HDI-9880 BRILLIANT WHITE

SOFTSIDE THE AUTOMOTIVE

SOFTSIDE COLLECTION



ISLANDER SOFT MARINE QUALITY EXPANDED VINYL

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard #302
- · California Tech Bulletin #117
- Abrasion heavy duty (Wyzenbeek)
- · Federal Standard 191-A Method 5304

FINISHES and TREATMENTS:

- · Heat sealable
- · Cold Crack -10
- · Mildew resistant backing and face
- · UV stabilized pigments
- · Light fastness 300 hours minimum

Width: 54"

YARD

YARD

33.30

YARD

33.30

33.30

SUITABLE APPLICATIONS:

- · Office/Commercial Seating
- Residential
- Marine RV Auto

SPECIFICS:

- Width: 54"
- · Weight: 29 oz.
- · Yards Per Roll: 30

10 YDS

30.00

Office

Residential

· Automotive

Restaurant

Hospitality

Commercial



30 YDS

27.50

SPRADLING

30 YDS

27.50

30 YDS

27.50

ISL-9150	CHALK	HS
ISL-9151	OYSTER WHITE	IS
ISL-9152	LIGHT GREY	IS
ISL-9153	GUNMETAL	IS
ISL-9154	CHARCOAL	HS.
ISL-9155	EBONY	HS.
ISL-9156	BABY BLUE	1S
ISL-9157	BRISTOL BLUE	HS.
ISL-9158	SILVER BLUE	IS
ISL-9159	MIDNIGHT	IS
ISL-9160	RUBY RED	HS.
ISL-9161	CRIMSON	IS
ISL-9162	BURGUNDY	IS
ISL-9163	SPINNAKER	IS
ISL-9164	CADET	IS

SI -9165 REGATTA SL-9166 TURQUA **AQUA MARINE** SL-9167 SL-9168 **JEWEL DOESKIN** SL-9169 SI -9170 MOCHA SI -9171 TEAKWOOD SL-9172 **CORAL BLUSH** PEACHWOOD SL-9173 SL-9174 **EVERGLADE** SL-9175 GRAPE YFLLOW SI -9176 SL-9177 **BRILLIANT WHITE** SL-9178 FRENCH VANILLA SL-9179 TITAN NEUTRAL

High-Loft² BACKING

LON-7692 EBONY

LON-7693 LIGHT CASHMERE

LON-7694 LIGHT TITANIUM

LON-7695 DARK TITANIUM

SOFTSIDE THE MARINE COLLECTION

LONGITUDE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013 FMVSS 302 IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2 NFPA 260- Cover Fabric Class I UFAC Fabric Class I

FINISHES and TREATMENTS:

- PVC with an Acrylic Topcoat
- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable

Width: 54"

- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- UV stabilized pigments

SPECIFICS • Width: 54"

15 YDS

30.00

- · Weight: 28 ozs.
- · Yards Per Roll: 30

SUITABLE APPLICATIONS

CHARACTERISTICS

Formaldehyde Free

No Heavy Metals

Sulfide Stain Resistant Superior Abrasion: 50,000 cycles |

Wyzenbeek #10 Cotton Duck

UV Stabilized Pigments: Xenotest:

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

AATCM Blue Wool | 1,000 hours

Cold Crack: -10°F

Exclusively Interiors

Hi-Loft (P)



SOFTSIDE THE AUTOMOTIVE

MADRID SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion: heavy duty Wyzenbeek
- Cold Crack -10 F QUV: 650 hours
- Heat sealable
- · Anti-fog

SUITABLE APPLICATIONS:

- General seating
- General sewn products

· Marine · Auto · RV

SPECIFICS:

- Width: 54"
- · Weight: 30 ozs./ ln. yd.
- Yards Per Roll: 30



MAS-9830 BLACK

MAS-9831 OFF WHITE

MAS-9832 DARK GREEN MAS-9833 TURQOUISE

MAS-9834 GOLD

MARLIN

Width: 54"

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion: 100,000 Cycles Wyzenbeek
- · Cold Crack -20 F · QUV: 650 hours
- · Mildew Resistant Front & Back
- · Anti-stain
- · Anti-static

SUITABLE APPLICATIONS:

· Contract Interiors

10 YDS

30.00

- Office
- Restaurant
- Hotel/Motel Residential
- Sunrooms
- Patios Hospitals
- **Nursing Homes** Auto & RV
- Marine

SPECIFICS:

- Width: 54"
- Weight: 30 ozs./ ln. yd.
- Yards Per Roll: 30



PERMAGUARD®

High-Loft²

SUPERIOR STAIN RESISTANCE

MRL-3201 IVORY MRL-3210 ARCTIC SKY MRL-3202 PURE WHITE MRL-3211 AUSTER

MRL-3203 BRILLIANT WHITE MRL-3215 APRICOT

MRL-3204 OFF WHITE MRL-3216 PAPAYA MRL-3217 CHERRY MRL-3206 CREAM MRI-3207 LIGHT YELLOW MRI-3218 OCHRE MRL-3208 PARCHMENT MRL-3220 MOCHA

MRL-3209 DUNE MRL-3222 MEDITERRANEAN

> High-Loft² BACKING

SOFTSIDE THE MARINE COLLECTION

Width: 54"

YARD 34.30

10 YDS 30.90

30 YDS 29.20

MILLED PEBBLE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat embossable only
- · Cold Crack -10 F · QUV: 650 hours

YARD

33.30

YARD

33.30

YARD

33.30

YARD

33.30

Anti-fog: SAE J1756

Width: 54"

SUITABLE APPLICATIONS:

- Residential
- · General seating • General sewn products
- Marine Auto RV

SPECIFICS:

· Width: 54"

10 YDS

30.00

- · Weight: 29 ozs./ In. yd.
- · Yards Per Roll: 30

MIL-7360 LIGHT PARCHMENT

MIL-7396 DARK FLINT

MIL-7397 EBONY

MIL-7399 MEDIUM GRAPHITE

MIL-7400 MIDNIGHT BLACK

MII-7443 PERRIF III

MIL-7444 MEDIUM FLINT

MIL-7476 CAMEL

MIL-7514 MEDIUM DARK STONE

MIL-7515 SAND

MIL-7518 LIGHT CAMEL

MII-7520 MEDIUM LIGHT STONE







MONTANA SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable

Width: 54"

- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- UV stabilized pigments

SUITABLE APPLICATIONS:

- Office
- Residential
- · Automotive

SPECIFICS:

• Width: 54"

10 YDS

30.00

- · Weight: 29 ozs.
- · Yards Per Roll: 30



30 YDS

27.50

30 YDS

27.50

MOS-6046 OXFORD WHITE

(Practical and durable!)

MOS-9375 CHARCOAL MOS-9377 DESERT TAN

MOS-9378 BLACK

MOS-9379 DARK BLUE

MOS-9380 OXFORD GREY MOS-9381 CANYON RED

MOS-9382 REGATTA BLUE



MOS-9383 SAND BEIGE

MOS-9384 SMOKE

MOS-9385 CHESTNUT

MOS-9376 CADET BLUE

MOS-9386 SCARLET

MOS-9387 M. TITANIUM

MOS-9388 M. CRYSTAL BLUE

MOS-9389 L. TITANIUM

HIGH-LOFT² BACKING

SOFTSIDE THE AUTOMOTIVE COLLECTION

MONTICELLO SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion: 6000 stainless steel screen wire
- · Heat Sealable: Di-electrically and RFS ealable • Cold Crack -10 F • QUV: 650 hours
- Anti-fog: SAE J1756

Width: 54"

SUITABLE APPLICATIONS:

- Residential
- · General seating
- · General sewn products
- · Marine · Auto · RV

SPECIFICS:

• Width: 54"

10 YDS

30.00

- · Weight: 29 ozs./ln.yd.
- Yards Per Roll: 30

SPRADLING

30 YDS

27.50

MOT-6892 GRAPHITE MOT-6973 NAVY

MOT-6974 RUBY RED

MOT-6890 MEDIUM GREY

MOT-6891 MEDIUM BEIGE

MOT-7043 MEDIUM NEUTRAL MOT-7179 MEDIUM DARK PEWTER

MOT-7323 SHALE

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

MOT-7346 VERY DARK PEWTER

MOT-9800 MEDIUM GRAPHITE

MOT-9801 MEDIUM PRAIRIE TAN

MOT-9802 SAND STONE

MOT-9803 MEDIUM CAMEL

MOT-9805 BRITE WHITE

MOT-9806 LIGHT GREY

MOT-9808 TORCHFIRE RED

MOT-9809 SADDLE

MOT-9810 BLACK

 $\text{H}_{\text{IGH-LOFT}^2}$

NAV-9899 CAPRI

SOFTSIDE THE AUTOMOTIVE COLLECTION

NAVIGATOR SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- · Federal Standard 191-A Method 5304

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable · Cold Crack -10 F · Mildew resistant backing and face · Light fastness: 300 hours minimum
- UV stabilized pigments

Width: 54"

 Residential Automotive · Marine · RV

> SPECIFICS: • Width: 54"

10 YDS

30.00

SUITABLE

Office

APPLICATIONS:

· Weight: 29 ozs. · Yards Per Roll: 30 SPRADLING

30 YDS

27.50

NAV-9890 SNOW NAV-9891 MOONBEAM NAV-9892 GLACIER NAV-9893 WHITECAP NAV-9894 PARCHMENT SAND DOLLAR NAV-9895 NAV-9896

STONE NAV-9897 PEBBLE NAV-9898 DOLPHIN NAV-9900 MERMAID NAV-9901 BLUF RIBBON NAV-9902 CELESTIAL NAV-9903 VALENTINE NAV-9904 CRIMSON NAV-9905 BLACKBEARD NAV-9906 SUNDANCE NAV-9907 PURPLE PASSION

High-Loft² BACKING





NUANCE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- **BIFMA Class A**
- · California Tech Bulletin #117
- Boston Fire Code Test BFD IX-1
- Motor Vehicle Safety Standard 302

FINISHES & TREATMENTS:

- · Abrasion heavy duty: 100,000 cycles - Wyzenbeek/CFFA Federal Standard 191 - A Method 5304
- Cold Crack -10 degrees F
- Thickness 1.2mm
- UV stabilized pigments
- · Polyester backing
- · Oil and Sulfide Resistant
- Mildew resistant backing and face

SPECIFICS:

 Width: 54" (137cm) · Weight: 26 oz. · Yards Per Roll: 30 . Content: PVC

Clean with mild soap and water. Do not use alcohol based cleaners

NUANCE IS MADE WITH

Spradling's NAPA TOPCOAT FINISH

Spradling's Napa Finish is a waxy urethane topcoat which provides superior abrasion resistance

Napa topcoat possesses a soft hand intended for a comfortable, elegant leather experience but durable hand to withstand elements such as erosion caused by scratching, rubbing, and natural wear-&-tear.



SUITABLE APPLICATIONS:

30 YDS

31.80

30 YDS

27.50

- Automotive
- RV

10 YDS

34.70

- Office Seating
- Residential
- Seating.
- Hospitality
- Home Office · Lounge Seating
- Healthcare
- Spa Massage Table

SUITABLE APPLICATIONS:

• Marine • RV • Auto

· Office/Commercial seating



NUA-2462 VFRY DARK PFWTFR NUA-2463 MEDIUM NEUTRAL NUA-2465 SHALE NUA-2466 KHAKI TURMERIC NUA-2467 NUA-2468 GROUSE NUA-2469 COCONUT HUSK NUA-2470 COFFEE BEAN NUA-2471 ECLIPSE NUA-2472 CHAMOIS NUA-2474 FIREFLY NUA-2475 MERLOT NUA-2476 SPRITE NUA-2477 OCEAN

NUA-2473 COGNAC

NUA-2450

NUA-2451

NUA-2452

NUA-2453

NUA-2459

NUA-2461

NUA-2454 FAWN

NUA-2457 EBONY

SNOW WHITE

SANDSTONE

MEDIUM DARK PEWTER

WHITE

SAND

NUA-2458 DARK GRAPHITE

NUA-2460 MEDIUM GREY

HIGH-LOFT²

SOFTSIDE THE AUTOMOTIVE COLLECTION

SOFTSIDE THE FURNITURE COLLECTION

ORION SOFT

Width: 54"

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard #302
- California Tech Bulletin #117
- · Federal Standard 191-A Method 5304

FINISHES and TREATMENTS:

- Abrasion heavy duty (Wyzenbeek)
- Heat sealable Cold Crack -10°F (-23.3°C)

YARD

38.50

- Mildew resistant backing and face
- UV stabilized pigments
- · Light fastness: 1000 hours continuous

exposure CFFA-2

YARD Width: 54" 33.30



· Weight: 29 oz.

10 YDS

30.00

Residential

- · Yards Per Roll: 30



ORI-1607 **BRILLIANT WHITE** ORI-1608 **GUNMETAL** ORI-1609 **MIDNIGHT**

ORI-1610 SAND DOLLAR

PEBBLE ORI-1611 ORI-1612 **EBONY**

High-Loft²

SOFTSIDE THE AUTOMOTIVE

SOFTSIDE

OXEN SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek/ CFFA-1
- · Heat sealable: di-electrically and RF sealable
- Cold Crack -10 F QUV: 40 hours
- · Mildew resistant: ASTM G21
- · Anti-fog: SAE J1756

SUITABLE APPLICATIONS:

- Residential
- General seating
- General sewn products
- Marine Auto RV

SPECIFICS:

- Width: 54"
- · Weight: 28 ozs./ In. yd.
- · Yards Per Roll: 30



OXS-9840 BLACK

OXS-9841 SMOKE GREY

OXS-9842 BUCKSKIN

OXS-9843 MAROON

OXS-9845 BONE

OXS-9846 DARK BLUE

YARD **10 YDS 50 YDS** Width: 54" 33.30 30.00 27.50



SOFTSIDE THE AUTOMOTIVE



PAT-8607 HARVEST

PATRIOT PLUS II™

MANUFACTURED TO MEET THE FOLLOWING CODES:

- BIFMA Boston Fire Code Test BFD IX 1
- · California Tech Bulletin 117
- Federal Aviation Specification
- FAR 25.853 (a) & Appendix F Part 1 (a) (1) (ii)
- Federal Specification A-A-2950A
- · Motor Vehicle Safety Standard 302
- NFPA 701(Small Scale)
- · Port Authorities of New York & New Jersey
- UFAC Class 1 Mass. 527 cmr 21.00
- NFPA 260-Class1 IMO A.652 (16) 8.2 & 8.3
- Patriot Plus, when tested with suitable component materials, may comply with California Technical Bulletin #133 and Boston Fire Code - Test BFD IX-10.



The Contract Collection

34oz Contract Vinyl

PERMA**BLOK3**®

ADVANCED VINYL PROTECTION

PAT-8563 CHINA GREEN

FINISHES and TREATMENTS:

 Permablok³ Advanced vinyl protection 					
· Anti-microbial and anti-bacterial protection					
Anti-stain finish • Easily cleaned					
Superior abrasion resistance					

- Superior abrasion resistance 400,000 Cycles Wyzenbeek/CFFA 1 (Federal Standard 191-A Method 5304)
- Antistatic slip finish
- Antistatic (ASTM D-257)
- Cold Crack -20°F (-28.9C)
- Heat Sealable Oil resistant
- · Mildew resistant backing and face
- Mildew resistant backing and fact
 Sulfide stain resistant / all colors
- UV stabilized pigments
- 100% Polyester knit backing

SUITABLE APPLICATIONS:

- Contract Interiors
- Office
- Restaurant
- · Hotel/Motel
- Nursing Home Hospital
- Sunroom Patio
- Marine RV Auto
- Residential

SPECIFICS:

- Width: 54"Weight: 34 ozs.
- Yard Per Roll: 30

Width:	54"

PAI-0301 ADODE WHILE	PAI-0303 CHINA GREEN	PAT-0007 HARVEST
PAT-8503 PARCHMENT	PAT-8564 GROTTO	PAT-8608 OCHRE
PAT-8504 SAND	PAT-8565 TEA ROSE	PAT-8609 CORAL
PAT-8506 PUTTY	PAT-8566 VINTAGE BONE	PAT-8610 SABLE
PAT-8509 LEMON PEEL	PAT-8567 DOVE	PAT-8611 TERRA COTTA
PAT-8516 CHESTNUT	PAT-8569 BURGUNDY	PAT-8612 CHERRY
PAT-8517 MOCHA	PAT-8571 FOREST	PAT-8613 ORANGE KIST
PAT-8528 AMERICAN BEAUTY	PAT-8572 BLUERIDGE	PAT-8614 SALSA
PAT-8529 PAPRIKA	PAT-8574 BUTTERNUT	PAT-8615 BERRY
PAT-8532 BORDEAUX	PAT-8575 GRAPHITE	PAT-8616 EGGPLANT
PAT-8533 PORT	PAT-8576 DEEP PHOENICIAN	PAT-8617 AMETHYST
PAT-8536 BLUSH	PAT-8577 PURPLE GREY	PAT-8618 AUBERGINE
PAT-8537 ROSE	PAT-8578 FIESTA RED	PAT-8619 PLUM
PAT-8539 GUNMETAL	PAT-8579 RUBY	PAT-8620 PEACOCK
PAT-8540 BLACK	PAT-8581 DARK AQUA	PAT-8621 BLUEBERRY
PAT-8541 SPACE BLUE	PAT-8582 IMPERIAL BLUE	PAT-8622 GRAY MOSS
PAT-8542 ROYAL	PAT-8584 TAUPE	PAT-8623 SAGE
PAT-8544 SAPPHIRE	PAT-8601 BUFF	PAT-8624 GRANNY SMITH
PAT-8546 COLONIAL BLUE	PAT-8602 OATMEAL	PAT-8625 CYPRESS
PAT-8547 MIDNIGHT BLUE	PAT-8603 LARK	PAT-8626 EUCALYPTUS
PAT-8553 YEW GREEN	PAT-8604 CONCRETE	PAT-8627 PINE FOREST
PAT-8560 AQUA GREY	PAT-8605 CHARCOAL	PAT-8628 SEA

PAT-8606 SAFFRON

YARD 43.40 10 YDS 39.50

PAT-8561 MULBERRY

PAT-8501 ADORF WHITE

30 YDS 37.10

HIGH-LOFT²

PAT-8629 LODEN

SPRADLING'S PERMABLOK^{3°}



 $PERMABLOK^3$ from Spradling is a proven vinyl protective coating that is engineered to create a tough, effective barrier against the three biggest problems encountered in today's commercial environment; germs, abrasions, and stains.

- No. 1 It offers unsurpassed microbial protection against both gram positive and negative bacteria plus fungus, mold and mildew.
- No. 2 it provides outstanding stain protection and easy cleanability.
- No. 3 It incorporates superior abrasion protection against scuffs, scrapes and everday wear.

(To obtain ideal performance and long lasting good looks, proper care is important.)

Spradling provides you with a step by step cleaning guide for:

- Mascara
- Coffee
- Tar

• Blood

- Red Lipstick
- _
- -

• Riooa

- Eye Shadow
- CrayonChocolate
- Grease Asphalt
- FecesUrine

- Suntan Lotion
- Black felt tip pen
- · Oil base paint
- · Other tough stains





SPRADLING'S CARE & CLEANING GUIDE

STAINING AGENT	CLEANING PROCEDURE
Eye Shadow	Step 1
Mascara	Step 1
Grease	Step 1
Crayon	Step 1
Black Felt Tip Pen	Step 1
Chocolate	Step 1
Suntan Lotion	Step 1
Red Lipstick	Step 2
Blood, Urine, Feces	Step 3
Oil Base Paint	Step 3
Tar, Ashpalt	Step 3
Other Tough Stains	Step 4 or 5

Step 1: Remove excess spill with damp cloth. Clean with 1:1 mix of Ivory' Liquid or similar, and water. Rinse with clean water and dry.

Step 2: Use straight application of concentrated cleaners such as Formula or Fantastik spray cleaner. Then wipe with clean cloth.

Step 3: Use a 1:1 mix of ammonia and water or a 1:4 mix of bleach and water. Rinse with clean water and dry.

Step 4: Use straight application of naphtha (lighter fluid). Rinse thoroughly with clean water and pat surface dry.

Step 5: Use 1:1 mix of isopropyl alcohol and water. If stain persists, use straight alcohol. Rinse thoroughly with clean water and pat surface dry. If stains remain, use a 1:1 mix of acetone and water. Rinse with clean water and pat surface dry.

Note: For cleaning that requires steps 4 or 5 - use a soft cotton cloth saturated with the cleaning material, rub the stain in circles 10 times. Pat dry with another soft cotton cloth and check results.

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

PLEASE NOTE:

The lab at the factory contends that Armor All is probably the worst cleaning agent to apply to vinyl. The chemical reaction between Armor All and vinyl-coated fabrics will cause plasticizer migration. This can lead to claims that we will not be able to support and voids the protective capabilities of Permablok^{3*}

30 YDS

27.50

30 YDS

27.50

PEGASUS SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard #302
- California Tech Bulletin #117
- · Federal Standard 191-A Method 5304

FINISHES and TREATMENTS:

- · Abrasion heavy duty (Wyzenbeek)
- · Heat sealable
- Cold Crack -10°F (-23.3°C)
- · Mildew resistant backing and face
- · UV stabilized pigments
- · Light fastness: 1000 hours continuous exposure CFFA-2

YARD

Width: 54" 33.30

SUITABLE APPLICATIONS:

- · Office/Commercial seating
- Residential
- Marine RV Auto

SPECIFICS:

· Width: 54"

10 YDS

30.00

- · Weight: 28 oz.
- Yards Per Roll: 30



PFG-1613 **BRILLIANT WHITE**

PEG-1614 **GUN METAL** PEG-1615 MIDNIGHT

PFG-1616 SAND DOLLAR

PEBBLE PEG-1617

PFG-1618 FRONY



SOFTSIDE THE AUTOMOTIVE COLLECTION

SOFTSIDE THE MARINE COLLECTION

POLARIS SOFT

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard #302
- · California Tech Bulletin #117
- Federal Standard 191-A Method 5304

FINISHES and TREATMENTS:

- · Abrasion heavy duty (Wyzenbeek)
- · Heat sealable

Width: 54"

- Cold Crack -10°F (-23.3°C)
- · Mildew resistant backing and face
- · UV stabilized pigments
- · Light fastness: 1000 hours continuous exposure CFFA-2

SUITABLE

APPLICATIONS:

- · Office/Commercial seating
- Residential
- · Marine · RV · Auto

SPECIFICS: · Width: 54"

10 YDS

30.00

- · Weight: 29 oz.
- Yards Per Roll: 30



POL-1619 BRILLIANT WHITE

POL-1620 GUNMETAL

POL-1621 MIDNIGHT

POL-1622 SAND DOLLAR

POL-1623 PEBBLE

POI-1624 FRONY

PRELUDE CONTRACT VINYL

YARD

33.30

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- BIFMA
- · Federal Aviation Specification FAR 25.853 (a) & Appendix F Part I(a)(1)(ii)
- Federal Specification A-A-2950-A
 Port Authorities of New York
- and New Jersey
- UFAC Class 1 IMO A.652(16) 8.2 & 8.3

SPECIFICS:

- Width: 54"

Weight: 32 ozs.
Yards Per Roll: 30

Anti-microbial and

- anti-bacterial protection · Anti-stain finish
- Easily cleaned
- Abrasion heavy duty:
 200,000 cycles Wyzenbeek/CFFA-1
- Anti-static slip finish
- Heat sealable
- · Oil resistant
- Mildew resistant backing and face
- · Sulfide stain resistant / all colors
- UV stabilized pigments




High-Loft²

SOFTSIDE THE AUTOMOT

SOFTSIDE E MARINE COLLECTION





PRE-1001 TAUPE PRE-1002 SPICE

PRE-1003 SAGE BRUSH

PRE-1005 IVORY

PRF-1007 LILAC

PRE-1009 MAUVE PRE-1010 MINT

PRE-1011 JADESTONE

PRE-1012 AZURE PRE-1013 SALMON

PRE-1015 CRANBERRY

PRE-1016 COBALT

PRF-1017 TFAI PRE-1018 BLUE HERON

PRE-1019 MAHOGANY

PRE-1020 REDWOOD

PRE-1021 COFFEE

PRE-1023 LIGHT SLATE PRF-1024 MICA

PRE-1025 COAL

PRE-1029 PARCHMENT

PRE-1031 DARK CLARET PRE-1004 WINTER WHITE

PRE-1028 RUBY RED

High-Loft² BACKING

SOFTSIDE COLLECTION



YARD 47.80 **10 YDS** 43.10

30 YDS 40.70



SILVER**GUARD®** SILVER ION TECHNOLOGY

RAISIN

WHFAT

MOSS

LAWN

BLACK

CHARCOAL

ICE

GRANNY SMITH

REF-7811 FLAME

REF-7812

REF-7813

REF-7814

REF-7815

REF-7816

REF-7817

REF-7818

REF-7819

REFLEX

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117
- Federal Specification A-A-2950-A
- Port Authorities of New York and New Jersey
- UFAC Class 1 IMO A.652(16) 8.2 & 8.3

SPECIFICS:

- Width: 54".
- Weight: 32 ozs.Yards Per Roll: 30

Width: 54"

FINISHES and TREATMENTS:

- Anti-microbial and anti-bacterial protection
- Anti-stain finish
- · Easily cleaned
- Abrasion heavy duty: 100,000 cycles Wyzenbeek/CFFA-1
- Anti-static slip finish
 Heat sealable
- Oil resistant
- Mildew resistant backing and face
 Sulfide stain resistant / all colors
 Cold Crack -20°F (-28.9C)

- · UV stabilized pigments

PERMA**BLOK3®**



REF-7804 SAPPHIRE

REF-7805 SNOW REF-7806 **TAUPE**

REF-7807 **BARK** RFF-7808 MOCHA

REF-7809 COPPER REF-7810 TANGELO

HIGH-LOFT



30 YDS

54.60 49.00 45.00

10 YDS

REFLEX MQ

MARINE QUALITY

YARD

YARD

45.30

YARD

52.60

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
 California Tech Bulletin 117
- IMO FTP 2010 Code MSC.307(88) Part 8:
- 3.1 & 3.2 NFPA 260- Cover Fabric Class I
- UFAC Fabric Class I

SPECIFICS:

· Width: 54".

- Weight: 30 ozs.
 Yards Per Roll: 30

Width: 54"

FINISHES and TREATMENTS:

- · Anti-microbial and
- anti-bacterial protection Pink Stain Resistant
- Abrasion heavy duty:
 50,000 cycles Wyzenbeek/CFFA-1
- Heat sealable
- · Oil resistant
- · Mildew resistant backing and face
- Sulfide stain resistant / all colors
- Cold Crack -10°F (-28.9C)

10 YDS

40.70

· UV stabilized pigments

PERMA**BLOK**3® ADVANCED VINYL PROTECTION



RMQ-7851 PEARL RMQ-7852 MINERAL RMO-7853 VOLTRON RMQ-7854 PRO TOUR RED

RMQ-7855 BLADE RMQ-7856 HAIL

High-Loft²

SOFTSIDE THE MARINE THE MAKI COLLECTION

RENAISSANCE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · California Tech Bulletin #117
- Federal Aviation Specification FAR 25.853(a) and Appendix F Part I(a)(1)(ii)
- Boston Fire Code Test BFD IX-1
- · Port Authorities of New York and
- New Jersey Motor Vehicle Safety Standard 302
- UFAC Class 1

SPECIFICS:

- Width: 54" (137cm)
- Weight: 34 oz. (770gm/m²)

- Yards Per Roll: 30 (27.43m)
- Width: 54"

- Antimicrobial and antibacterial protection
 Antistain finish
 Easily cleaned
- · Mildew resistant backing and face · Superior abrasion resistance
- 200,000 cycles Wyzenbeek/CFFA-1 Federal Standard 191 A Method 5304
- Heat sealable

FINISHES & TREATMENTS:

- UV stabilized pigments
- Oil resistant backing and face Sulfide stain resistant / all colors

SUITABLE APPLICATIONS:

10 YDS

46.30

- Contract Interiors Office Restaurant Hotel/Motel Residential
- Sunrooms Patios Hospitals Nursing Homes Automotive RV

30 YDS

43.40

Cold Crack -20 degrees F (-28.9C)

30 YDS

37.30



PERMA**BLOK**3®

ADVANCED VINYL PROTECTION



REN-9212 **BLUE JADE** REN-9213 PEACOCK

CARBON

WINEBERRY

REN-9202 PERIWINKLE

REN-9204 SPICE

REN-9206

REN-9208

REN-9214 STEEL BLUE REN-9215 CURRANT

High-Loft²

RUFFINO SOFT

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- Superior Abrasion (Wyzenbeek)
- Heat sealable: di-electrically and RF sealable · Cold Crack -10 F · QUV: 650 hours
- · Anti-static

SUITABLE APPLICATIONS:

- Residential
- · General seating
- General sewn products • Marine • Auto • RV

SPECIFICS:

- Width: 54"
- · Weight: 28/29 ozs./ln.yd.
- · Yards Per Roll: 30





RUS-9850 BLACK

High-Loft²



Width: 54"

YARD 33.30

10 YDS 30.00 **30 YDS** 27.50



SEA BREEZE MARINE VINYL

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard #302
- California Tech Bulletin #117
- Federal Standard 191-A Method 530404

FINISHES and TREATMENTS:

- · Abrasion heavy duty (Wyzenbeek)
- · UV stabilized pigments
- Antimicrobial protection
- · Mildew resistant backing and face
- Heat sealable Cold Crack -10°F (-23.3°C)
- · Light fastness: 300 hours minimum

• Weight: 29 oz. Yards Per Roll: 30



30 YDS

27.50

MARINE **QUALITY EXPANDED** VINYL

SEA-850 SEAFOAM SFA-851 SFASHFII SEA-852 FOG SEA-853 MIST

SEA-854 TWILIGHT SEA-855 BIMINI BLUE SFA-856 BERMUDA BLUF SEA-857 BLUE MARLIN SEA-858 SUMMER SAND SEA-859 LIGHT COPPER SEA-860 GINSENG BROWN SEA-861 BAYBERRY

High-Loft²

SEA-862 CORAL

Stocked in our Michigan Warehouse! Matches the Marine Hidem Welt (page 218)

SEAQUEST COLLECTION

YARD

33.30

MANUFACTURED TO MEET THE FOLLOWING CODES:

- MVSS 302
- CAL 117, Sec. E

Width: 54"

- UFAC Class 1
- BIFMA Section 3 & 4
- NFPA 260
- IMO A.652 (16) 8.2
- IMO A.652 (16) 8.3



APPLICATIONS:

Residential

SPECIFICS:

• Width: 54"

10 YDS

30.00

FINISHES and TREATMENTS:

- Weatherproof
- Mildew Resistant ASTM G21-96(2002)
- · Resistant to Seawater
- UV Resistant to 1000 Hours
- ASTM G26-96 Method C / CFFA-1A
- Cold Crack -10°F (-23.3°C)
- · Heavy Duty Performance 175,000 Double Rubs Wyzenbeek
- · Backing: 100% Polyester Knit

SUITABLE

APPLICATIONS:

- · Office/Commercial seating
- · Residential
- · Marine · RV · Auto

SPECIFICS:

- Width: 54"
- · Weight: 32 oz.
- Yards Per Roll: PLEATED: 15 · Yards Per Roll: PLAIN: 40

11/2" Channels (PSP-xxx)

Non-Pleated (PSQ-xxx)





SUITABLE

APPLICATIONS:

Residential

Automotive

SPECIFICS:

• Width: 54"

· Weight: 29 0z.

Yards Per Roll: 30

YARD 10 YARDS ROLL 70.00 33.30 30.00 27.50

1½" CHANNELS NON-PLEATED (PLAIN)

PSP-001	AMERICAN BEAUTY	PSO-001	AMERICAN BEAUTY
	ANCHOR		ANCHOR
PSP-003	BUFF	PSO-003	
PSP-004	CHALK	PSQ-004	CHALK
PSP-005	COVE	PSQ-005	
PSP-006	DUNE	PSO-006	
	EBONY	PSQ-007	EBONY
PSP-008	EMERALD	DCO 000	EMERALD
PSP-009	FOREST	PSQ-009	FOREST
PSP-010	HAMPTON	PSQ-010	HAMPTON
PSP-011	FOREST HAMPTON HAVASU LEMON PEEL	PSQ-011	HAVASU
PSP-012	LEMON PEEL	PSQ-012	LEMON PEEL
PSP-013	LIGHTHOUSE RED	DCO 012	LIGHTHOUSE RED
PSP-014	LOTION MARBLE MIDNIGHT MIST NAVEL NAVY OYSTER PEARL OYSTER PELICAN	PSQ-014	LOTION
PSP-015	MARBLE	PSQ-015	MARBLE
PSP-016	MIDNIGHT	PSQ-016	MIDNIGHT
PSP-017	MIST	PSQ-017	MIST
PSP-018	NAVEL	PSQ-018	NAVEL
PSP-019	NAVY	PSQ-019	NAVY
PSP-020	OYSTER	PSQ-020	
PSP-021	PEARL OYSTER	PSQ-021	PEARL OYSTER
PSP-022	PELICAN	PSQ-022	
PSP-023	ROYAL	PSQ-023	ROYAL
PSP-024	PELICAN ROYAL RUBY SEA WHITE SMOKE TFAI	PSQ-024	RUBY
PSP-025	SEA WHITE	PSQ-025	SEA WHITE
PSP-026	SMOKE	PSQ-026	SMOKE
	,	PSQ-027	TEAL
	TOO WHITE	PSQ-029	TOO WHITE
PSP-030	WHITE ICE	PSQ-030	WHITE ICE

SIERRA SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117

FINISHES and TREATMENTS:

- Abrasion heavy duty (Wyzenbeek/CFFA-1)
- · UV stabilized pigments
- Mildew resistant backing and face
- · Heat sealable
- Cold Crack -10°F (-23.3°C)
- · Light fastness: 300 hours minimum

SPRADLING

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

SIS-6260 DARK BLUE SIS-6262 COGNAC SIS-6339 **BEECHWOOD** SIS-6526 DARK RED LIGHT GREY SIS-6611 SIS-6690 MED. BEIGE SIS-6691 LIGHT NEUTRAL SIS-7184 SIS-9562 BLACK

SIS-5944 BRIAR BROWN

SIS-9563 OFF WHITE

MED. DARK PEWTER

High-Loft²

SIS-9564

SIS-9565

SIS-9566

SIS-9567

SIS-9570

SIS-9572

SIS-9577

SIS-9578

SIS-9580

SIS-9581

SIS-9870

SOFTSIDE THE AUTOMOTIVE

FLAME RED

GARNET

BROWN

RUST

ROYAL

BUCKSKIN

DARK MAPLE

MEDIUM GREY

DARK SAPPHIRE

CHARCOAL

MEDIUM BROWN

Width: 54"

YARD 33.30 **10 YDS** 30.00

30 YDS 27.50

SIMTEX

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117

FINISHES and TREATMENTS:

- Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable
- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- · UV stabilized pigments

SUITABLE APPLICATIONS

- Office
- Residential
- Automotive

SPECIFICS

15 YDS

40.50

- · Width: 54"
- · Weight: 29 ozs.
- · Yards Per Roll: 30



SIM-076207 PLATA SIM-076217 FRENCH VANILLA SIM-077715 ZEUS BLACK **SIM-077717 BEIGE**



SOFTSIDE THE AUTOMOTIVE

Width: 54"

SOHO

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013
 FMVSS 302
 IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2
 NFPA 260- Cover Fabric Class I
 UFAC Fabric Class I

FINISHES and TREATMENTS:

- PVC with an Acrylic Topcoat
- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable

Width: 54"

- Cold Crack -10 F
- Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD 33.30

YARD

45.00

- Restaurant
- Commercial

30.00

- · Yards Per Roll: 30

Cold Crack: -10°F

CHARACTERISTICS

Formaldehyde Free

No Heavy Metals Sulfide Stain Resistant

Exclusively Interiors

30 YDS 27.50

30 YDS

37.10

SOH-7525 CHARCOAL BLACK

SOH-7689 MED. LIGHT STONE

SOH-7526 LIGHT STONE

SOH-7707 LIGHT CAMEL

SOH-7688 CAMEL

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

Superior Abrasion: 50,000 cycles |

UV Stabilized Pigments: Xenotest:

AATCM Blue Wool | 1,000 hours

Wyzenbeek #10 Cotton Duck

SUITABLE APPLICATIONS

- Office
- Residential
- Automotive
- Hospitality

SPRADLING

SPECIFICS

- Width: 54"
- · Weight: 28 ozs.
- **15 YDS**

Hi-Loft T



STRATOSPHERE

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 4157 Class A

FINISHES and TREATMENTS:

- · Abrasion 100,000 Wyzenbeek
- · Heat sealable · Cold Crack -20 F
- · UV stabilized pigments: 500 hours minimum
- · Anti-stain

· Mildew resistant backing & and face

- · Anti-bacterial and anti-fungal: Pass*

YARD 48.20

SUITABLE APPLICATIONS:

- Marine
- Residential
- · Automotive · RV
- Spas Massage tables
- · Conference room · Office
- · Lounge seating

SPECIFICS:

- · Width: 54
- · Weight: 28 ozs.
- · Thickness: 1.10mm
- · Yards Per Roll: 30

10 YDS 30 YDS 43,40 39.80

PERMA**BLOK3**®

ADVANCED VINYL PROTECTION



Cleaning Instructions:

This product should be cleaned with mild soap and water. Do not use alcohol based cleaners!

STR-2401 **TURQOUISE** STR-2402 CONCRETE STR-2403 CHARCOAL STR-2404 **ICE BLUE**

STR-2405 MYSTIC BLUE STR-2406 COBALT STR-2407 GRASS STR-2408 COPPER

STR-2409 PUMPKIN STR-2410 POPPY **BORDEAUX** STR-2411

STR-2412 **TAUPE** STR-2413 MOSS STR-2414 **BRON7F**

High-Loft² BACKING

STR-2415

SUT-7302 TAUPE

SUT-7556 BLACK

SUT-7332 DARK SLATE GRAY

SUT-7333 SANDSTONE

SUT-7426 MEDIUM KHAKI

SUT-7457 MEDIUM SLATE

SOFTSIDE THE FURNITURE COLLECTION

ESPRESSO

Width: 54"

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013
 FMVSS 302
 IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2
 NFPA 260- Cover Fabric Class I
 UFAC Fabric Class I
- FINISHES and TREATMENTS: · PVC with an Acrylic Topcoat
- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable
- Cold Crack -10 F · Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD Width: 54" 33.30

- SUITABLE APPLICATIONS
- Office Residential
- Automotive
- Restaurant
- · Hospitality

SPECIFICS

15 YDS

30.00

· Weight: 28 ozs.

SPRADLING

CHARACTERISTICS Formaldehyde Free

No Heavy Metals Sulfide Stain Resistant Superior Abrasion: 50,000 cycles |

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

UV Stabilized Pigments: Xenotest: AATCM Blue Wool | 1,000 hours

Wyzenbeek #10 Cotton Duck

Cold Crack: -10°F

Exclusively Interiors

Hi-Loft

SOFTSIDE THE AUTOMOTIME COLLECTION

Commercial

· Width: 54"

· Yards Per Roll: 30

30 YDS 27.50



MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013
 FMVSS 302
 IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2
 NFPA 260- Cover Fabric Class I
 UFAC Fabric Class I

FINISHES and TREATMENTS:

- · PVC with an Acrylic Topcoat
- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable

Width: 54"

- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD

33.30

SUITABLE APPLICATIONS

- Office
- Residential
- Automotive Restaurant
- Hospitality
- Commercial

SPRADLING

30 YDS

27.50

SPECIFICS

- Width: 54" · Weight: 28 ozs.
- Yards Per Roll: 30

AATCM Blue Wool | 1,000 hours Cold Crack: -10°F

CHARACTERISTICS

No Heavy Metals Sulfide Stain Resistant

Formaldehvde Free

Exclusively Interiors

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned

Superior Abrasion: 50,000 cycles |

UV Stabilized Pigments: Xenotest:

Wyzenbeek #10 Cotton Duck





TREXX MET MO

MANUFACTURED TO MEET THE FOLLOWING CODES:

- IMO FTP 2010 Code MSC.307(88)
- California Tech Bulletin #117-2013
- Motor Vehicle Safety Standard 302
- UFAC Class 1
- NFPA 260 Class 1

SPECIFICS:

- Width: 54" (137cm)
- Weight: 29 oz. (656gm/m²)
- Yards Per Roll: 30 (27.43m)

Width: 54"

YARD 38.50 **10 YDS** 34.70

Office

Residential

Automotive

Restaurant

Hospitality

Commercial

30 YDS 31.80

THE FINISHES & TREATMENTS:

15 YDS

30.00

- · Antimicrobial and antibacterial protection
- Antistain finish Easily cleaned
- Mildew resistant backing and face
- Superior abrasion resistance 50,000 cycles - Wyzenbeek/CFFA-1 Fed Standard 191 - A Method 5304
- Cold Crack -10 degrees F (-28.9C)
- Heat sealable UV stabilized pigments
- Oil resistant backing and face
- · Sulfide Stain Resistant / All colors

SUITABLE APPLICATIONS . Contract . Marine

Automotive • Hospitals • Hotel/Motel

SEQUEL IS MADE WITH

TRE-1501 Hail TRE-1502 Nectar

TRE-1503 Convoy

TRE-1504 Blade TRE-1505 Sentry

Superior Strength • Tough AND Soft • Hi-Loft Backing • Easily cleaned



Spradling's NAPA TOPCOAT FINISH

TRE-1506 Night Watch

TOR-7459 LIGHT GRAYSTONE

TRE-1507 Gear

TRE-1508 Merigold

TRE-1509 Blace

TRE-1510 Captain

VER-7482 CHARCOAL BLACK

VER-7528 MED. LIGHT STONE

VER-7483 CAMEL

VER-7731 GRAYSTONE

VER-7787 STEEL GRAY

TRE-1511 Putty

High-Loft² BACKING

SOFTSIDE HE MARINE COLLECTION

VERONA

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013
 FMVSS 302
 IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2
 NFPA 260- Cover Fabric Class I
 UFAC Fabric Class I

FINISHES and TREATMENTS:

- PVC with an Acrylic Topcoat
- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Heat sealable
- · Cold Crack -10 F
- · Light fastness: 300 hours minimum
- UV stabilized pigments

Width: 54"

YARD 33.30

• Width: 54"

30.00

- · Yards Per Roll: 30

· Weight: 28 ozs.

SUITABLE APPLICATIONS

SPECIFICS

- **15 YDS**

SPRADLING

30 YDS

27.50

Wyzenbeek #10 Cotton Duck UV Stabilized Pigments: Xenotest: AATCM Blue Wool | 1,000 hours

Superior Abrasion: 50,000 cycles

Cold Crack: -10°F

CHARACTERISTICS

No Heavy Metals

Formaldehyde Free

Sulfide Stain Resistant

Exclusively Interiors

Hi-Loft T



SOFTSIDE THE AUTOMOTIVE

WALLABY SOFT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Superior Abrasion
- · Anti-static

Width: 54"

· Cold Crack -10 F · QUV: 650 hours

SUITABLE APPLICATIONS:

- General seating
- · General sewn products
- · Auto · RV

SPECIFICS:

- Width: 54"
- Weight: 40 ozs./ln.vd.
- Yards Per Roll: 30



WAS-9860 BLACK WAS-9861 GREY WAS-9863 DARK GREEN

YARD 33.30 **10 YDS** 30.00

30 YDS 27.50



SOFTSIDE THE AUTOMOTIVE COLLECTION



WHISPER

MANUFACTURED TO MEET THE FOLLWING CODES:

- BIFMA Class A
- UFAC Class 1
- · California Technical Bulletin #117 Section E
- · Motor Vehicle Safety Standard 302

FINSISHED and TREATMENTS:

- 4 Component Urethane **Topcoating System**
- · Superior abrasion resistance 100,000 cycles Wyzenbeek/CFFA-1
- Mildew Resistant Front & Back
- · UV stabilized pigments
- · Light fastness / 1000 Hours

GENERAL CHARACTERISTIC:

- · Ultrasoft leather feel
- · Excellent tailorability
- Superior wear resistance
- · Soft Hi-Loft² backing

SPECIFICS:

- Width: 54" · Weight: 27oz.
- · Yards Per Roll: 30

SUITABLE APPLICATIONS:

- · Contract Interiors · Office
- Restaurant Hotel/Motel
- Residential
 - Sunrooms Hospitals
- Patios Automotive
- Marine Nursing Homes

Width: 54"

- YARD
- 42.90

38.70

WHI-2127

WHI-2139

WHISPER IS MADE WITH

Spradling's NAPA TOPCOAT FINISH

Spradling's Napa Finish is a waxy urethane topcoat which provides superior abrasion resistance.

Napa topcoat possesses a soft hand intended for a comfortable, elegant leather experience but durable hand to withstand elements such as erosion caused by scratching, rubbing, and natural wear-&-tear.



Whisper

Whisper combines the luxurious feel and look of soft supple leather with outstanding wear-resistant properties demanded in commercial seating applications.

A proprietary formulation which includes multiple top-coating systems, Whisper provides a scuff-resistant surface that achieves 100,000 "double rubs" and the waxy, genuine feel of leather.

Unlike many of the softer leather-look vinyls now on the market, Whisper offers both a soft surface feel, and excellent wear-resistant properties!

Whisper offers a color palette of 28 modern decorator colors from solids to perfect blends of subtle variation, providing understated elegance.

WIII 2116	BRILLIANT WHITE	WIII 2120	NIGHTSHADE		D1 4 61/		
WHI-2116	DRILLIANI WHITE	WHI-2128	NIGHTSHADE	WHI-2140	BLACK	WHI-2157	FOG
WHI-2117	BONE	WHI-2129	FORREST	WHI-2141	CASHEW	WHI-2158	CUCUMBER
WHI-2118	CAMEL	WHI-2130	KHAKI	WHI-2142	COGNAC	WHI-2159	ZEST
WHI-2119	GRAVEL	WHI-2131	GREEN TEA	WHI-2143	ESPRESSO	WHI-2160	SASSAFRAS
WHI-2120	ANTELOPE	WHI-2132	CAVERN MOSS	WHI-2144	SANGRE	WHI-2161	MALLARD
WHI-2121	CAPPUCCINO	WHI-2133	LODEN	WHI-2150	FAWN	WHI-2162	PARADISE
WHI-2122	SISAL	WHI-2134	PATINA	WHI-2151	OCHRE	WHI-2163	INDIGO
WHI-2123	LUGGAGE	WHI-2135	ANTHRACITE	WHI-2152	MAHOGANY	WHI-2164	CAROTENE
WHI-2124	SALSA	WHI-2136	CERULEAN	WHI-2153	TRUFFLE	WHI-2165	MOLTEN
WHI-2125	CINNAMON	WHI-2137	NAVY	WHI-2154	PEWTER	WHI-2166	BRICK-RED
WHI-2126	BORDEAUX	WHI-2138	ELEPHANT	WHI-2155	STORM		

CHARCOAL

10 YDS 30 YDS 36.60





ZANDER

MANUFACTURED TO MEET THE FOLLOWING CODES:

- BIFMA
- California Tech Bulletin #117
- Motor Vehicle Safety Standard 302
- UFAC Class 1

SPECIFICS:

- Width: 54" (137cm)
- Weight: 34 oz. (770gm/m²)
- Yards Per Roll: 30 (27.43m)

FINISHES & TREATMENTS:

- · Antimicrobial and antibacterial protection
- Antistain finish Easily cleaned
- Mildew resistant backing and face
- Superior abrasion resistance 100,000 cycles - Wyzenbeek/CFFA-1 Federal Standard 191 - A Method 5304
- · Antistatic slip finish
- Cold Crack -10 degrees F (-28.9C)
- · Heat sealable
- · UV stabilized pigments
- · Oil resistant backing and face
- · Sulfide stain resistant / all colors

SUITABLE APPLICATIONS:

- · Contract Interiors
- Restaurant
- Hotel/Motel
- · Patios
- Hospitals
- Nursing Homes



MERIOT

- · Office
- Residential
- Sunrooms
- Automotive
- Marine
- RV

PERMAGUARD®

SUPERIOR STAIN RESISTANCE

WHI-2156 PUTTY

7AN-3102 PURF WHITE 7AN-3114 YFLLOW ZAN-3103 **BRILLIANT WHITE** ZAN-3115 APRICOT ZAN-3104 **OFF WHITE** ZAN-3116 PAPAYA

7AN-3105 WHITE CAP ZAN-3117 CHERRY ZAN-3101 IVORY ZAN-3118 OCHRE

7AN-3106 CREAM 7AN-3119 RURGUNDY

ZAN-3107 LIGHT YELLOW 7AN-3120 MOCCA ZAN-3108 PARCHMENT ZAN-3121 **AQUA MARINE** ZAN-3109 DUNE ZAN-3122 MEDITERRANEE

ZAN-3110 ARCTIC SKY 7AN-3123 TRUF BLUF ZAN-3111 AUSTER ZAN-3124 CELESTIAL

ZAN-3112 PEARL GREY 7AN-3125 FOREST ZAN-3113 DOVE GREY 7AN-3126 BLACKBEARD

SOFTSIDE THE MARINE COLLECTION

YARD **10 YDS 30 YDS** Width: 54" 34.30 30.90 29.20

High-Loft²



ARMADA

PREMIUM VINYL COLLECTION with PRODURATECT™ M

ENDURATCX

We cover the world.

MANUFACTURED TO MEET THE FOLLWING CODES:

- California Technical Bulletin #117 Section E
- Motor Vehicle Safety Standard 302
- ASTM D 3690: Class A

(This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.)

FINISHES and TREATMENTS:

· Heavy Duty Abrasion Resistance: Wyzenbeek

YARD

29.00

- Mildew Treated Front & Back
- Cold Crack: -10°
- QUV-B: 600 Hours
- Weathermeter: 1,500 Hours
- Anti-microbial and anti-bacterial
- **Heat Sealable**
- Antimicrobial: Pass

CLEANING

- · Clean with mild soap and water.
- · Do not use alcohol based cleaners.

SPECIFICS

- Width: 54"
- · Weight: 30oz

Width: 54"

- Thickness: 1.02mm
- Yards Per Roll: 40



SUITABLE APPLICATIONS:

- Office Interior
 - Hospitality · Health Care
- Restaurant Gaming
 - Residential
- Marine Interior RV
- Motel Hotel

Treated with anti-bacterial and antimocrobial agents that will

Staphylococcus Aureus

Enterococcus Faecalis

Escherichia Coli

provide resistance to the following: (AATCC Test Method 147-1993) **Bacillus Mycoides**

Klebsiella Pneumoniae

Proteus Vulgaris

Salmonella Choleraesuis

Bacillus Cerus

10 YDS

24.50

25 YDS 21.10



ARM-101 BALTIC

ARM-102 BISCAY IVORY

ARM-103 BREAKWATER

ARM-104 ENSIGN

ARM-105 FIESTA

ARM-106 FIRE ISLAND

ARM-107 ISLAND PALM

ARM-108 LEMON CHIFFON

ARM-109 MARINER

ARM-110 MONTEGO

ARM-111 MYSTIC

ARM-112 NAUTILUS

ARM-113 PERFECT STORM

ARM-114 PORTSIDE

ARM-115 PURPLE HAZE

ARM-116 RED SAII

ARM-117 SAND DOLLAR

ARM-118 SAND DUNE

ARM-119 SAND BEACH

ARM-120 SANGRIA

ARM-121 SEASCAPE ARM-122 SHALLOW WATER

ARM-123 SUGAR CANE

ARM-124 SUMMER SUN

ENDURATCX

We cover the world.

AKA

JESSAMY

ASP-1200 MILK CHOCOLATE

ARM-125 SUNSET

ARM-126 TSUNAMI

PREMIUM VINYL COLLECTION with PRODURATECT™ c

ASP-100

ASP-1000

ASP-1100 LEAK

ASP-1300 OCHER

ASPIRATIONS

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- · California Tech Bulletin #117 Sec E
- Motor Vehicle Safety Standard 302 · Federal Aviation Specification
- FAR 25.853(a)
- · Boston Fire Department Code
- · Port Authorities of New York and **New Jersey**
- NFPA 260 Class 1
- CID A-A2950
- BIFMA Class A
- UFAC Class A
- ASTM D 3690 Class A
- Anti Bacterial/Anti Microbial Passes NYS63/ASTM G-21-90

SPECIFICS:

- Width: 54" (137cm)
- · Weight: 26 oz. per lin.yd.
- Yards Per Roll: 30 (27.43m)
- · Backing: Brush Knit

SUITABLE APPLICATIONS:

- Office Interior
 Hospitality
- Restaurant · Health Care
- Gaming Residential • Marine Interior • RV

CLEANING

- · Clean with mild soap and water.
- Do not use alcohol based cleaners.

10 YDS YARD **30 YDS** Width: 54" 42.40 35.80 30.80



FINISHES & TREATMENTS:

- Superior abrasion resistance 100,000 cycles - Wyzenbeek/#10 cotton duck
- Cold Crack: -10 Degrees F
- Thickness 1.1mm
- UV stabilized pigments 500hrs min.
- Polyester backing
- Heat Sealable

agents that will provide resistance to the following: (AATCC Test Method 147-1993)

Bacillus Mycoides Klebsiella Pneumoniae **Proteus Vulgaris**

Staphylococcus Aureus Salmonella Choleraesuis

Bacillus Cerus Enterococcus Faecalis Escherichia Coli

ASP-1400 OLIVAREOUS ASP-1500 PECAN SHELL Treated with anti-bacterial and antimocrobial ASP-1900

ASP-1600 PUMICE ASP-1700 SADDLE ASP-1800 SANGUINE SHALE ASP-200 **BLACK BEAN** ASP-2000 TAN ASP-2100 TANGELLO ASP-2200 TEAK ASP-300 **CELESTE** ASP-400 CLOUD ASP-500 CRIMSON

FLAN ASP-600 ASP-700 **FLAXSEED**

ASP-800 **FUCHSIA** ASP-900 INDIGO



BERWICK TWEED

MANUFACTURED TO MEET THE FOLLOWING CODES:

- BIFMA Class A
- California Tech Bulletin #117
- · Federal Aviation Specification FAR 25.853(a)
- Boston Fire Code
- Port Authorities of New York and **New Jersey**
- Motor Vehicle Safety Standard
- NFPA 260 Class 1
- CID A-A2950
- UFAC Class A

SPECIFICS:

- Width: 54" (137cm)
- · Weight: 25 oz. • Yards Per Roll: 30
- Contents: PVC · Backing: Brushed Knit

Width: 54"

FINISHES & TREATMENTS:

- Abrasion resistance 100,000 cycles - Wyzenbeek/CFFA-1 Federal Standard 191 - A Method 5304
- Cold Crack -10 degrees F
- Thickness 1.2mm
- UV stabilized pigments
- Polyester backing

Treated with anti-bacterial and antimocrobial agents that will provide resistance to the following: (AATCC Test Method 147-1993)

Bacillus Mycoides Klebsiella Pneumoniae **Proteus Vulgaris** Staphylococcus Aureus Salmonella Choleraesuis

Bacillus Cerus Enterococcus Faecalis

Escherichia Coli **10 YDS 30 YDS**

41.90

PREMIUM VINYL COLLECTION with PRODURATECT™ c

SUITABLE APPLICATIONS:

- Office Interior Hospitality Restaurant Health Care, Gaming
- Residential RV Marine Interior



BRW-100 AFTER GLOW BRW-1000 MISCHIEVOUS MINK BRW-1100 **BOBCAT WHISKER**

BRW-1200 **POLISHED PEWTER**

ENDURATOX

BRW-1300 RACCOON EYES **BRW-1400 SANDY TOES**

BRW-1500 SEA GLASS BRW-1600 **SOFT SUEDE**

BRW-1700 SPIKED APRICOT

BRW-1800 THAI BASIL **BRW-1900 TRANOUILITY**

ALL NIGHTER BRW-200 BRW-2000 ZEN ESSENCE

BRW-300 ANGELS FEATHER

BRW-400 **BAJA SUNSET** BRW-500 **BODHITREE**

BRW-600 **CARBON FOOTPRINT**

BRW-700 CEDAR RIDGE BRW-800 **DREAM CATCHER**

ENDURATCX

BLUE HEATH

BOWEN RED

AMETHYST

CALERA

ERICA

SMOKE

DUCK EGG

GRANITE

HEATHER

JEANS BLUE

LICHEN GREEN

SAND

· Clean with mild soap and water. · Do not use alcohol based cleaners

BRITISH STERLING WITH

YARD

49.70



MANUFACTURED TO MEET THE FOLLOWING CODES:

BIFMA Class A

- · California Tech Bulletin #117
- Federal Aviation Specification
- FAR 25.853(a)
- . Boston Fire Code
- · Port Authorities of New York and New Jersev
- Motor Vehicle Safety Standard
- NFPA 260 Class 1
- CID A-A2950 UFAC - Class A

SPECIFICS:

- · Weight: 30 oz.

Width: 54"

- · Contents: 100% Virgin Vinyl
- Backing: Q1

• Width: 54" (137cm)

• Yards Per Roll: 30

FINISHES & TREATMENTS:

- Abrasion-100,000 cycles Wyzenbeek/#8 Cotton duck
- Cold Crack -10 degrees F
- Thickness 1.1mm
- UV stabilized pigments 500 hrs min.
- Mildew Resistant
- · Heat Sealable

Treated with anti-bacterial and antimocrobial agents that will provide resistance to the following: (AATCC Test Method 147-1993)

10 YDS

38.30

Bacillus Mycoides

Klebsiella Pneumoniae **Proteus Vulgaris** Staphylococcus Aureus Salmonella Choleraesuis

Bacillus Cerus Enterococcus Faecalis Escherichia Coli



30 YDS

33.00

36.10

SUITABLE APPLICATIONS:

- Office Interior Hospitality
- Restaurant
- · Health Care
- Residential Gaming Marine Interior • RV

Cleaning Instructions:

This product should be cleaned with mild soap and water. Do not use alcohol based cleaners!



SANDSTONE BRS-600 BRS-700 SLATE

BRS-100

BRS-1000

BRS-1100

BRS-1200

BRS-1300

BRS-1400

BRS-1500

BRS-1600

BRS-200

BRS-300

BRS-400

BRS-500

PREMIUM VINYL COLLECTION with PRODURATECT™ A

TARN BLUE BRS-800

BRS-900 **TORMENTIL**

BRUSHED ALUMINUM

YARD

45.40

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302 · California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- · Abrasion heavy duty
- · Heat sealable · Cold Crack -10 F
- · Mildew resistant backing & and face
- UV stabilized pigments: 500 hours min · Anti-bacterial and anti-microbial: Pass*

SUITABLE APPLICATIONS:

- Marine
- Residential
- Spas Massage tables
- · Lounge seating

- · Thickness: 1.10mm

- · Automotive · RV
- Conference room · Office

SPECIFICS:

- Width: 54"
- · Weight: 33 ozs.

Cleaning Instructions:

with mild soap and water. Do

This product should be cleaned not use alcohol based cleaners!

ENDURATOX

ALU-100 **BLACK** ALU-200 GOLD ALU-300 SILVER

LIME GREEN AI U-400 BURGUNDY ALU-500

YARD 10 YDS 30 YDS Width: 54" 39.90 35.90 32.10





CARBON FIBER

PREMIUM VINYL COLLECTION with PRODURATECT™ A

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- Heat sealable Cold Crack -10 F
- · Mildew resistant backing & and face
- UV stabilized pigments: 500 hours minimum Residential
- · Anti-bacterial and anti-microbial: Pass*

SPECIFICS:

- · Width: 54"
- · Weight: 33 ozs.
- Thickness: 1.02mm
- · Yards Per Roll: 30

Width: 54"

ENDURATCX We cover the world.

SUITABLE APPLICATIONS:

- Marine
- Automotive RV
- Spas Massage tables · Conference room · Office

10 YDS

34.60

· Lounge seating

CLEANING:

30 YDS

31.00

This product should be cleaned with mild soap and water. Do not use alcohol based cleaners! CAR 100 CLASSIC BLACK

CAR 1000 PERFORMANCE PURPLE

CAR 1100 RALLY BRIGHT WHITE

CAR 1200 CRUISER COPPER

CAR 1300 ACCELERATION BLUE

CAR 200 OUICK SILVER

CAR 300 STOP LIGHT RED

CAUTION YELLOW CAR 400 CAR 500 **RACY BLUE**

CAR 600 **OVERDRIVE CHARCOAL**

CAR 700 COMPETITION ORANGE

CAR 800 FINISH LINE PEARL

CAR 900 BLUE STREAK





MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section 1
- NFPA 260, Class 1
- · BIFMA, Class A
- · UFAC, Class 1

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- Cold Crack -10 F

Width: 54"

- · Mildew resistant backing & and face
- UV stabilized pigments: 300 hours min.
- · Anti-bacterial and anti-microbial: Pass*

SUITABLE APPLICATIONS:

Marine

YARD

38.50

- Residential
- · Automotive · RV
- Restaurant
- · Conference room · Office
- · Lounge seating

SPECIFICS:

- Width: 54"
- · Weight: 30 ozs. · Thickness: 1.0mm
- · Yards Per Roll: 30



30 YDS

46.00

ENDURATCX We cover the world.

CHM-200 COPPER COIN CHM-203 **BRONZE SHIELD** CHM-206 SILVER RING CHM-209 GILDEN GUANTLET CHM-212 BRASS CHALICE CHM-215 **BLUE STEEL** FORGED IRON CHM-218 CHM-221 BLACK KNIGHT

COASTAL RANCH WITH



YARD

57.10

FORBID.

10 YDS

51.40

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E-2013
- NFPA 260, Class 1
- · BIFMA, Class A
- UFAC, Class 1

FINISHES and TREATMENTS:

- · Abrasion 100,000 Wyzenbeek/CFFA-1
- Mildew Resistant: Front & Back
- · Heat sealable

Width: 54"

- · Cold Crack -20 F
- · Light fastness: 300 hours minimum
- · UV stabilized pigments
- · Oil & Sulphide Stain Resistant
- Anti-Bacterial/Anti Microbial (NYS63/ASTM G-21-90)

SUITABLE APPLICATIONS

- Office
- · Residential
- Automotive

SPECIFICS

36.60

- Width: 54"
- · Weight: 34 ozs.
- · Thickness: 1.1mm · Yards Per Roll: 30
- **15 YDS 30 YDS**

32.70

Superior Strength

- Hi-Loft Backing
- **COA-4100 ALOE GARDEN**
- **COA-4105 AMBER DUST COA-4110 BEACH BUOYS**
- **COA-4115 BEACH PEBBLE** COA-4120 BELL ROCK
- **COA-4125 BLANK CANVAS** COA-4130 BLISSFUL BANYAN
- **COA-4135 CUBAN CIGAR COA-4140 ENCHANTED EGGPLANT**
- COA-4150 HANAUMA BAY **COA-4145 HEART THROB**

- Tough & Soft Easily Cleaned
- COA-4160 ICE CREAM FLOAT
 - COA-4165 KEY STONE COA-4170 MOROCCAN SUNSET
 - COA-4175 NOT-YO-CHEESE COA-4180 PAW PRINTS
 - COA-4155 SECRET COVE COA-4190 SUMMER HUE
 - **COA-4185 SWEET GINSENG COA-4195 TREE POSE** COA-4197 EBONY

Anti-bacterial and anti-microbial treatment:
*These products have been treated with anti-bacterial and antimicrobial agents which will provide resistance to the following:
(AATCC Test Method 147-147-1993)

Bacillus Mycoides Klebsiella Pneumoniae Proteus Vulgaris Staphylococcus Aureus

Salmonella Choleraesuis Bacillus Cerus Enterococcus Faecalis Escherichia Coli

VARD

40.60



COUNTERPANE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E-2013
- NFPA 260, Class 1
- BIFMA, Class A
- · UFAC, Class A
- · CID A-A-2950
- · Class Ratings ASTM D 3690 Class A

FINISHES and TREATMENTS:

- Abrasion 100,000 Wyzenbeek/CFFA-1
- · Mildew Resistant: Front & Back
- Cold Crack -10 F
- · Light fastness: 500 hours minimum
- $\bullet \ \ \widetilde{\text{UV}} \ stabilized \ pigments$
- · Anti-Bacterial/Anti Microbial (AATCC 147 / ASTM G-21)

SUITABLE APPLICATIONS

- Office
- Residential
- · Massage Tables
- · Lounge Seating
- · Conference Rooms
- Marine

SPECIFICS

- Width: 54"
- · Weight: 30 ozs.
- · Thickness: 1.05mm
- Yards Per Roll: 30



CTP-904 ALMOND CREAM

CTP-511 ANTIQUE TAUPE

CTP-509 BRIQUETTE

CTP-902 BRUIN BLUE

CTP-901 CARDINAL

CTP-512 DARK CHERRY CTP-908 EBONY

CTP-508 GREYSTONE

CTP-907 MIST

CTP-507 NAVY

CTP-905 OFF WHITE

CTP-909 PFARI

CTP-903 SAND DOLLAR

CTP-906 SNOW

CTP-510 TROLLEY GREY

AMRER

MOSS

RASIN

MAHOGANY

Anti-bacterial and anti-microbial treatment:
*These products have been treated with anti-bacterial and antimicrobial agents which will provide resistance to the following
(AATCC Test Method 147-147-1993)

PREMIUM VINYL COLLECTION with PRODURATECT™ M

PREMIUM VINYL COLLECTION with PRODURATECT™ C

Bacillus Mycoides Salmonella Choleraesuis Klebsiella Pneumoniae Bacillus Cerus Proteus Vulgaris Enterococcus Faecalis Staphylococcus Aureus Escherichia Coli

YARD Width: 54" 55 50

CRIANZA

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117
- BIFMA Class A
- NFPA 2160 Class 1
- FAA-FAR 25.853B
- . CID A-A-2950
- . BS 5852:2006 Clause II
- . IMO 652(16) 8.2 &8.3

SPECIFICS:

- . Width: 54" (137 cm) . Weight: 34oz. (770gm/m)
- . Roll Size: 30yds . Content: PU/PVC

Width: 54"

. Backing: 100% Polyester Microfiber

FINISHES AND TREATMENTS:

PRODURATECT C®

15 YDS

46.80

- Abrasion heavy duty:
- 100,000 cycles Wyzenbeek/CFFA-1

30 YDS

40.30

- Cold Crack -20°F (-28.9C)
- · UV stabilized pigments 500 Hours

Treated with anti-bacterial and antimicrobial agents that will provide resistance to the following: (AATCC

Test Method 147-1993) **Bacillus Mycoides**

Klebsiella Pneumoniae **Proteus Vulgaris** Staphylococcus Aureus

Salmonella Choleraesuis

YARD

77.10

Bacillus Cerus Enterococcus Faecalis Escherichia Coli

- . Clean with mild soap and water.



CRIANZA

CLEANING

30 YDS

56.00

- . Do not use alcohol based cleaners

CRI-1300 RUSSET CRI-1400 TAUPE CRI-1500 **OXFORD** MILITARY CRI-1600 CRI-1700 CITRON CHARCOAL CRI-1800 CRI-200

CRI-900

CRI-100

CRI-1000

CRI-1100

CRI-1200

BISCOTTI CRI-300 **BLACK BEAUTY**

CRI-400 **BRICK**

CRI-500 BURGUNDY CRI-600 DIJON

CRI-700 **GRAPE LEAF** CRI-800 **HARVEST**

JAVA

EL CAPITAN

HEAVY WEIGHT

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion: Wyzenbeek
- · Cold Crack -40 F
- UV stabilized pigments: 300 hours minimum

SPECIFICS:

- Width: 54" (Heidi 61")
- · Weight: 44 ozs.
- 100% Virgin Vinyl
- · Thickness: 1.02mm · Yards Per Roll: 20

SUITABLE **APPLICATIONS:**

10 YDS

65.00

- RV
- Marine
- Automotive Residential

CLEANING

- . Clean with mild soap and water.
- . Do not use alcohol based cleaners

ENDURATCX"

We cover the world.

FI C-3100 COLONIAL BLACK ELC-3101 MADRID BLACK

ELC-3102 **COLONIAL ANTIQUE BROWN COLONIAL DARK GREEN** ELC-3103

YARD **10 YDS 20 YDS** Width: 54" 45.80 41.20 36.90



GRAN RESERVA

PREMIUM VINYL COLLECTION with PRODURATECT™ C

GRS 2647

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section D
- BIFMA Class A
- NFPA 260 Class 1
- FAA-FAR 25.853B
- · CID A-A-2950
- UFCA Class 1

FINISHES and TREATMENTS:

- Polyurethane / PVC face
- · Polyester Microfiber backing
- · Abrasion- heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- Cold Crack -10 F
- · Mildew resistant backing and face
- UV stabilized pigments: 500 hours minimum
- · Anti-bacterial and anti-microbial: Pass*

SUITABLE APPLICATIONS:

- · Residential · Office
- · Hospitality · Healthcare
- Restaurant Gaming
- Marine Auto RV

SPECIFICS:

- Width: 54"
- · Weight: 34 ozs. Yards Per Roll: 30
- · Backing: Polyester Micro Fiber





ENDURATCX

GRAN RESERVA

GRS 2651 CELLAR BROWN CANTINA RUST GRS 2646 GRS 2645 SAIL ORANGE **GRS 2652** STONE GROUND MUSTARD **GRS 2644** ANGELICA GOLD GRS 2643 MUSCATEL **AUBERGINE GRS 2648** GRS 2650 **BLACK BEAUTY GRAPE LEAF GRS 2642** GRS 2649 MALBEC GRS 2641 THOMPSON GREEN GRS2653 ASH GRS2654 CITRON GRS2655 MILITARY

CHATEAU

Anti-bacterial and anti-microbial treatment:

These products have been treated with anti-bacterial and anti-microbial agents which will provide resistance to the following: (AATCC Test Method 147-147-1993)

Bacillus Mycoides Klebsiella Pneumoniae Proteus Vulgaris Staphylococcus Aureus

Salmonella Choleraesuis Bacillus Cerus Enterococcus Faecalis Escherichia Coli

Cleaning Instructions:

This product should be cleaned with mild soap and water. Do not use alcohol based cleaners!

YARD **10 YDS 30 YDS** Width: 54" 58.40 52.60 47.00

GRAND VISTA WITH



MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 3690 Class A
- FAR 25.853
- Federal Specification CCC-A-680-A
- Boston Fire Department Code
- Port Authority of NY and NJ

FINISHES and TREATMENTS:

- Abrasion heavy duty: Wyzenbeek 100,000 cycles
- · Heat sealable · Cold Crack -10 F
- · Mildew resistant backing & and face
- UV stabilized pigments: 500 hours minimum
- · Anti-bacterial (NYS63/ASTM G-90) Pass
- · Anti-microbial (NYS63/ASTM G-90) Pass

SUITABLE APPLICATIONS:

- · Conference room
- Office Executive seating
- · Residential · Home office
- · Hospitality · Healthcare
- Spas Massage tables
- Lounge seating · Automotive · RV

SPECIFICS:

- Width: 54" (137cm) · Weight: 36 oz. · Thickness: 1.24mm
- Yards Per Roll: 30 • 100% Virgin Vinyl
- · Backing: Polyester Knit

Width: 54"

GRV 001	ALMOND	GRV 009	FIRE RED
GRV 002	AZURE	GRV 010	NAVY
GRV 003	BLACK	GRV 011	OXBLOOD
GRV 004	CHARCOAL	GRV 012	SPICE
GRV 005	CHESTNUT	GRV 013	SUEDE
GRV 006	CHOCOLATE	GRV 014	TEAL
GRV 007	COLONIAL BLUE	GRV 015	WHEAT
GRV 008	CRANRERRY		

Anti-bacterial and anti-microbial treatment:

* These products have been treated with anti-bacterial and anti-microbial agents
which will provide resistance to the following: (AATCC Test Method 147-147-1993)

Bacillus Mycoides Klebsiella Pneumoniae Salmonella Choleraesuis Bacillus Cerus Enterococcus Faecalis Proteus Vulgaris Staphylococcus Aureus Escherichia Coli

CLEANING INSTRUCTIONS:

Method One: For most common stains and spills, use mild soap and water.

Method Two: If method one doesn't work, use the below house hold items:

Fantastik, 409, or Mr Clean.

Method Three: For tougher stains such as sharpie, paint and lipstick, use a

70% Isopropyl Alcohol Wipe.

YARD **10 YDS 30 YDS** 43.80 39.40 35.30



INDEPENDENCE 2 WITH FORBID



IND 8408 PLATINUM

IND 8411 TURQUOISE

IND 8413 SNOW WHITE

IND 8415 LEMON PEEL

IND 8417 CHINA GREEN

IND 8420 MOONSTONE

IND 8421 SUNFLOWER

IND 8501 ADOBE

IND 8540 BLACK

IND 8527 LIPSTICK

IND 8532 BORDEAUX

IND 8541 SPACE BLUE

IND 8542 ROYAL BLUE

IND 8545 OCEAN GRAY

IND 8553 YEW GREEN

IND 8550 CELENDON GREEN

IND 8549 SPRUCE

IND 8558 TOMATO

IND 8419 MIDNIGHT BLUE

IND 8528 AMERICAN BEAUTY

IND 8414 COFFFF CREAM



MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- Heat sealable Cold Crack -10 F
- · Mildew resistant backing and face
- · UV stabilized pigments: 500 hours minimum
- · Anti-bacterial: Pass
- · Anti-microbial: Pass
- · Oil and sulfide resistant

SUITABLE APPLICATIONS:

- Conference room Contract
- Executive seating
- Office Residential
- · Hospitality
- · Massage tables Spas
- · Lounge seating Automotive
- · Home office Healthcare
- Restaurants
- RV

IND 8402 VISCAYA PALM IND 8403 COLONIAL BLUE IND 8404 GRAPE INDEPENDENCE IND 8405 FSPRESSO IND 8406 MOCHA IND 8407 SUPER WHITE

IND 8564 GROTTO IND 8565 TFA ROSE

IND 8567 DOVE

IND 8569 BURGUNDY IND 8571 FORREST GREEN

IND 8576 DEEP PHOENICIAN

IND 8584 TAUPE

IND 8601 ACADEMY BLUE

IND 8605 BROWN SUGAR IND 8606 CAMEL

IND 8607 CHOCOLATE IND 8608 CINNAMON

IND 8610 COPPER

IND 8614 DARK PLUM

IND 8615 DUTCH ORANGE

IND 8516 CHESTNUT

IND 8616 FRANCISCAN GRAY IND 8619 GUNMETAL

IND 8620 JADE

IND 8621 LEAF GREEN

IND 8622 LODEN

IND 8624 LIGHT MAPLE IND 8625 MANDARIN

IND 8626 NAVY

IND 8627 PAPRIKA

IND 8628 PARCHMENT

IND 8629 PFTAL

IND 8634 SAND

IND 8602 AERO BLUE

IND 8603 ALABASTER

IND 8604 AZURE BLUE

IND 8609 CLAY

IND 8611 CORNSILK

IND 8612 COSMOS

IND 8613 CRESCENT CHERRY

IND 8617 FRENCH BROWN IND 8618 GREENERY

IND 8623 LIGHT LIME

IND 8630 QUAIL

IND 8631 RASBERRY

IND 8632 REGAL

IND 8633 ROSETAN

IND 8635 SHELL

IND 8636 SUMER HAZE

IND 8637 TAWNY

Treated with anti-bacterial and antimocrobial agents

that will provide resistance to the following:

SPECIFICS:

- Width: 54" (137cm)
- Weight: 32 oz. · Thickness: 1.02mm
- · Yards Per Roll: 30

Width: 54"

· 100% Virgin Vinyl · Backing: Polyester Knit

CLEANING INSTRUCTIONS:

Method One: For most common stains and spills, use mild soap and water.

Method Two: If method one doesn't work, use the below house hold items: Fantastik, 409, or Mr Clean. Method Three: For tougher stains such as sharpie, paint and lipstick, use a 70% Isopropyl Alcohol Wipe. (AATCC Test Method 147-1993) Bacillus Mycoides Klebsiella Pneumoniae Proteus Vulgaris Staphylococcus Aureus

Salmonella Choleraesuis **Bacillus Cerus** Enterococcus Faecalis Escherichia Coli

YARD **10 YDS 30 YDS** 32.80 29.50 26.40

JETSTREAM

PREMIUM VINYL COLLECTION with **PRODURATECT™ M**

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E · Class Ratings: ASTM D 3690 - Class A
- FINISHES and TREATMENTS:
- Abrasion heavy duty
- Heat sealable · Cold Crack -10 F
- Mildew resistant backing and face
- UV Stabilized pigments: 500 hours minimum
- · Anti-bacterial and anti-microbial: Pass*
- · Oil and sulfide resistant

SPECIFICS

Width: 54"

- Width: 54"
- · Weight 30 ozs.
- · Thickness: 1.10mm
- · Yards Per Roll: 30

41.00

- · Clean with mild soap and water.
- · Do not use alcohol based cleaners.

SUITABLE APPLICATIONS:

Spas • Massage tables

Conference room · Office



CLEANING

Marine

Residential

· Lounge seating

Automotive • RV

YARD **10 YDS 30 YDS**

36.90

JET 001 BLUE TUROUOISE JET 002 BONANZA GOLD JET 003 **BRILLIANT BRONZE** JET 004 CITRUS ORANGE JET 005 COOL BLUE COPPER PENNY JET 006 CRYSTAL WATER JFT 007 DIAMOND JUBILEE **RETRO RED**

JET 008 JET 009

JET 010 GLOWING FLAME JET 011 **GOLD RUSH**

JET 012 IMPERIAL GREEN JET 013 JUST PEACHY

33.00

JET 023 SUMMER LIGHTNING JET 024 SUN CORAL JET 025 SUNSHINE YELLOW JET JET 026 SUPREME AZURE

JET 014 LILAC SHIMMER

JET 020 RADIANT ROSE

JET 021 RUBY RED

LONE STAR SILVER

MAJESTIC PURPLE

SAFFRON YELLOW

MINT GREEN

BLACK PEARL

JET 015 LIME GREEN

JET 016

JET 017

JET 018

JET 019

JET 022





ENDURATEX'S STAIN RESISTANT TOPCOAT

The Enduratex Forbid Challenge is ON!

Go where no vinyl has gone before.....

Forbid topcoat takes Enduratex vinyl to the next level of excellence providing maximum stain resistance and protection! Forbid will resist stains like:

Lipstick


Paint

·Liquid

Crayons







Take the Forbid Challenge!

FORBID, the recently developed topcoat by Enduratex, delivers a topcoat for enduring beauty and performance for vinyl products. More than two decades in the making, Forbid is a topcoat created by Enduratex for vinyl products.

Even though vinyl is inherently more cleanable than other fabrics and has long been known for superior performance, some stains are hard to repel or get out. That's where Forbid comes in! 20 years in the making, Forbid topcoat dramatically increases stain resistance, while preserving the integrity of the fabric luster and

Traditionally difficult stains and spills, like ink, paint and lipstick are no match for Forbid!

Enduratex is known for providing superior vinyl coated fabrics to the automotive, hospitality, marine, healthcare and spa industries.

CLEANING INSTRUCTIONS

Method One: For most common stains and spills, use mild soap and water

Method Two: If method one doesn't work, use the below house hold items.

- FANTASTIK
- 409
- MR. CLEAN

Method Three: For tougher stains such as sharpie, paint and lipstick, use a 70% isopropyl alcohol wipe

Staining Agent	Method One:	Method Two:	Method Three:
DIRT	×	×	
PEN MARKS	×	×	
SHARPIE			×
PAINT			**
KETCHUP & MUSTARD			×
LIPSTICK			×
NAILPOLISH			×

See it in Action! http://forbidsrt.com



LIGHTHOUSE

FINISHES and TREATMENTS:

- Anti-microbial treated (Specific tests available upon request)
- Mildew treated
- · Cold Crack -10 degrees F
- · UV stabilized pigments: 500 hour min.
- Weatherometer: 1500 hours minimum

SPECIFICS:

- Width: 54" (137cm)
- Weight: 28 oz. / lineal yard
- · Thickness: 0.97mm
- Yards Per Roll: 40 (00.00m)
- · Backing: Polyester Knit

LIGHTHOUSE

SUITABLE APPLICATIONS:

- Marine
- Residential

Cleaning Instructions:

- · This product should be cleaned with mild soap and water.
- · Do not use alcohol based cleaners!





LIT 4919 ALMOND

LIT 4920 IVORY

LIT 4921 GRAY

LIT 4922 SNOW WHITE

LIT 4923 OFF WHITE

Q1 Ship2Shore

YARD 24.00 **10 YDS** 20.40

40 YDS 17.30

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Width: 54"



LONGITUDE

PREMIUM VINYL COLLECTION with PRODURATECT™ A

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California Tech Bulletin #117
- Motor Vehicle Safety Standard 302
- Class Ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- Heat Sealable
- · Abrasion Heavy Duty Wyzenbeek
- Cold Crack -10 degrees F
- UV stabilized pigments: 300 hour min.

SPECIFICS:

- Width: 54" (137cm)
- · Weight: 30 oz. / lineal yard
- Thickness: 1.02mm
 Yards Per Roll: 30
- 100% Virgin Vinyl
- Width: 54"

SUITABLE APPLICATIONS:

- · RV/Automotive
- · Residential Seating
- · Office/General Seating

ENDURATCX We cover the world.

LNG-167A EBONY

LNG-311N LIGHT TITANIUM LNG-313N DARK TITANIUM

LNG-260M MOROCCO

I-NG-830K LIGHT CASHMERE

Cleaning Instructions:

This product should be cleaned with mild soap

and water.

Do not use alcohol based cleaners!



YARD 10 YDS 40 YDS 36.80 31.10 26.80

LUNAR

MANUFACTURED TO MEET THE FOLLOWING CODES:

California Tech Bulletin #117
 Motor Vehicle Safety Standard 302

SPECIFICS:

- Width: 54" (137cm)
- Weight: 26 oz.
- · Yards Per Roll: 30
- Content: PVC
- Backing: Polyester Brushed Knit

FINISHES & TREATMENTS:

- Antimicrobial and antibacterial protection
- Mildew resistant backing and face
- Heavy Duty Wyzenbeek/
- Cold Crack -10degrees F Heat sealable
- UV stabilized pigments 500 hours min
- Class Rating ASTM D 3690 Class A

YDS 40 YDS

PREMIUM VINYL COLLECTION with PRODURATECT™ M

Treated with anti-bacterial and antimicrobial agents that will provide resistance to the following: (AATCC Test Method 147-1993)

Bacillus Mycoides

Klebsiella Pneumoniae

Proteus Vulgaris

Staphylococcus Aureus Salmonella Choleraesuis

Bacillus Cerus

Enterococcus Faecalis Escherichia Coli

SUITABLE APPLICATIONS:

- Conference Rooms Office
- Massage Tables Lounge Seating
- Automotive Marine RV

10 YDS

38.90

We cover the world.

LUN-100 MED NEUTRAL LUN-1000 SEA SALT

LUN-1100 HARBOR GRAY LUN-1200 MILITARY BLUE LUN-1300 TAHITI REEF

LUN-1400 BURGUNDY LUN-200 DK PEWTER

LUN-300 MED FLINT LUN-400 BLACK

LUN-500 WHITE

LUN-600 STINGER CREAM LUN-700 AMERICAN BEAUTY

LUN-800 MOONLITE LUN-900 STINGER BISQUE

OSSIE

Width: 54"

PREMIUM VINYL COLLECTION with PRODURATECT™ C

Ship 2 Shore

MANUFACTURED TO MEET THE FOLLOWING CODES: • California Tech Bulletin #117

- Motor Vehicle Safety Standard 302
- Class Ratings: ASTM D 3690 Class A

SPECIFICS:

- Width: 54" (137cm)
- Weight: 26 oz. per li.yd.
- Yards Per Roll: 30 (27.43m)

Clean with mild soap and water. Do not use alcohol based cleaners

SUITABLE APPLICATIONS:

- Conference Rooms Office
- Massage Tables• Lounge Seating
- Automotive Marine RV

Width: 54"

YARD 42.20

YARD

46.20

FINISHES & TREATMENTS:

· Antimicrobial and antibacterial protection

30 YDS

33.50

30 YDS

34.00

- Mildew resistant backing and face
- Heavy Duty Wyzenbeek/#8 cotton duck
- Cold Crack -10degrees F Heat sealable
 UV stabilized pigments 500 hours min

Treated with anti-bacterial and antimicrobial agents that will provide resistance to the following: (AATCC Test

Method 147-1993)
Bacillus Mycoides
Klebsiella Pneumoniae
Proteus Vulgaris
Staphylococcus Aureus
Salmonella Choleraesuis
Bacillus Cerus
Enterococcus Faecalis

Escherichia Coli

10 YDS

38.00



ENDURATCX We cover the world.

OSS-100 BARK
OSS-1000 SYRAH
OSS-1100 TAUPE
OSS-1200 TERRA COTTA
OSS-1300 SEA CLIFF
OSS-200 CAMEL
OSS-300 CAPRICE
OSS-400 CLOUD

OSS-400 CLOUD
OSS-500 EBONY
OSS-600 FIR
OSS-700 MAPLE
OSS-800 PEBBLES

OSS-900 SAND

Q1 BACKING



PHANTOM PERFORATED

Superior Strength • Tough AND Soft • Easily cleaned

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117

FINISHES and TREATMENTS:

- Abrasion heavy duty: Wyzenbeek/CFFA-1
- 50,000 cycles
- · Heat sealable
- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- UV stabilized pigments
- Mildew Resistance

Width: 54"

YARD 41.10 Hospitality Healthcare Restaurant

Automotive

Residential

Office

SPECIFICS

- Width: 54"
- · Weight: 33 oz.
- Yards Per Roll: 30

SUITABLE APPLICATIONS

15 YDS 30 YDS

37.00 33,10



PHT-001 BLACK PHT-500 BLACK/BLACK PHT-501 BLACK/RED PHT-502 BLACK/BLUE PHT-503 BLACK/WHITE PHT-504 BLACK/YELLOW PHT-505 BLACK/TURF PHT-506 BLACK/ORANGE

PHT-507 BLACK/GREEN

PRIZM WITH



MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 3690 Class A
- FAR 25.853
- · Federal Specification CCC-A-680-A
- Boston Fire Department Code
- · Port Authority of NY and NJ

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 100,000 cycles
- Heat sealable Cold Crack -10 F
- · Mildew resistant backing & face
- UV stabilized pigments: 500 hours minimum
- · Anti-bacterial (NYS63/ASTM G-90) Pass
- · Anti-microbial (NYS63/ASTM G-90) Pass

SUITABLE APPLICATIONS:

- Conference room
- · Office · Executive seating
- · Residential · Home office
- · Hospitality · Healthcare
- · Spas · Massage tables
- Lounge seating

SPECIFICS:

- Width: 54" (137cm)
- Weight: 36 oz.
- · Thickness: 1.24mm
- Yards Per Roll: 30
- 100% Virgin Vinyl
- · Backing: Polyester Knit

Width: 54"



ENDURATCX

PRZ 001	ALLSPICE	PRZ 020	PORT
PRZ 002	BLACK	PRZ 021	ROYAL BLUE
PRZ 003	BLACK PLUM	PRZ 022	SLATE
PRZ 004	BURGUNDY	PRZ 023	SPECTRA ROYAL BLUE
PRZ 005	CANDY APPLE	PRZ 024	TOMATO
PRZ 006	BLUE JAY	PRZ 025	SNOW WHITE
PRZ 007	CAMELBACK	PRZ 026	WHITE
PRZ 008	COFFEE CREAM	PRZ-027	AMERICAN BEAUTY
PRZ 009	COLONIAL BLUE	PRZ-028	GREENERY
PRZ 010	CORDOVAN	PRZ-029	WINEBERRY
PRZ 011	DEEP CLAY	PRZ-030	TURQUOISE
PRZ 012	GRAY	PRZ-031	DARK BROWN
PRZ 013	HUNTER GREEN	PRZ-032	DUCKEGG
PRZ 014	JADE	PRZ-033	OLIVE
PRZ 015	MARINE	PRZ-034	RASBERRY
PRZ 016	NAVY	PRZ-035	SAND
PRZ 017	NEW BURGUNDY	PRZ-036	APPLE
PRZ 018	OUTBACK	PRZ-037	LUPIN BLUE

Anti-bacterial and anti-microbial treatment:

* These products have been treated with anti-bacterial and anti-microbial agents
which will provide resistance to the following: (AATCC Test Method 147-147-1993)

Bacillus Mycoides Klebsiella Pneumoniae Proteus Vulgaris Staphylococcus Aureus

Salmonella Choleraesuis Bacillus Cerus Enterococcus Faecalis Escherichia Coli

SOHO WITH



MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- UFAC- Class 1
- · BIFMA Class A

YARD

42.10

- Width: 54" · Weight: 32 oz.
- · Thickness: 1.02mm
- · Yards Per Roll: 30
- · 100% Virgin Vinyl

SUITABLE APPLICATIONS:

PRZ 019 PURPLE IRIS

30 YDS

33.90

- Conference room
- · Office · Executive seating
- · Residential · Home office
- · Hospitality

10 YDS

37.90

Lounge seating

ENDURATOX

We cover the world.

SOHO-7689 MED. LT. STONE SOHO-7526 LT. STONE SOHO-7525 CHARCOAL BLACK SOHO-7707 LT. CAMEL

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- · Cold Crack -10 F
- · Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD **15 YDS 30 YDS** Width: 54" 36.60 30.90 26.60



SURREY

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- New York & New Jersey Port Authority
- NFPA 260 Class 1
- FAA-FAR 25.853
- CID A-A-2950
- BIFMA Class A . UFAC Class A

SPECIFICS:

- Width: 54" (137 cm) Weight: 28oz. · Yards Per Roll: 30 . Content: PVC
- . Backing: Diamond Soft Knit

Anti-Bacterial and Anti-Microbial Treatment:

Anti-Bacterial and Anti-Microbial Treatment:
Treated with anti-bacterial and anti-microbial agents
which will provide resistance to the following:
(AATCC Test Method 147-147-1993)
Bacillus Mycoides
Klebsiella Pneumoniae
Proteus Vulgaris
Staphylococcus Aureus
Salmonella Choleraesuis Bacillus Cerus Enterococcus Faecalis Escherichia Coli



FINISHES AND TREATMENTS:

- PRODURATECT C[®]
- Abrasion heavy duty:
- 100,000 cycles Wyzenbeek/CFFA-1
- Cold Crack -20°F (-28.9C)
- · UV stabilized pigments

- . Clean with mild soap and water.
- Do not use alcohol based cleaners



ENDURATCX

PREMIUM VINYL COLLECTION with PRODURATECT™ C

SUR-1000 AGED TEAK SUR-1100 **BEAR HUG** SUR-1200 **BIRDS NEST** SUR-1300 **BUDDING FERN** SUR-1400 **DUSTY PLUM EXOTIC ESCAPE** SUR-1500 SUR-1600 **FALL CANYON** SUR-1700 FIRE CORAL **GARDEN GATE** SUR-1800 GRAY SPELL SUR-1900 SUR-2000 HI DEF LIME **LEMON SPLASH** SUR-2100 SUR-2200 **MERMAID TAIL NORTH RIM** SUR-2300 ORIGAMI SUR-2400 SUR-2500 PALOMINO SUR-2600 PRISMATIC SPRING SUR-2700 **RAIN DANCE** SUR-2800 SUN KISSED

TIGER MOTH

TRA 6636 CASCADE PINE

TRA 6638 GENTIAN BLUE

TRA 6639 GOLDEN DAWN

TRA 6640 HARBOR NIGHT

TRA 6641 LAGUNA SURF

TRA 6644 MONTE CARLO

TRA 6645 POMONA PLUM

TRA 6646 REGAL VIOLET

TRA 6647 TIARA BLUE

TRA 7701 DOLPHIN

TRA 6648 ULTRA WHITE

TRA 7708 IVORY COAST

MIDNIGHT SURF

SANDPOINTE

SEA FROST

STORMY

PEARL

SEASHELL

TRA 6642 LIVELY LEAF

TRA 6643 MANDALAY

DEEP SUNTAN

TRA 6637

YARD **10 YDS** 30 YDS Width: 54" 54.30 45.80 39.40

TRADEWINDS PLUS WITH





MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- Abrasion heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- · Heat sealable · Cold Crack -10 F
- · Mildew resistant backing & and face
- UV stabilized pigments: 500 hours minimum
- · Anti-bacterial and anti-microbial: Pass*

SPECIFICS:

- Width: 54"
- · Weight: 32 ozs. · Thickness: 1.02mm
- Yards Per Roll: 30

SUITABLE APPLICATIONS:

- Marine
- · Residential

Width: 54"

· Automotive · RV

CLEANING INSTRUCTIONS:

Method One: For most common stains and spills, use mild soap and water.

Method Two: If method one doesn't work, use the below house hold items: Fantastik. 409, or Mr Clean.

Method Three: For tougher stains such as sharpie, paint and lipstick, use a 70% Isopropyl Alcohol Wipe.

> YARD 35.00

10 YDS 31.50

30 YDS 28.20

TRADEWINDS PLUS

SUR-2900

ALEUTIAN TRA 6634 BLUSH TRA 6600 TRA 6635 BRANDY

TRA 6602 **ARCTIC FROST** BAHAMA TRA 6603

TRA 6604 **BLACK SEA** TRA 6606 CARIBBEAN

TRA 6608 CARNIVAL TRA 6610 COASTAL SAND

TRA 6611 **COCONUT BARK** TRA 6612 TANGELO

DEEP LAGOON TRA 6614

TRA 6615 **DELTA BLUE**

TRA 6617 HARBOR GREY TRA 6618 HAWAIIAN

TRA 6620 MOON MISTY

PACIFIC MIST TRA 6622 TRA 6623 POLAR DUSK

TRA 6624 PORPOISE TRA 6627 SUNKISS

TRA 6628 SUNSET RED TROPICAL PUNCH TRA 6629

TRA 6630 ULTRAMARINE **ABYSS** TRA 6631

TRA 6632 **AURORA PEACH** TRA 6633 AZURE

TRA 7711

TRA 7716

TRA 7717

TRA 7718

TRA 7719

TRA 7720





VAQUERO

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117, Section 1
- · Class Rating: ASTM D3690 Class A
- · BIFMA Class A
- UFAC Class 1
- NPFA 260 Class A

SPECIFICS

• Width: 54" · Weight: 30 ozs. • Yards Per Roll: 30

Width: 54"

YARD

51.70

15 YDS 46.80

• Width: 54"

· Weight: 32 oz.

· Thickness: 1.02mm

· Yards Per Roll: 30

• 100% Virgin Vinyl

Heat sealable

Cold Crack -10 F

• Face Contents: PVC

· Backing: Q1 Polyester

(AATCC 147 / ASM G-21

FINISHES and TREATMENTS:

Abrasion - heavy duty: Wyzenbeek

· Light fastness: 300 hours minimum

Mildew Resistance Front & Back

· Anti-Bacterial/Anti-Microbial

100,000 cycles #10 Cotton Duck

30 YDS 42.50

SUITABLE APPLICATIONS

- Office
- Residential
- RV

SUITABLE APPLICATIONS:

Office • Executive seating

· Residential · Home office

· Conference room

Hospitality

30 YDS

· Lounge seating

- Conference Room
- **Executive Seating**
- UV stabilized pigments: 300 hours min Hospitality
 - · Lounge Seating
 - Healthcare
 - · Restaurant Seating



VAQ-1000 Apple Jack VAQ-1004 Blue Roan

VAO-1008 Chaparral VAQ-1012 Concha

VAO-1016 Creekside VAQ-1020 Hematite

VAQ-1024 Jasper VAQ-1028 Lariat

VAQ-1032 Mesquite VAQ-1036 Night Rider

VAQ-1040 Pyrite

VAO-1044 Ouartz VAQ-1048 Whitest White



MANUFACTURED TO MEET

THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- California Tech Bulletin 117
- UFAC- Class 1
- BIFMA Class A

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek/CFFA-1
- Cold Crack -10 F

Width: 54"

- · Light fastness: 300 hours minimum
- · UV stabilized pigments

YARD

36.60

15 YDS

30.90

26.60

ENDURATCX

We cover the world.

VER-7787 STEEL GRAY MED. LT. STONE VER-7528

VER-7483 CAMEL

CHARCOAL BLACK VFR-7482 VER-7731 GRAYSTONE

WINDSONG 2 with





MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- · Class Ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- · Heat sealable · Cold Crack -10 F
- · Mildew resistant backing & and face
- · UV stabilized pigments: 500 hours minimum
- · Anti-bacterial and anti-microbial: Pass*

SUITABLE APPLICATIONS:

- Marine
- Residential
- · Automotive · RV

SPECIFICS:

- · Width: 54"
- Weight: 32 ozs.
- · Thickness: 1.02mm
- Yards Per Roll: 30

Width: 54"

CLEANING INSTRUCTIONS:

Method One: For most common stains and spills, use mild soap and water.

Method Two: If method one doesn't work, use the below house hold items: Fantastik, 409, or Mr Clean.

Method Three: For tougher stains such as sharpie, paint and lipstick, use a 70% Isopropyl Alcohol Wipe.

> YARD 10 YDS **30 YDS** 35.00 31.50 28.20



WIS 701 **ALASKAN NIGHT**

WIS 702 **AQUA SPRAY**

WIS 704 ASIAN PLUM

CAPPUCCINO WIS 706

WIS 707 CAYMAN BLUE WIS 713 ICF WATER

WIS 715 **ISLAND SKY**

WIS 716 JAMAICAN SUN

WIS 717 LIME COOLER LIPSTICK

WIS 718 WIS 719 MAUI SAND

WIS 721 MOONBEAM

WIS 722 OCEAN STORM

WIS 723 PALM GREEN

WIS 724 POLAR BRFF7F

WIS 727 ROYAL RED WIS 731

ST. THOMAS DUSK **WIS 732 TAHITI REEF**

WIS 735 BITTERSWEET

WIS 733 **TEAL WATERS**

WIS 736 BROWN RUM

WIS 737 **CAJUN SPICE**

WIS 738 CANCUN

WIS 739 CLOUD

WIS 740 FIRST LIGHT

WIS 741 HIBISCUS

WIS 742 HURRICANE BLACK

WIS 743 INK

WIS 744 **KEY LIME**

WIS 745 MARINE BLUE

WIS 746 **NAUTICAL BLUE** WIS 747 SANGRIA

WIS 748 **SEA SALT**

WIS 749 SUN GLOW

WIS 750 TROPICAL RED

WIS 751 FOG

WIS 752 WHITE CAP

WIS 753 VANILLA CREAM

WIS 754 **BAJA TAN**

WIS 755 MALIBU SAND

PEBBLE BEACH WIS 756 WIS 757 **PELICAN**

* These products have been treated with anti-bacterial and antimicrobial agents which will provide resistance to the following: (AATCC Test Method 147-147-1993)

Bacillus Mycoides Klebsiella Pneumoniae Proteus Vulgaris Staphylococcus Aureus Salmonella Choleraesuis Bacillus Cerus Enterococcus Faecalis Escherichia Coli





ENDURASOFT CORE WITH FORBID



Forbid is on All Patterns Except for Brush Aluminum & Carbon Fiber



BRUSHED ALUMINUM

CARBON FIBER

100	CLASSIC BLACK
200	QUICKSILVER
300	STOP LIGHT RED
400	CAUTION YELLOW
500	RACY BLUE
600	OVERDRIVE CHARCOAL
800	FINISH LINE PEARL
900	BLUE STREAK
1000	PERFORMANCE PURPLE
1100	RALLY BRIGHT WHITE
1200	CRUISER COPPER
1300	ACCELERATION BLUE
CHAIN	MAIIIF

200 **BLUE STEEL**

203	BRASS CHALICE
206	BRONZE SHIELD
209	COPPER COIN
212	FORGED IRON
215	GILDED GAUNTLET
218	SILVER RING
221	BLACK KNIGHT

CORINTHIAN

0103	CHAR BLUE
0111	FRENCH VANILLA
3722	BLACK
4062	WHITE
6984	CAPPUCINO CREAM
7124	MEDIUM PEWTER
7180	MEDIUM DARK PEWTEI
7182	LIGHT OAK
7292	EBONY

DOESKIN

4984 BLACK

ECLIPSE

001	INFINITY BLACK
003	WHITE HOT
004	VANILLA
005	REGAL BLUE
007	MERLOT
009	CHROME
010	ZINC
011	COFFEE BEAN
012	OFF WHITE
015	STRAW
016	PAPRIKA
017	BARLEY
018	TOFFEE
020	WINTER WHEAT
021	EXTREME GRAY

G GRAIN

7114	MEDIUM GRAPHITE
7119	LIGHT GRAPHITE
7227	EBONY
7357	MEDIUM FLINT
7390	LIGHT FLINT
7391	BLACK INK

HAMPTON

2616	SNOW
6439	GRANITE
6508	EBONY
6687	MEDIUM OPAL
6800	LAPIS BLUE
6884	TORCH RED
6962	SADDLE
6963	MEDIUM GRAPHITE

HAMPTON PERFORATED

2616	SNOW
6439	GRANITE
6508	EBONY
6687	MEDIUM OPAL
6800	LAPIS BLUE
6884	TORCH RED
6962	SADDLE
6963	MEDIUM GRAPHITE

HEIDI

5921	NAVY
5031	BURGUNDY
5106	SMOKE
5334	CINNABAR
5429	GRANITE
5430	CURRANT RED
5688	MEDIUM OPAL
5812	LAPIS BLUE
5952	MEDIUM GRAY
9840	BLACK
9917	SNOW WHITE

HONDA

537	GRAPHITE BLACK
6137	MOON LAKE

LUXOR

6784	EXCEL CHARCOAL
8801	BISQUE
8802	BLACK
8806	CREAM
8808	DOVE GRAY
8809	GRAPHITE
8814	SANDSTONE
8835	MOUNTAIN RIDGE

MADRID

BLACK
METALIC LT. BLUE
MED. METALIC BL
OFF WHITE
MEDIUM BLUE
DARK GREEN
SADDLE
BRIGHT RED
DARK BROWN

MEDCEDEC

MERCEDES		
7313	ORION GRAY	
7314	JAVA	
4315	ANTHRACITE	

MILLED PEBBLE

7300	LIGITI I ANCHIMENT
7396	DARK FLINT
7397	EBONY
7399	MEDIUM GRAPHITE
7400	MIDNIGHT BLACK
7404	OXFORD WHITE

7360 LIGHT PARCHMENT

MONTANA

6107	REGATTA BLUE
6110	SMOKE
6112	RAVEN
6244	SCARLET
6677	MEDIUM OPAL
7096	DARK GRAPHITE

MEDILIM GRAV

MEDIUM BEIGE

MONTICELLO

6892	GRAPHITE
6974	RUBY RED
7043	MEDIUM NEUTRAL
7178	MEDIUM DARK OAK
7286	BLACK
7323	SHALE
7346	VERY DARK PEWTER
7432	MEDIUM DARK PEWTER

NISSAN

7186 CAPRICE BLONDE

7922 SNOW WHITE

OXEN

BRUSHED ALUMINUM

CARBON FIBER

SOHO

TOYOTA

VERONA

WALLABY

•	
0802	BROWN
0803	LIGHT BUCKSKIN
0815	METALIC BLUE
4560	BLACK
4568	MAROON
4853	WHITE
4957	DARK BUCKSKIN
5206	CARMINE
5959	BRIAR BROWN
5962	CHARCOAL GRAY

SIERRA

1714	METALIC LT. BLUE
1715	METALIC MED. BLUE
1720	PALOMINO
2929	METALIC LT. TURQUIOSE
3718	WHITE
4956	BUCKSKIN
5818	CHARCOAL
6057	MEDIUM DARK GRAY
6060	LIGHT SADDLE
6121	GM DARK BLUE
6122	DARK CARMINE
6215	GARNET
6260	DARK BLUE
6261	DARK GRAY
6262	COGNAC
6339	BEECHWOOD
6526	DARK RED
6611	LIGHT GRAY
6758	LIGHT GRAY
6880	ADRIATIC BLUE
958	BLACK
958G	BLACK (G)
9917	SNOW WHITE

1714 METALIC LT. BLUE

CUMU

20110	
7689	MED. LT. STONE
7526	LIGHT STONE
7525	CHARCOAL BLACK
7707	LIGHT CAMEL

TOYOTA

6112 DARK CHARCOAL

VERONA

7787	STEEL GRAY
7528	MED. LT. STONE
7483	CAMEL
7482	CHARCOAL BLACK
7731	GRAYSTONE

WALLABY

5003	WHITE
5004	BLACK
5005	WEDGEWOOD BLU
5006	LEATHER
5008	MAROON
5017	BLUE GREEN
5018	WALNUT
5213	CARMINE
5278	-NAVY

10 YDS

35.90

34.60

30 YDS

32.10

31.00

PREMIUM AUTOMOTIVE VINYL COLLECTION

39.90

38.50

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- · Class Ratings: A STM D 3690 Class A

FINISHES and TREATMENTS:

• Abrasion - heavy duty: Wyzenbeek

- Heat sealable
- Cold Crack -10 F
- · Mildew resistant backing and face
- UV stabilized pigments: 500 hours minimum
- · Anti-bacterial and anti-microbial: Pass*

SUITABLE APPLICATIONS:

- Office
- · Conference room
- · Executive seating
- Residential
- Automotive RV

SPECIFICS:

- Width: 54" (Heidi 61")
- · Weight: 30 ozs.
- Thickness: 1.02mm • Yards Per Roll: 30
- 100% Virgin Vinyl

CLEANING INSTRUCTIONS:

Method One: For most common stains and spills, use mild soap and water.

ENDURATCX

Method Two: If method one doesn't work, use the below house hold items: Fantastik, 409, or Mr Clean.

Method Three: For tougher stains such as sharpie, paint and lipstick, use a 70% Isopropyl Alcohol Wipe.

CHAINMAILLE	38.50	34.60	31.00
CORINTHIAN	32.00	28.80	25.80
DOESKIN	29.80	26.80	24.00
ECLIPSE	35.50	32.00	28.60
G GRAIN	29.80	26.80	24.00
HAMPTON	29.80	26.80	24.00
HAMPTON PERFORATED	37.50	33.70	30.20
HEIDI	36.70	33.00	29.50
HONDA	29.80	26.80	24.00
LUXOR	29.80	26.80	24.00
MADRID	29.80	26.80	24.00
MERCEDES	29.80	26.80	24.00
MILLED PEBBLE	29.80	26.80	24.00
MONTANA	29.80	26.80	24.00
MONTICELLO	29.80	26.80	24.00
NISSAN	29.80	26.80	24.00
OXEN	29.80	26.80	24.00
SIERRA	29.80	26.80	24.00

36.60

29.80

36.60

29.80

26.60

24.00

26.60

24.00

30.90

26.80

30.90

26.80







Spills and Marks Wipe Away





MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E
- NFPA 260 Class 1
- UFAC Class 1

FINISHES & TREATMENTS

- 100% Polyurethane
- Polyester Cotton 87/13 Backing
- · Abrasion-Heavy Duty: Wyzenbeek
- · ASTM 4157 200,000 double rubs
- · Crocking: AATCC8 / Class 5 wet & dry
- Colorfastness to bleach: AATCC 130: Class 5

SPECIFICS Width: 54' Yard Per Roll: 30 Weight: 22.9oz

Width: 54"

A New Polyurethane with i-clean technology



Easy Maintenance This stain resistant fabric is easily cleaned with water and mild soap. From common household spills to ink, i-clean™ utilizes technology that keeps furniture fresh and clean.

Environmentally Friendly i-clean™ is made with environmentally friendly, water-based and low VOC chemicals. Our product stays cleaner longer and reduces the environmental impact caused by cleaning with harsh chemicals.

Buff Honeydew Breezv

Batik Red

Black

White

Clementine Cream Java Ouarry Metal Steel

Finish: Antimicrobial - Silver based ion technology I - clean - innovative easy clean technology

> **ROLL** 32.20

SUITABLE APPLICATIONS: Residential • Office • Hospitality • Healthcare • Restaurant • Gaming

CANTINA

SUITABLE APPLICATIONS

·Office ·Commercial Seating ·Residential ·Marine ·RV ·Automotive

• Backing Content: 43% Recycled Leather, 40% Polyester, 17% Cotton

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard #302
- California Tech Bulletin 117
- NFPA 260 **UFAC Class 1**

SPECIFICS:

- Width: 54"
- · Weight: 26 oz. · 35 yard roll

Width: 54"

PVC Free

YARD

41.20

- · This product should be cleaned with mild soap and water.
- Do not use alcohol based cleaners!

Exceeds 100,00 double rubs.

• Face Content: 100% Polyurethane

FINISHES & TREATMENTS:

Performance i-clean™ is a high performance

comfort and durability.

easy cleaning.

fabric specifically engineered for

Nanotechnology, utilizing a barrier finish, provides quick and

10 YDS

36.40

YARD **10 YDS 35 YDS** 40.30 35.60 31.50

Abrasion: Highly Durable ASTM D 4157

embrace_™ Recycled Leather

> **PEANUT** PUTTY **TAUPE** SADDLE **CRANBERRY** MAGNETITE MOLASSES

> > CHILI

JAVA

DILLON

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117
- NFPA 260 Class 1
- UFAC Class 1

SPECIFICS:

- . Width: 54" (137 cm) . Weight: 20.3oz. . Roll Size: 30yds
- Width: 54"

SUITABLE APPLICATIONS •Office •Commercial Seating •Residential •Marine •RV •Automotive

FINISHES & TREATMENTS:

- . Content: 100% olvurethane.
- . Backing: 70% Polyester, 30% Cotton
- . PVC Free
- . Antimicrobial
- . Abrasion: Exceeds 200,000 Cycles

CLEANING

- · This product should be cleaned with mild soap and water.
- · Do not use alcohol based cleaners!

YARD **10 YDS 35 YDS** 33.80 29.80 26.50

LUGGAGE FIESTA CORDOVAN **BUFF BLACK** WILLIAMSBURG **STRATUS** SAGE **OCEAN** SNOW LIPSTICK



GUNSLINGER

MANUFACTURED TO MEET THE FOLLOWING CODES:

• Motor Vehicle Safety Stnd #302

- California Tech Bulletin 117
- NFPA 260
- UFAC Class 1

SPECIFICS:

- Width: 54" · 35 yard roll
- · Weight: 20.3oz

Width: 54"

SUITABLE APPLICATIONS

•Office •Commercial Seating •Residential •Marine •RV •Automotive

FINISHES & TREATMENTS:

- · Abrasion: Highly Durable ASTM D 4157 Exceeds 100,00 double rubs.
- PVC Free
- · Face Content: 12% Polyester
- Backing Content: 43% Recycled Leather, 40% Polyester, 17% Cotton

CLEANING

- · This product should be cleaned with mild soap and water.
- · Do not use alcohol based cleaners!

YARD 10 YDS 30 YDS 33.30 29.50

embrace_{TM} Recycled Leather

> COFFFF **SADDLE BLACK**

RED

OREGON TRAIL

SUITABLE APPLICATIONS

•Office •Commercial Seating •Residential •Marine •RV •Automotive

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Stnd 302
- · California Tech Bulletin 117
- NFPA 260
- UFAC Class 1

SPECIFICS:

- · Width: 54" · Weight: 20.3oz
- 35 yard roll

Width: 54"

FINISHES & TREATMENTS:

- · Abrasion: Highly Durable ASTM D 4157 Exceeds 100,00 double rubs.
- **PVC Free**
- Face Content: 100% Polyurethane
- Backing Content: 43% Recycled Leather, 40% Polyester, 17% Cotton

- · This product should be cleaned with mild soap and water.
- · Do not use alcohol based cleaners!

10 YDS 30 YDS YARD 39.00 44.30 34.60



JAVA PHITTY

BOURBON SADDLE

URBAN EXOTICS

MANUFACTURED TO MEET THE FOLLOWING CODES:

Varies per pattern

SUITABLE APPLICATIONS:

Residential

SPECIFICS: · Width: 54"

Weight: varies per pattern

30 yard roll

YARD **10 YDS** Width: 54" 41.70 37.10

36.70

Vinyl and Urethane faux animal skins

PATTERNS

LAREDO AZTEC LIZARDO **CROCK** OUTBACK **BI-CROCK RUSTICO EMU**


30 YDS

32.90

30 YDS

29.00

EVERGLADE



RECAST

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302 California Tech Bulletin 117 Section E
- **UFAC: Class I**
- NFPA 260 IMO A.652(16)8.2

FINISHES and TREATMENTS:

- Abrasion heavy duty: Wyzenbeek 100,000 cycles #8 cotton duck
- Heat sealable Cold Crack -10 F

- Mildew resistant backing and face
 UV stabilized pigments: 40 indoor hour
 Anti-bacterial and anti-microbial: Pass*
- YARD

Width: 54"

SPECIFICS:

- Surface type: 100% PU
- Width: 54"
- Weight: 28.5 oz Contents: 60%PU
- 22% Fabric,
- 18% Leather
- Roll length: 30 yards
- Cleaning Code: W
- Origin:China

10 YDS

32.70

Recycled Leather - Urethane Surface

PATTERNS

JAMES MAVERICK

TAOS MESA **VENUS**

TUSCANY STARLITE

The ReCast Collection is a group of unique, superior-quality products which are so leather-like, it looks like the real thing. Recycled leather is incorporated onto the back of 100% polyurethane, resulting in a composite product that looks, feels and even squeaks like genuine top grain leather.



COLORGUARD

MANUFACTURED TO MEET THE FOLLOWING CODES: • Motor Vehicle Safety Standard 302 • California Tech Bulletin 117 Section E • Class Ratings: ASTM D 3690 - Class A • FAR 25.853B
100% Vinyl Face UFAC Fabric Class 1
Port Authority of NY and NJ
•
FINISHES and TREATMENTS: • Abrasion: Wyzenbeek heavy duty 400,000 cycles #8 cotton duck • Heat sealable • Cold Crack - 20 F
COIU CIACK -20 I

• UV stabilized pigments:			
650 hours minimum			
SUITABLE APPLICATIONS:			

M	а	ri	n	ρ

Transportation

Corporate

Healthcare

Hospitality

SPECIFICS:

· Width: 54"

· Weight: 36 ozs.

· 30 yard roll

Cleaning Instructions: This product should be

cleaned with mild soap and water. Do not use alcohol based cleaners!

417918	SNOW	518765	BURGUNDY	520202	AMERICAN BEAUTY
517420	BLACK	518766	CADET	521374	MANZANITA
517423	GRAY	518767	CANDY APPLE	523027	VERY BERRY
517424	NEPTUNE	518768	COFFEE CREAM	523426	MARIGOLD
517701	SLATE	518769	COLONIAL BLUE	532613	DREAM
517730	SADDLE TAN	518770	CORDOVAN	532614	WHEAT
517908	NATURAL	518771	DEEP CLAY	532615	GRIS
517919	PURPLE IRIS	518772	EMERALD	532616	AQUA
517920	NAVY	518773	EVERGLADE	532617	CERULEAN
517921	NASTURIUM	518775	GRAPE	532618	GRASS
517922	FUDGE	518777	GREEN TEA	532619	MAGENTA
518386	VISCAYA PALM	518778	HARBOUR	533612	REFLECTION
518417	SPRUCE	518779	HUNTER GREEN		
518418	SEAFOAM	518780	LEAPFROG		
518419	SEAGRASS	518781	LITE GRAY		
518420	LIGHT TEAL	518784	MARINA	36373400	MOONGLOW
518421	JADE	518785	MIDNIGHT BLUE	36375400	CHINA GREEN
518422	CHOCOLATE	518787	NEW BURGUNDY	36377400	IRIS
518423	CAMELBACK	518789	OTTER	36416000	CERISE
518424	BEIGE	518790	OUTBACK	43915400	FRONTIER
518634	PUMICE	518791	PERSIMMON	43916500	PHOENICIAN
518635	HORIZON BLUE	518792	PORT	47432900	BIG KISS
518636	BUCKSUEDE	518794	RAINTREE	47433600	FLAX
518647	COAL	518795	RED CENT	47520800	CANYON ROSE
518703	BLUEJAY	518796	ROYAL BLUE	47521100	LODEN
518705	REGAL BLUE	518799	TEA LEAF	47521200	MIST
518760	ALLSPICE	518800	TOMATO	517566	DARK NILE
518761	BERRY	518802	WHITE	525846	RAFFIA
518762	BLUE NILE	518804	WOOD VIOLET		BURNT ORANGE
518763	BLUEBERRY	520053	NEW PURPLE		ROSEWOOD



YARD **10 YDS 30 YDS** Width: 54" 45.00 39.20 34.90

517702

517705

517706

Boltaflex[®]

GRAND SIERRA

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E
- Boston Fire Department 1X-1
- FAR 25.853B
- 100% Vinyl Face
- UFAC Fabric Class 1
- · Port Authority of NY and NJ

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 1,000,000 cycles #8 cotton duck
- · Heat sealable · Cold Crack -20 F
- · UV stabilized pigments: 650 hours minimum

SUITABLE APPLICATIONS:

- Marine · RV · Auto
- · Corporate · Residential
- Healthcare Hospitality

SPECIFICS:

- Width: 54"
- · Weight: 36 ozs.
- 30 yard roll

Width: 54"

CHOCOLATE 517707 517708 AZURE 518756 517709 **CROCUS** 518881 517734 **TEAL** 519000 517916 SUEDE 519029 NAVY 517917 **BLACK** 519030

10 YDS

40.80

518375 ВАМВОО SHADOW 518379 518380 **PLUM** 524452

OXBLOOD

GRAY

WHEAT

518729 SPICE CHESTNUT HUNTER CHARCOAL ALMOND 519251 **COLONIAL BLUE** 521544 SEAFOAM 522172 **BOMBAY** SLATE

FIRE RED

BURRO

CRANBERRY

518382

518711

518728

41552300 PEACH 41552700 TROPIC 41552800 WHITE HONEY 46847300 **AGATE** 46847500 **BISCUIT** 46847700 CLOUD 46847800 CLOVE 46848000 IVY **PIMENTO** 46848100

HONEY

Boltaflex* **30 YDS** 36.40

HARMONY

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- Boston Fire Department 1X-1
- FAR 25.853B
- 100% Vinyl Face
- UFAC Fabric Class 1

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 400,000 cycles #8 cotton duck
- · Heat sealable · Cold Crack -20 F
- UV stabilized pigments: 72 hours minimum

SUITABLE APPLICATIONS:

- Corporate
- Healthcare
- Hospitality

SPECIFICS:

- Width: 54"
- · Weight: 36 ozs.
- · 30 yard roll

YARD

46.80

43632600 ADOBE GLOW 49083500 BLUE SPRUCE

49084000 COFFEE BEAN

43633000 DESERT TAN 49084100 HENNA

49084200 INCA 43633200 IVY GREEN 43633400 LUXOR BLUE 43633500 NAVY

49083400 OLIVE TREE 49083700 PEAR

49083600 RED EARTH 43633900 SEAFOAM

43634000 SERENITY ROSE 49083800 SISAL



YARD **10 YDS 30 YDS** 49.60 43.10 38.40

Boltaflex[®]



LEVANTE



MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion: 6000 stainless steel screen wire
- Heat sealable: di-electrically and RF sealable
- · Cold Crack -20 F · OUV: 40 hours Mildew resistant: ASTM - G21
- Anti-fog: SAE J1756

- Residential · General seating
- General sewn products

SUITABLE APPLICATIONS:

• Marine • Auto • RV

SPECIFICS:

- Width: 54"
- Weight: 22 ozs./ ln. yd.

10 YDS

26.30

50 yard roll

BLACK BURGUNDY HUNTER GREEN SOFT WHITE TEAL 521817 522769 522770 522771 522772 522773 522774 522775 522776 522777 522778 AGATE BLUE BURNT ROSE BUFF HAZE GRAY FLINT GRAY MUSHROOM BROWN SUGAR DUTCH BLUE 522780 CHOCOLATE

31691600 RUSSET
AQUA SPRAY
ASH ROSE
BRITE YELLOW
GRAY JADE
ROMAN TAN SADDLE

PREFIXX[®]

Width: 54"

The first protective finish that starts where other finishes finish!



Protective finish:

The PreFixx* protective finish has been designed to be cleaned easily, over and over, without showing signs of wear. With PreFixx protection, it is possible to remove stains that could never be removed before. With test-proven stain removal and cleanability, plus superior abrasion resistance, PreFixx protects you from high maintenance costs and from frequent upholstery replacement costs.

50 YDS

23.40

PreFixx PROTECTIVE FINISH GOES BEYOND PREVIOUS PROTECTION

YARD

30.20

PERFORMANCE State-of-the-art resistance to staining, abrasion, scuffing, burnishing and blocking; demonstrated in repeated laboratory tests.

DURABILITY Resists stain penetration of the vinyl for unique, long-term protection never before possible. The superior stain resistance and improved wear properties help keep PreFixx*-protected vinyl looking new far longer than other vinyl upholstery.

Common stains like dirt and smudges simply wipe off. More difficult stains, such as ballpoint ink can be cleaned with active solvents such as nail polish remover (acctone/water) without damaging the PreFixx* finish when following the

recommended cleaning instructions.

PREFIXX PROTECTIVE FINISH

EASY MAINTENANCE

- · Outstanding stain resistance and cleanability. Most stains wash off easily with mild cleaners, but active solvents may be used to remove difficult stains.
- Abrasion resistance. Wyzenbeek wire screen abrasion tests performed by OMNOVA Solutions Inc. show 10 to 12 times better abrasion resistance than a similar product coated with a clear vinyl finish. These tests show that vinyl upholstery with a clear vinyl finish withstands about 6,000 test cycles; while vinyl with PreFixx* withstands in excess of 100,000 cycles.
- · Resistant to common scuffing and burnishing.
- Eliminates blocking and resists premature aging.

DAY-TO-DAY SOIL: Remove ordinary dirt and smudges with a mild soap and warm water solution. Dry with a soft, lint-free cloth or towel. For more difficult stains, use of stronger detergent is recommended, however, follow the detergent manufacturer's instructions closely.

SPECIAL CLEANING PROBLEMS: The following steps are recommended to clean stains on PreFixx-protected vinyl upholstery. Many difficult stains can be removed when these cleaning agents are used in the following order.

STEP 1 CLEANERS:

Nonabrasive household cleaners to be used with a soft cloth or damp sponge:

- Formula 409° All-Purpose Spray Cleaner
- · Fantastik Spray Cleaner
- Other similar household cleaners and bleaches.
- Rinse cleaned area with fresh water and dry with a clean cloth.

STEP 2 CLEANERS:

Solvent-type cleaner to be liberally applied with a soft or damp sponge.

- · Rubbing alcohol (isopropyl alcohol)
- · Lighter fluid (naptha)
- · Rinse cleaned area with fresh water and dry with a clean cloth.

STEP 3 CLEANERS:

Strong, active solvent cleaners such as nail polish remover (acetone/water)

- To be applied with a soft cloth or damp sponge. Stain should be removed with less than six (6) rubs (if stain persists after six rubs, stain has set and it is unlikely that it can be removed.)
- · Rinse cleaned area with fresh water and dry with a clean cloth.

Recommended cleaning solutions for PreFixx protected vinyl TYPE OF CLEANER STAINING AGENT **Spray Paint** Permanent Felt Tip Marker Pen 1-2-3 Ballpoint Pen 1-2-3 Lipstick 1-2-3 . Yellow Mustard 1-2-3 Nicotine 1-2 1-2 Grease Eye Shadow 1-2 Betadine Coffee **Hair Oil Tonic** Blood Urine **Grape Juice** Olive Oil Motor Oil Chocolate Ketchup Baby Oil

stitching, wooden, and other decorative trim, since these solvents could seriously damage such areas.

⁺ Although vinyls protected with PreFixx are resistant to most common stains, some fabric dyes have the ability to create a permanent stain. To minimize any problems from these and others stains, it is recommended that as soon as they are noticed, all stains should be cleaned, making sure the recommended cleaning steps are followed in order.

* CAUTION: these solvents are highly flammable. Exercise proper care in cleaning and notify personnel in area of danger. Wear rubber gloves during all cleaning activity. Use caution in cleaning around buttons,



CAPITANO

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion: 6000 stainless steel screen wire
- · Heat embossable only
- Cold Crack -20 F QUV: 650 hours
- Mildew resistant: ASTM G21
- · Anti-fog: SAE J1756

YARD

26.00

22.60

20.80

SUITABLE APPLICATIONS:

- Residential
- General seating
- General sewn products
- Marine Auto RV

SPECIFICS:

- Width: 54"
- · Weight: 29 ozs./ In. yd.

NAUTOLEX.

SUITABLE APPLICATIONS:

General sewn products

· Weight: 30 ozs./ ln. yd.

· Marine · Auto · RV

· General seating

· 30 yard roll

15 YDS 30 YDS

513658 CLOUD/MYSTIC WHITE 513659 RIVERA/PARADOX BI UF

513660 LEMON DROP/SOLAR YELLOW

513783 **GRAY LITE**

513832 CYBERSPACE/SLATE BLACK 513846

BLUE CHIP/OFFSHORE BLUE 513887 TECHNO GRAY/GRAY MATTER

513900 ECLIPSE/OLD NAVY

513903 SAND DOLLAR/MUSHROOM

513905 VANILLA 513936 RFD CHILF

TOTALLY TAN/SAHARA 513937

513938 SANDRIFT

513953 DAREDEVII /CI ASSIC RED CONCH SHELL/OFF WHITE 514006

514019 **VEDRA**

514009

514287

SANDSHELL/PUTTY 519970 BEACH WHITE/CRYSTAL WHITE

GALAPAGOS/GLEN GREEN

MARINER

Width: 54"

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

- · Abrasion: heavy duty Wyzenbeek
- · Cold Crack -20 F · QUV: 650 hours
- Mildew resistant: ASTM G21
- · Heat sealable

Width: 54"

· Anti-fog

YARD

28.50

15 YDS

30 YDS 24.80 22.10

SPECIFICS:

• Width: 54"

30 yard roll

40229500 BUCKSKIN

BRIGHT RUBY 42267500 BRITE NAVY

48185900 CHOCOLATE

42268000 CHROME YELLOW 42268100 CINDER GRAY

42268600 DEEP BLUE

42268800 GRAY LIGHT 42269500 IVORY

42867100 LATTE

48022600 LIME GREEN

42269700 LITE GRAY

42270100 LOLLIPOP

42270400 MOON ROCK 42270600 MUSHROOM

42270500 MYSTIC WHITE

42270700 NAVY

42270800 OFF WHITE

48161800 PACIFIC OYSTER

42271200 PUTTY

NEW SOHO

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E

FINISHES and TREATMENTS:

· Abrasion: 6000 stainless steel screen wire

YARD

21.70

- · Heat sealable: di-electrically and RF sealable
- · Cold Crack -20 F · QUV: 650 hours · Mildew resistant: ASTM - G21
- · Anti-fog: SAE J1756

Residential · General seating

General sewn products

SUITABLE APPLICATIONS:

• Marine • Auto • RV

SPECIFICS:

- Weight: 28/29 ozs./ln.yd.

• Width: 54"

40 yard roll

- **15 YDS**

30 YDS

17.20

10 YDS

40.20

VNS-001 AMERICAN BEAUTY VNS-002 AQUA GREEN

- VNS-003 AVOCADO
- VNS-004 BLACK WALNUT
- VNS-005 BLUE RIDGE
- VNS-006 BRIGHT VNS-YELLOW
- VNS-007 BURGUNDY
- **VNS-008 CHOCOLATE CHIP**
- VNS-009 CLARET
- VNS-010 CONCORD VNS-012 DARK CHERRY
- VNS-013 FRONY
- VNS-014 EXPRESSO
- VNS-016 FOREST
- VNS-017 GEORGIA CLAY
- VNS-018 GRAPHITE VNS-020 INDIGO

35 YDS

35.40

VNS-021 IVORY

- VNS-023 KELLY GREEN
- VNS-025 MUSHROOM
- VNS-027 PEARL
- VNS-028 PLUM
- VNS-029 ROYAL BLUE
- VNS-030 SAND
- VNS-031 SILVER GREY
- VNS-032 SILVER SURF
- VNS-033 SKY BLUE
- VNS-034 SUPER WHITE
- VNS-035 TAN
- VNS-037 TEA ROSE
- VNS-038 TIGER LILLY VNS-040 YELLOW GOLD VNS-041 YEW GREEN

ALLURE

Width: 54"

MANUFACTURED TO MEET

- THE FOLLOWING CODES:
- Motor Vehicle Safety Stnd 302 · California Tech Bulletin 117

· Abrasion - heavy duty (Wyzenbeek)

- BIFMA Class 1
- FINISHES and TREATMENTS:
- Static dissipative · Cold Crack -20 Sulfide and oil resistant
- · UV stabilized pigments
- · Mildew resistant ASTME 1428- Pink Stain Test

Width: 54"

SPECIFICS

18.90

- Width: 54"
- · Weight: 26 oz.
- 35 yard roll
- RV Marine Automotive

YARD

45.00

 Residential · Office / commercial seating

SUITABLE APPLICATIONS:



AL-34 SAGE AL-42 NOCTURNAL

AL-35 BAYSIDE

AL-36 SOAP STONE

AL-37 CLAY DUST AL-38 CRANBERRY

AL-39 HARMONY AL-40 MALT

AL-41 MILL GREEN

AL-43 RUBY AL-44 STRAWBERRY

AL-45 TONIC

AL-46 TRUE BLUE

AL-47 WINTER WHITE

AL-48 AUTUMN GLADE

PRICES SUBJECT TO CHANGE WITHOUT NOTICE



CY-22 LIGHT GRAY

CY-25 FIRST LIGHT

CY-23 AMBER

CY-24 EDEN

CHAMEA II

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Stnd #302
- · California Tech Bulletin 117
- BIFMA Class 1

FINISHES & TREATMENTS:

- Abrasion heavy duty (Wyzenbeek)
- · Static dissipative
- Cold Crack -20
- · Sulfide and oil resistant
- · UV stabilized pigments
- · Mildew resistant
- ASTME 1428- Pink Stain Test

Width: 54"

SPECIFICS:

- Width: 54" · Weight: 26 oz.
- · 35 yard roll

SUITABLE APPLICATIONS:

- · Office/commercial seating
- Residential

YARD

45.00

YARD

51.10

• Marine • RV

Automotive

CY-08 BAJA BROWN CY-09 WATER CY-10 PALM CY-11 OLIVE CY-12 SAND

35 YDS

35.40

CY-01 GRAPHITE GRFY

CY-02 STARDUST

CY-05 SUNLIGHT

CY-03 RED

CY-04 BEACH

CY-06 STONE CY-07 BUTTER CY-13 CHAPS CY-14 MAHOGANY CY-15 BUFF CY-16 SPRUCE CY-17 NAVY CY-18 BLACK

CY-19 ANTELOPE CY-20 SOFT WHITE CY-21 DARK PEWTER CY-26 HONESTY CY-27 MARMALADE CY-28 MELON CY-29 OCEAN CY-30 CYPRUS CY-31 ROSA CY-32 SEA GLASS

CY-33 WOOD VIOLET CY-34 SPICE

CY-35 VALLEY

DIMENSIONS

with NANOCIDE™ Antimicrobial!

99.9% of resistant Staphylococcus germs that come in contact with it are killed within 30 minutes!

30 YDS

MANUFACTURED TO MEET THE FOLLOWING CODES:

- UFAC-Class 1
- · California Tech Bulletin 117 Section E
- NFPA 260
- Motor Vehicle Safety Standard 302

SPECIFICS:

- Width: 54"
- · Weight: 25oz. lineal yard
- · Thickness: 42 mil
- Yards/Roll: 30 (+/- 2yds)

Width: 54"

FINISHES & TREATMENTS:

· Abrasion Resistance; Protected with special finish to conform to Wyzenbeski CFFA-1 Fed Standard 191A Method 5304 – 100,000 double rubs MF-MH BN 8.2

10 YDS

40.20

- · UV light Resistance; protected with special agents with over 1000 hours ultra violet resistance formulated with UV light resistant pigments
- Mildew Resistance; back and face protected to conform with ASTM G21

46.10

AL-802

10YDS

39.60

BLACK

APPLICATIONS

- · Contract interiors Office Restaurants
- · Hotel / Motel · Nursing Homes
- Hospitals • Marine • RV • Auto
- Residential · Interior or Exterior

COLORS:

AEGEAN LILAC DUST ALMOND MERLOT BALSAMIC MIDNIGHT BUFF MILKWEED PAPRIKA CHAMOIS

CHARCOAL **PAPYRUS PURPLE ORCHID DUSTY BLUE EARLY SPRING** STORM CLOUD

EBONY SWEET CHERRY

AL-977 NU-RED

AL-879 GOLDEN TAN

AL-880 SUNSHINE

FRESH LEAF

ALLANTE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117, Sec. E
- · BIFMA Class A
- UFAC Class 1
- Cold Crack: -25°F

FINISHES and TREATMENTS:

- Abrasion resistance: No significant wear after 100,000 double rubs with #8 cotton duck using the Wyzenbeek test method.
- Mildew resistant
- · 1000 hours Weathermeter

SPECIFICS:

- Width: 54" · Weight: 29 ozs.
- · Yards Per Roll: 40

- AL-804 CHARCOAL AL-806 ASH A1-808 GRAY AI-809 NU-SHALF AL-810 WHITE AL-814 PINE MOUNTAIN AL-816 CADET AL-818 GALAXY AL-820 DARK BLUE AL-821 REGIMENTAL BLUE AL-822 ROYAL BLUE AL-824 NU-ANTELOPE A1-825 MED. PRAIRIE TAN SEA OYSTER AL-827 AL-828 **ELEPHANT** AL-830 PURPLE GRAY AL-832 BURGUNDY
- AL-836 WINE AL-838 CINNAMON AL-840 **ESPRESSO** AI -844 CREAM **BISQUE** AL-846 AL-848 LIGHT PLUM AL-856 PEARL GRAY AL-860 BEECHWOOD AL-862 LIGHT NEUTRAL AL-864 LIGHT SAND AL-866 LIGHT MOCHA AI-868 TFAK AL-870 MEDIUM GRAY AL-872 AL-874 AL-876 MEDIUM BEIGE
- AL-835 DARK PEWTER AL-854 LIGHT PARCHMENT MEDIUM NEUTRAL LT. SANDALWOOD
 - - AL-882 CELADON AI-890 TUNDRA AL-894 **MEADOW HIDEAWAY** AL-895 AL-896 **SEA CRUISE** AL-897 RFFF PARROT AI-898 AL-899 KHAKI AL-900 TUMBLEWEED AL-901 CAYENNE BUTTERSCOTCH AI-902 TWINE AL-903
 - AI-904 MANGO

SUITABLE APPLICATIONS

- · Automotive seating and trim
- · Executive seating
- · Hotel/motel room seating
- · Foyer and lounge seating · Work station seating
- · RV seating and trim
- · Home office seating · General office seating
- · Conference room seating

Morbern

CARE AND CLEANING INSTRUCTIONS

Step 2:

It is recommended that each stain is cleaned in a stepwise manner using the sequence below

Step 1: Regular cleaning dirt & grime: Use mild soap and water, then fresh water rinse. Cleaning frequency depends on use. Weekly cleaning is recommended.

Stubborn stains (crayon, eye shadow, chocolate, blood): wipe using a soft cloth or soft brush. Use detergent cleaners such as Formula 409° or Fantastik°. Rinse with clean water and wipe dry.

10 YDS 35 YDS YARD Width: 54" 40.70 36.60 34.40



ALL SPORT

CHARACTERISTICS:

- · 360 Degree, 4 way stretch
- -60° F Cold Crack
- · Superior tailorability
- · High-Tac Black has a specially formulated non-slip finish

SPECIFICATIONS:

- >100% stretch in both directions (MI-TLWI-443)
- Nominal total thickness: .0048 inches (48+/- 5 mils)
 Standard weight: 36.00 +/- 2.25 ounces per linear yard
 Cold resistance: passes 60° F test method Federal
- Standard 191A 5874
- Weather Resistance: 1000 hours
- ASTM G135-00a Cycle 1 Formerly (G23-99)
- · Abrasion Resistance: no significant wear after 30,000 double rubs
- · Mildew resistant

SPECIFICS:

- Width: 54"
- · Weight: 29oz
- · Yards Per Roll: 40

FLAME RESISTANCE: MANUFACTURED TO MEET

THE FOLLOWING CODES:

- FMVSS-302
- California Technical Bulletin 117, Section E
- BIFMA Class A
- UFAC Class 1

* This term and all corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

CARE AND CLEANING INSTRUCTIONS:

- Step 1: Regular cleaning (dirt and grime), Use mild soap and water, then fresh water rinse. Cleaning frequency depends on use. As a minimum, please clean weekly.
- Step 2: Stubborn stains (crayon, eye shadow, chocolate, blood); wipe using a soft cloth or soft brush Use detergent cleaners such as Formula 409° or Fantastik™. Rinse with clean water and wipe dry.



Morbern

RECOMMENDED APPLICATIONS



- All terrain vehicle
- Snowmobile
- Motorcyle
- Marine
- Watercraft
- Ski lift chairs
- Automotive



- Tractor seating
- Golf cart seating
- Extreme weather applications



AS-109 BRIGHT VIOLET



AS-100 BLACK



AS-102 CHALK



AS-104 BRIGHT RED



AS-106 ROYAL BLUE



AS-108 MARINE GRN.



AS-101 HI-TAC BLACK



AS-103 NU YELLOW



AS-105 SILVER MET.



AS-107 ELEC. BLUE



AS-110 AZTEC RED

Width: 54"

YARD 61.60 **10 YDS** 55.50

40 YDS 51.20



XTREME SEATING

SUGGESTED APPLICATIONS Motorcycle, ATV, Jetski, Bicycle, Automotive, Marine, General Upholstery

Oil and Sulfide Resistant

MEETS FLAMMABILITY REQUIREMENTS

- Motor Vehicle Safety Standard 302
- · California Technical Bulletin 117 Section E

CLEANING:

 This product should be cleaned with mild soap and water.

ENDURATCX

We cover the world.

a Way Shaldh

Mon Sift

Mulii Sircich

with PRODURATECT™ A

		RAPPER	
	RAPPER	EXTREME	SLIPSTOP
Width	54"	54"	54"
Roll Size	30 Yds	30 Yds	40 Yds
Nominal Weight Per LY	30 oz	29 oz	28 oz
Thickness	.90 mm	1.31 mm	.80 mm
Backing	Nylon	Nylon	Poly/Rayon
Cold Crack	-10°F	-40°F	-30°F
UV Resistant ASTM G53	500 Hrs	500 Hrs	500 Hrs
Oil & Sulfide Resistant	Yes	Yes	Yes
Abrasion Wyzenbeek		100,000	



4 WAY STRETCH SLIP STOP MULTI STRETCH

	TYPE	YD/RL	YARD	10 YD	ROLL
Rapper	4 Way Stretch	30	43.20	39.00	34.30
Rapper Extreme	Multi Stretch	30	53.70	48.50	42.70
Slip Stop	Anti Slip Finish	40	36.30	32.70	28.90

KODIAK II BLACK

PREMIUM VINYL COLLECTION with PRODURATECT™ M

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117
- Class ratings: ASTM D 3690 Class A

FINISHES and TREATMENTS:

- · Abrasion heavy duty
- Heat sealable Cold Crack -40 F
- Mildew resistant backing and face
- UV stabilized pigments: 300 hours minimum
- · Anti-bacterial and anti-microbial
- · Oil and sulfide resistant

Width: 61"

SUITABLE APPLICATIONS:

- Residential
- Lounge seating
- Spas / Massage tables
- Conference room Office
- Auto Marine RV

SPECIFICS:

- Width: 61"
- Weight: 50 ozs.
- Thickness: 1.50 mm
- 20 yard roll

YARD

39.50

Cleaning Instructions:

- This product should be cleaned with mild soap and water.
- Do not use alcohol based cleaners!

10 YDS

36.50





KOD-2601 BLACK

30 YDS

33.50



OXEN

5830

5831

5832

MONTICELLO

5834 BLACK

CORINTHIAN

5835 BLACK

BLACK

BLACK

13.60

15,10

MADRID

HEIDI

5836

ELK

5837

MAROON

BROWN

BLACK

5833 MED. GRAY

WALLABY

IMPERIAL BLUE

ROYAL FOREST LIME

OLIVE MOSS NEUTRAL

CLAY MAROON

RUBY

IRON

5824 TORCH RED

BLACK

BROWN ESPRESSO TERRA COTTA

POPPY MARINE WHITE*

GRAY GUNMETAL

DARK MAPLE

TAUPE TAN

5801

5802 5803

5804

5805

5806

5807 5808

5809 5810 5811

5812 5813

5814 5815 5816

5817 5818

5819

5820 5821

5822 5823

SIERRA

5825

18.30

20.10



E-Z VINYL

CHARACTERISTICS:

- Formaldehyde Free
- -10° F Cold Crack
- · Acrylic Topcoat
- · No Heavy Metals

SPECIFICATIONS:

- · Superior Abrasion: 50,000 cycles/Wyzenbeek
- · Exclusively Interiors
- *Wallaby Marine White Exterior Approved

SPECIFICS:

• Width: 54" · Weight: 25oz · Yards Per Roll: 30

FLAME RESISTANCE: MANUFACTURED TO MEET THE FOLLOWING CODES:

- California T.B. 117-2013
- FMVSS 302
- NFPA 260- Cover Fabric Class I
- UFAC Fabric Class I
- IMO FTP 2010 Code MSC.307(88) Part 8: 3.1 & 3.2





SPRADLING INTERNATIONAL, INC.	

BLACKS	
COLORS	
MARINE	WHITE

15.90	13.90	11.50
YARD	10 YDS	30 YDS
5829	OFF WHITE	
5828	ROYAL	
5827	BLACK	
5826	BROWN	

15.60

17,10

PROMOTIONAL BLACK and WHITES

GENERAL CHARATERISTICS:

- Practical
- Durable
- · Easily cleaned
- 100% vinyl surface
- 100% polyester substrate

SPECIFICS:

- Width: 54"
- · Weight: 26 ozs.
- 40 yard roll

SUITABLE APPLICATIONS:

- Office
- Residenial
- Automotive



4901 OXEN BLACK 4902 SIERRA BLACK 4903 WALLABY BLACK 4904 MADRID BLACK 4905 RAWHIDE BLACK 4906 MADRID WHITE 4907 WALLABY WHITE

4908 SIERRA WHITE

YARD **10 YDS 40 YDS** Width: 54" 21.70 18.30 15.80

PAUL BUNYON HEAVY DUTY AUTO VINYLS BLACK

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- California Tech Bulletin 117

SPECIFICS:

- Width: 54"
- · Weight: 38 oz.
- 20 yard roll
- Cold Crack -30 F
- 100% virgin vinyl

Width: 54"

· UV stabilized pigments (300/hrs)

Cleaning Instructions:

- · This product should be cleaned with mild soap and water.
- · Do not use alcohol based cleaners!



YARD **10 YDS 30 YDS** 36.00 32.40 29.00



0902	MADRID	BLACK
0903	OXEN	BLACK
0904	RAWHIDE	BLACK
0905	SIERRA	BLACK
0906	WALLABY	BLACK



SOFTSIDE BLACKS

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117

FINISHES and TREATMENTS:

- Abrasion heavy duty: Wyzenbeek/CFFA-1
- Heat sealable
- Cold Crack -10 F
- · Light fastness: 300 hours minimum
- UV stabilized pigments

SUITABLE APPLICATIONS:

- Office
- Residential
- Automotive

SPECIFICS:

- Width: 54"Weight: 29 ozs.
- 30 yard roll



Width: 54"

YARD 33.30 10 YDS 30.00 30 YDS 27.50



HIGH-LOFT²

NPX-2548	Raven
NRI-1606	Ebony
AR-1100	Black
EM-2574	Raven
GR-7227	Ebony
FX-9467	Black
IDI-6507	Ebony
/AS-9830	Black
/IL-7397	Ebony
/IOS-9378	Black
/IOT-9810	Black
IUA-2457	Ebony
)RI-1612	Ebony
XS-9840	Black
EG-1618	Ebony
OL-1624	Ebony
RUS-9850	Black
IS-9562	Black
VAS-9860	Black
	ARI-1606 CAR-1100 GEM-2574 GGR-7227 GPX-9467 ADI-6507 AAS-9830 AIL-7397 AOS-9378 AOT-9810 IUA-2457 DRI-1612 DXS-9840 PEG-1618 FOL-1624 RUS-9850 IIS-9562

SOFTSIDE THE AUTOMOTIVE COLLECTION SOFTSIDE THE FURNITURE COLLECTION SOFTSIDE THE MARINE COLLECTION

ENDURATEX BLACKS



We cover the world.

PATTERN	CODE	DESCRIPTION	F*	YARD	10 YDS	ROLL	
ARMADA	ARM-126	TSUNAMI		29.00	24.50	21.10	
ASPIRATIONS	ASP-200	BLACK BEAN		42.40	35.80	30.80	
BERWICK TWEED	BRW-600	CARBON FOOTPRINT		49.70	41.90	36.10	
BRITISH STERLING	BRS-200	GRANITE		45.40	38.30	33.00	
BRUSHED ALUMINUM	ALU-100	BLACK		39.90	35.90	32.10	
CARBON FIBER	CAR-100	CLASSIC BLACK		38.50	34.60	31.00	
CHAIN MAILLE	CHM-221	BLACK KNIGHT	Υ	57.10	51.40	46.00	
COASTAL RANCH	COA-4197	EBONY	Υ	40.60	36.60	32.70	
CORINTHIAN	COS-3722	BLACK	Υ	32.00	28.80	25.80	
CRIANZA	CRI-300	BLACK BEAUTY		77.10	65.00	56.00	
DOESKIN	DOS-4849	BLACK	Υ	29.80	26.80	24.00	
ECLIPSE	ECL-001	INFINITY BLACK	Υ	35.50	32.00	28.60	
EL CAPITAN	ELC-3100	COLONIAL BLACK		45.80	41.20	36.90	
EL CAPITAN	ELC-3101	MADRID BLACK		45.80	41.20	36.90	
G GRAIN	GGS-7170	MIDNIGHT BLACK	Υ	29.80	26.80	24.00	
G GRAIN	GGS-7227	EBONY	Υ	29.80	26.80	24.00	
G GRAIN	GGS-7391	BLACK INK	Υ	29.80	26.80	24.00	
GRAN RESERVA	GRS-2650	BLACK BEAUTY		58.40	52.60	47.00	
GRAND VISTA	GRV-003	BLACK	Υ	43.80	39.40	35.30	
HAMPTON	HPT-6508	EBONY	Υ	29.80	26.80	24.00	
HAMPTON PERF	HAP-6508	EBONY	Υ	37.50	33.70	30.20	
HEIDI	HES-9840	BLACK	Υ	36.70	33.00	29.50	
HONDA	HON-537	GRAPHITE BLACK	Υ	29.80	26.80	24.00	
INDEPENDENCE 2	IND-8540	BLACK	Υ	32.80	29.50	26.40	
JETSTREAM	JET-019	BLACK PEARL		41.00	36.90	33.00	

PATTERN	CODE	DESCRIPTION	F*	YARD	10 YDS	ROLL
LONGITUDE	LNG-167A	EBONY		36.80	31.10	26.80
LUNAR	LUN-400	BLACK		46.20	38.90	33.50
LUXOR	LUX-8802	BLACK	Υ	29.80	26.80	24.00
MADRID	MDS-2295	BLACK	Υ	29.80	26.80	24.00
MERCEDES	CLS-7315	ANTHRACITE	Υ	29.80	26.80	24.00
MILLED PEBBLE	MPS-7397	EBONY	Υ	29.80	26.80	24.00
MILLED PEBBLE	MPS-7400	MIDNIGHT BLACK	Υ	29.80	26.80	24.00
MONTANA	ESM-6112	RAVEN	Υ	29.80	26.80	24.00
MONTICELLO	MTS-7286	BLACK	Υ	29.80	26.80	24.00
OSSIE	OSS-500	EBONY		42.20	38.00	34.00
OXEN	OXS-4560	OXEN BLACK	Υ	29.80	26.80	24.00
PAUL BUNYON	0902	MADRID BLACK		36.00	32.40	29.00
PAUL BUNYON	0904	SIERRA BLACK		36.00	32.40	29.00
PAUL BUNYON	0906	WALLABY BLACK		36.00	32.40	29.00
PRIZM	PRZ-002	BLACK	Υ	42.10	37.90	33.90
SIERRA	ESS-958	BLACK	Υ	29.80	26.80	24.00
SIERRA	ESS-958G	BLACK	Υ	29.80	26.80	24.00
SOHO	7525	CHARCOAL BLACK		36.60	30.90	26.60
TRADEWINDS PLUS	TRA-6604	BLACK SEA	Υ	35.00	31.50	28.20
VAQUERO	VAQ-1036	NIGHT RIDER		51.70	46.80	42.50
VERONA	7482	CHARCOAL BLACK		36.60	30.90	26.60
WALLABY	WAS-5004	BLACK	Υ	29.80	26.80	24.00

F* Forbid Stain Resistant Topcoat

WINDSONG 2

WIS-742 HURRICANE BLACK Y 35.00 31.50 28.20



SYMPHONY CLASSIC

RESILIENCETM

THE FAUX LEATHER THAT BUILDS LUXURY INTO PERFORMANCE™

Superior Stain Resistance Phthalate-Free

Soft and Supple Hand **Exceptional Durability**

SCL-001	ADMIRAL	SCL-042	WHITE
SCL-002	ALMOND	SCL-101	BAYOU
SCL-003	AMERICAN BEAUTY	SCL-102	CHAMOIS
SCL-004	BERRY	SCL-103	CHAMOMILE
SCL-005	BLACK	SCL-104	CREAMERY
SCL-006	BLUE RIDGE	SCL-105	CURRANT
SCL-007	BRICK	SCL-106	
SCL-008	BRITISH TAN	SCL-107	
SCL-009	BUFF	SCL-108	MARSHMALLOW
SCL-010	BURGUNDY	SCL-109	MUSTANG
SCL-011	CASHEW	SCL-110	OREGANO
SCL-012	CAYENNE	SCL-111	REEF
SCL-013	CELERY	SCL-112	RODEO
SCL-014	CHOCOLATE	SCL-113	SCALLION
SCL-015	CLARET		TANDOOR
SCL-016	DOE	SCL-115	
SCL-017	FOREST	SCL-201	
SCL-018	FUDGE		Appalachian
SCL-019	GRANITE	SCL-203	Barley
SCL-020	GRAPE	SCL-204	Bedrock
SCL-021	HAZELNUT	SCL-205	Buttercream
SCL-022	-IRIS	SCL-206	Carnation
SCL-023	-IVY	SCL-207	Citrine
SCL-024	KILIMANJARO	SCL-208	
SCL-025	MIST	SCL-209	
SCL-026	MOCHA	SCL-210	
SCL-027	NAVY	SCL-211	
SCL-028	ORCHARD	SCL-212	
SCL-029	PAPYRUS	SCL-213	
SCL-030	PERSIMMON	SCL-214	Gunite
SCL-031	PEWTER	SCL-215	Gypsum
SCL-032	ROUGE	SCL-216	
SCL-033	ROYAL	SCL-217	Malbec
SCL-034	SADDLE	SCL-218	Maui
SCL-035	SAFFRON	SCL-219	Morel

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · California Tech Bulletin 117-2013 Section E
- NFPA 260
- · ASTM E-84 (Adhered and Unadhered): Class 1 or A
- UFAC Class 1
- · Motor Vehicle Safety Standard 302
- IMO 2010 FTP Code, Part 8

FINISHES and TREATMENTS:

- · Abrasion Heavy Duty: Wyzenbeek 500,000 cycles
- Cold Crack -20 CFFA 6a-2010
- Mildew resistance: ASTM G21-13
- · Anti-Bacterial pass AATCC 147-2011
- · Anti-Microbial pass AATCC 147-2011
- Color Fastness to Light: 1,000 Hours
- AATCC 16.3-2014 Option 3
- Color Fastness to Crocking 5.0 Wet 5.0 Dry AATCC 8-2016
- UV Resistance 1,000 Hours ASTM G154-12a
- · Sulfide stain resistant
- Bleach Resistance: 10% Dilution AATCC 107-2013

SUITABLE APPLICATIONS:

- · Hospitality
- Healthcare
- Residential
- Automotive
- RV
- Contract
- Education
- Marine

REDUCED ENVIRONMENTAL IMPACT:

- Phthalate Free
- · Lead Free
- BPA Free/TRIS Free/Formaldehyde Free
- · Does Not Contain Conflict Minerals

SPECIFICS:

- Width: 54"
- · Weight: 29 ozs.
- 30 Yard Rolls
- Surface: 100% PVC(Phthalate Free)
- · Backing: 100% Polyester Brushed Knit
- Stain Resistance: Resilience™

The use of commercial vinyl conditioners and protectants is not recommended.

PROP 65 WARNING: This product may contain a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.



CLEANING INSTRUCTIONS:

SCL-036 SAGE

SCL-038 SPRAY

SCL-039 SPRUCE

SCL-040 STONE

SCL-041 TAUPE

SCL-037 SHETLAND

• Prompt cleaing is always recommended. Ordinary dirt and stains can be removed with a mild soap and water. Spot clean the soiled area with the above mentioned soap and water mixture. Dab with a lint free cloth until semi dry. Air dry or dry quickly with the warm setting of a hair dryer. Do not use any concentrated household, ammonia or bleach based cleaners.

SCL-220 Mortar

SCL-222 Porcini

SCL-225 Wisp

SCL-223

SCL-224

SCL-221 Picholine

Safflower

Wave

YARD **10 YDS 30 YDS** Width: 54" 46.60 42.80 39.10



Resiliences represents the latest technology in faux leather and vinyl protection enhancing performance where it is needed the most:

STAIN RESISTANCE: With proper care, materials treated with ResiliencesR can be easily cleaned and will guard against stains;

maintaining the desired surface appearance for years to come.

ABRASION RESISTANCE: Resiliences provides additional wear properties and surface durability to any vinyl or faux leather, thereby increasing the life of the material.

Resilience^{SR} is not visible, and does not affect the hand of the material. Resilience^{SR} is engineered to last, even after repeated cleaning and wear. Specify ResilienceFSR for the most demanding healthcare and hospitality applications!



SYMPHONY GLAZE

MANUFACTURED TO MEET

THE FOLLOWING CODES:

- Motor Vehicle Safety Standard 302
- California Tech Bulletin 117 Section E
- Class Ratings: ASTM D 3690 Class A
- BIFMA NFPA 260 UFAC Class 1
- Boston Fire Dept. Code BFD IX-1IMO A.652 (16) 8.2 and 8.3
- ASTM E84: Class I or A Rating

FINISHES and TREATMENTS:

- · Abrasion heavy duty: Wyzenbeek 100M
- Sulfide stain resistance Cold Crack -10 F
- UV stabilized pigments: 200 hours min
- · Anti-bacterial and anti-microbial

SPECIFICS:

- Width 54"
- · Roll 30 Yds.
- · Weight 36 ozs.
- Thickness 1.1mm
- Backing: Woven Poly Cotton

SUITABLE APPLICATIONS:

- Contract
- Residential
- Hospitality
- Automotive RV

CLEANING INSTRUCTIONS:

Clean with mild soap and water.
 Rinse the cleaned area with clean water and dry with lint-free cloth
 Suede will resist, without serious discoloration, the repeated action of normal dilution of non-abrasive chlorine or ammonia-based cleaners.



SGL-001	AMBER	SGL-015	SIENNA
SGL-002	BRUNETTE	SGL-016	WHITE CHOCOLATE
SGL-003	CEDAR	SGL-101	BEACH
SGL-004	FLAME	SGL-102	CACTUS
SGL-005	HIDE	SGL-103	CROCUS
SGL-006	HONEY	SGL-104	HAZE
SGL-007	KIWI	SGL-105	HURON
SGL-008	LICORICE	SGL-106	LANDSCAPE
SGL-009	MANGO	SGL-107	PUMICE
SGL-010	MARINE	SGL-108	REGATTA
SGL-011	MEADOW	SGL-109	SANGRIA
SGL-012	NECTARINE	SGL-110	SLATE
SGL-013	SEQUOIA	SGL-111	TANNERY
SGL-014	SHIRAZ	SGL-112	WARM WHITE

YARD 10 YDS 30 YDS Width: 54" 50.90 46.80 42.60

SYMPHONY SAN REMO

MANUFACTURED TO MEET THE FOLLOWING CODES:

- · Motor Vehicle Safety Standard 302
- · California Tech Bulletin 117 Section E
- BIFMA
- UFAC Class 1
- IMO A.652 (16) 8.2
- NFPA 260

FINISHES and TREATMENTS:

- Abrasion heavy duty: Wyzenbeek 100,000 cycles
- Cold Crack -10 F

SPECIFICS:

- Width: 54"
- · Weight: 36 ozs.
- Thickness: 1.1mm
- 30 yard roll
- Backing: Woven Poly Cotton

SUITABLE

- APPLICATIONS:
 Residential Office
- · Automotive · RV
- Hospitality
- Contract

THE SYMPHONY COLLECTION

CLEANING INSTRUCTIONS:

 Clean with mild soap and water. Rinse the cleaned area with clean water and dry with lint-free cloth. Without serious discoloration, San Remo will resist the repeated action of normal dilution of non-abrasive chlorine or ammonia-based cleaners. SSR-001 BOURBON
SSR-002 COGNAC
SSR-003 ECLIPSE
SSR-004 MADEIRA
SSR-005 PINECONE
SSR-006 POMEGRANATE
SSR-007 PRUSSIAN BLUE
SSR-008 REED

SSR-009 TRUFFLE

YARD 10 YDS 30 YDS Width: 54" 53.80 49.50 45.10

SYMPHONY VINTAGE

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Motor Vehicle Safety Standard #302
- · California Tech Bulletin 117, Section E
- Federal Standard 191-A Method 5874
- Ultra Violet Resistance 200 hours
 ASTM G26-96 Method C
- BIFMA UFAC Class 1 NFPA 260
- IMO A 652 (16) 8.2 and 8.3
- ASTM E84: Class I or A

FINISHES and TREATMENTS:

- Abrasion heavy duty (Wyzenbeek)
- Cold Crack -10

SPECIFICS:

- Width: 54"
- Weight: 36 oz.
- Thickness: 1.1 mm
- 30 yard roll
- Backing: Woven Poly Cotton

SUITABLE APPLICATIONS:

- Hospitality
- Office Contract
- Residential RV

CLEANING INSTRUCTIONS:

 Clean with mild soap and water. Rinse the cleaned area with clean water and dry with lint-free cloth Suede will resist, without serious discoloration, the repeated action of normal dilution of non-abrasive chlorine or ammonia-based cleaners.



SVI-001 ALE SVI-009 OLD COUNTRY SVI-002 CHAMOIS SVI-010 PAPRIKA SVI-003 COAL SVI-011 PORT SVI-004 **CYPRESS** SVI-012 PRETZEL SVI-005 **ENGLISH TOFFEE** SVI-013 SHERRY SVI-006 MIDNIGHT SVI-014 TOBACCO SVI-007 MOSS SVI-015 WICKER SVI-008 OLD BRONZE

YARD 10 YDS 30 YDS Width: 54" 49.20 45.20 41.20



INFINISSTM

CLASSIC LUXURY - SUPERIOR PERFORMANCE

Produced by ISO 9001 Certified Company

The next generation of fine leather alternative is:

- Waterproof Mildew resistant
- Sulfide, urine, sweat and acid stain resistant
- Inherently anti-microbial
- 1½ times more UV resistant than most vinyl based products
- · Backed with a polyester blend for less stretch and more moisture resistance than other alternatives
- Soft and very tough
- (100,000 double rubs using the wire screen abradent)
- A workroom joy to sew and upholster
- Comfortable to sit on in all climates
- Washable and dry cleanable
- More environmentally sound than PVC base products

SUITABLE APPLICATIONS:

- Automotive
- Aircraft
- Marine
- Hospitality
- Healthcare
- · Home and office

CLASSIC LUXURY - SUPERIOR PERFORMANCE

Produced by ISO 9001 Certified Company

TEXUEDE

ULTRASOFT TOUCH - SUPERIOR PERFORMANCE

Texuede SP possesses the luxurious soft touch of kid suede which no other imitation suede can match. This distinctive product uses a unique, ultra fine microfiber; not standard microfiber. This exquisite fineness in the fiber produces a soft touch with a luxurious nap much like genuine suede. Texuede SP is both strong and lightweight and backed with a non-stretch fabric to prevent sagging.

DURABILITY

Texuede SP looks exquisite, yet is exceptionally durable. It passes 100,000+ double rubs on the Wyzenbeek

screen test. This is more than 6 times the industry standard for heavy-duty abrasion resistance.

COMFORTABLE LUXURY

Thanks to new technology, Texuede SP breathes. Air and moisture transmit easily, so the fabrics stays soft and comfortable. This makes the product feel cool in the summer and warm in the winter.

EASY CARE & HANDLING

Texuede SP is water repellant treated. Liquid spills will bead up on the surface and immediately wiping with an absorbent, dry cloth is usually sufficient. Everyday stains can be spot cleaned with mild detergent and

Tough, stubborn stains may be removed with a mild cleaning fluid followed wih a clean water rinse.

Removable

covers such as for cushions, pillows and slip covers constructed of Texuede SP, may be machine washed on a delicate cycle in warm water up to 104° F. Use neutral, mild detergent. DO NOT USE BLEACH. Tumble dry on a low

setting, or hang to dry in a shady area. Do not twist or wring, and avoid drying in the sun. Ironing may be

on the rear side of Texuede SP. Texuede SP covers may also be professionally dry cleaned on a short, soft cycle using commercially acceptable dry cleaning solvents. **NATURE FRIENDLY**

Texuede SP is produced using environmentally safe processes and materials.

Micro-Fiber

- Ultrasoft
- Durable
- Comfortable
- Luxurious
- Easy care
- Nature friendly
- · Superior wear

A Revolution in Faux Leather Luxury

FAUX LEATHER	COLORS	YDS/RL	CUTS	ROLLS	FAUX SUEDE	COLORS	YDS/RL	CUTS	ROLLS
AIRE SI MAYA	26	40	85.50	76.00	SKINTEX SF LYCHEE RELO	ADED4	50	62.50	53.00
CONTESSA CONTRACT	Γ 25	40	57.50	48.00	SKINTEX OSTRICH	28	50	56.00	46.50
CONTESSA TUSCANY	25	40	57.50	48.00	SKINTEX SF PROVEN	CE 14	50	56.00	46.50
NUVTEX BERRETTA	14	40	57.50	48.00	SKINTEX SNAKE	16	50	56.00	46.50
NUVTEX BIG BIRD	14	40	62.50	53.00	TEXUEDE SOAVE	22	50	34.50	25.00
NUVTEX CROCO	9	40	56.00	46.50	TEXUEDE SP	31	50	57.50	48.00
NUVTEX GATOR	10	40	57.50	48.00					
NUVTEX PATENT	10	40	56.00	46.50	CELLULOSE WOVEN				
SKINTEX DISTRESSED	22	50	62.50	53.00	RAPHIA COLLECTION	COLORS	YDS/RL	CUTS	ROLLS
SKINTEX ESSENCE	22	50	62.50	53.00	ANTIGUA (new 42" Width)	4	30	54.50	45.00
					AZTEC (new 42" Width)	4	30	54.50	45.00
					SAMOA (new 42" Width)	8	30	54.50	45.00

RAVETM

GENERAL CHARACTERISTIC:

- · Ultrasoft leather feel
- · Excellent tailorability
- Superior wear resistance (100,000 cycles)
- 100% dved cotton backing

MANUFACTURED TO MEET

- THE FOLLWING CODES:
- **BIFMA Class A**
- **UFAC Class 1**
- California Technical Bulletin #117 Section E
- Motor Vehicle Safety Standard 302
- NFPA 260 Class 1
- IMO A.652(16) 8.2 & 8.3
- Rave[™] may comply with Cal 133 when tested with suitable components.

(This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.)

FINISHES and TREATMENTS:

- Superior abrasion resistance 100,000 cycles Wyzenbeek/CFFA-1, Federal Standard 191A - Method 5304, wire screen.
- Mildew resistant
- UV stabilized pigments
- Light fastness: 1000 Hours
- Anti-microbial and anti-bacterial

SUITABLE APPLICATIONS:

- Contract Interiors
- Office
- Restaurant
- Hotel Motel Casino
- Healthcare Assisted Living
- Marine RV Auto
- Residential



THE BEST ALTERNATIVE TO LEATHER

When you are looking for a great alternative to leather with the genuine feel and appearance of a natural, aniline-dyed hide, look no further than Spradling's latest introduction – RAVE™. Developed with a unique composite formula, RAVE incorporates both urethane and vinyl chemistry coated on an exclusive Italian dyed-cotton textile, capturing the warm, aesthetic features discriminating buyers seek at a fraction of the cost.

RAVE's palette of 15 colorways was carefully selected to appeal to multiple markets; automotive, contract, marine, and general upholstery. To support these universal applications, RAVE has been engineered with Spradling's PermaBLOK3®, a unique proprietary topcoating system providing superior abrasion performance (100,000 double-rubs), stain resistance, and anti-microbial/anti-bacterial protection. Additionally, as noted on the back panel of your enclosed RAVE sample card, a full range of flammability, mildew, and UV additives are included to ensure maximum field performance.

DESIGNER'S CHOICE

RAV-2601 DARK GRAPHITE RAV-2615 BORDEAUX RAV-2604 TAN RAV-2616 MEADOW **RAV-2605 SANDSTONE** RAV-2617 MOSS RAV-2606 LIGHT CHARCOAL RAV-2618 HUNTER RAV-2609 DESERT RAV-2619 RUBY RED RAV-2612 BUTTERSCOTCH **RAV-2621 SAPPHIRE** RAV-2613 TURMERIC RAV-2623 ESPRESSO

RAV-2614 POMEGRANITE RAV-2624 BLACK INK

DOLCE

GENERAL CHARACTERISTIC:

- Ultrasoft leather feel
- **Excellent tailorability**
- Superior wear resistance (100,000 cycles)
- · 100% dyed cotton backing

MANUFACTURED TO MEET THE FOLLWING CODES:

- ASTM E 84 Adhere Class 1
- FN 1021 Part 1 & 2
- California Technical Bulletin #117 Section E
- Motor Vehicle Safety Standard 302
- NFPA 260 Class 1
- IMO A.652(16) 8.2 & 8.3
- BS 5852 Source #0

(This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.)

FINISHES and TREATMENTS:

- Superior abrasion resistance
- 400,000 cycles Wyzenbeek/CFFA-1
- Cold Crack
- UV stabilized pigments
- Light fastness: 40 Hours
- Tear and Tensile Strength
- · Hydrolytic Stability

SUITABLE APPLICATIONS:

- Corporate Interior
- Office
- Restaurant
- Hotel Motel Casino
- Healthcare
- Marine RV Auto
- Residential Sun Rooms

SPECIFICS Width: 54"

Width: 54"

- Weight: 27oz
- Yards Per Roll: 25

YARD 71.50

10 YDS 63.20

25 YDS 56.10

THE SOFT & SUPPLE HAND OF POLYURETHANE

The ultimate solution in urethane upholstery that combines high-performance features required for commercial seating with a remarkable touch and feel of genuine lambskin leather.

Unlike most polyurethanes on the market today, Dolce is formulated with a poly carbonate resin system; a must for any high-traffic project, backed by a 7-year hydrolytic stability rating and an exceptional wear surface (400,000 double rubs), which assures superior field performance under the most demanding upholstery applications.

Processed on a 100% rayon backing, which not only adds strength and durability to the product's physical properties, this versatile textile enhances the ease of tailorability, making Dolce ideally suited for any seating concept.

DOL-6712	MOCHA	DOL-6718	TANGELO	DOL-6714	BURGUNDY
DOL-6701	WHITE	DOL-6719	POPPY	DOL-6715	FOG
DOL-6702	IVORY	DOL-6720	FUCHSIA	DOL-6716	BRAMBLE
DOL-6703	ECRU	DOL-6721	CITRON	DOL-6722	GRASS
DOL-6704	DUNE	DOL-6727	METEOR	DOL-6723	PEACOCK
DOL-6705	SAND	DOL-6708	MUSHROOM	DOL-6724	JET
DOL-6706	LATTE	DOL-6709	CAMEL	DOL-6725	INDIGO
DOL-6707	CUMIN	DOL-6710	LION	DOL-6726	ARTESIAN
DOL-6717	MOSS	DOL-6711	RUSSET	DOL-6728	BLACK
		DOL-6713	CHOCOLATE		

CHARACTERISTICS

- 7-Year Hydrolytic Stability
- No Heavy Metals
- · Formaldehyde Free
- · Easily Cleaned · Scratch Resistant
- Yards Per Roll: 30 · Exceptional Color Fastness





Width: 54"

SPECIFICS

Width: 54"

Weight: 40oz

YARD 66.20 **10 YDS** 58.00

25 YDS 49.90



WOLLSDORF LEATHER

Wollsdorf Leather Tannery is located near Graz, Austria. Wollsdorf has been operating for over 70 years and is recognized world wide for their highly advanced production and environmental techniques. Utilizing Austrian and South German cattle hides only, Wollsdorf offers some of the highest quality leathers in the world.

FURNITURE LEATHERS

FINESSE: Finesse is an all natural full grain aniline through-dyed leather with a light top finish to provide protection and easy maintenance. Finesse derives from the top 20% of the raw hide selections. <u>Available in 75 colors.</u>

ALPIN: This is a full grain, semi-aniline, drum-dyed leather which is tanned free of chrome. It is intermediately embossed for uniform grain structure, and has a soft hand. *Available in 18 colors*.

EUROGLAZE: An antique leather protective finish of top grain aniline throughdyed leather with a two tone effect and a high lustre finish to achieve an antiqued appearance. Suitable for upholstery and desk top applications there are **8** colors available in this quality.

MAMMUT: This is a top grain aniline through-dyed leather. The finish provides great protection and maintains even coloration throughout each hide with a luxurious hand and appearance. *Available in 32 colors*.


FOC EARTH: "Free of Chrome" leather; an environmentally friendly leather. *Available in 31 colors.*

These manufacturers of quality automobiles and furniture use Wollsdorf Leather!

<u>FURNITURE</u>	<u>AUTOMOTIVE</u>
* Baker Furniture	* Audi/VW
* Bernhardt	* BMW
* Brickel & Assoc.	* De tomaso
* Carolina Bus. Furn.	* Ford
* Chromcraft	* Honda
* Davis Furniture	* Lamborghini
* Domore	* Mercedes G
* Geiger International	* Mitsubishi
* Grahl Mfg.	* Nissan
* Hag - USA	* Opel
* Krueger Inter.	* Porsche
* Trendway	* Renault
* United Chair	* Subaru

54" FABRIC		LEATHER
YARDS		SQUARE FEET
1	=	18
2	=	36
3	=	54
4	=	72
5	=	90
6	=	108
7	=	126
8	=	144
9	=	162
10	=	180

FINESSE	FULL HIDES Per Sq Ft 13.90
ALPIN	13.90
EUROGLAZE	12.80
MAMMUT	10.40
SPS SHIELDED LEATHER	12.60
AUTO: DAKOTA	12.10
AUTO: CATANIA	12.10
AUTO: NAPA EXCLUSIVE	13.60 SH
AUTO: KOOL BLACK	14.90
AIRCRAFT: AMBASSADOR	18.50
FOC EARTH	15.00






WOLLSDORF AMBASSADOR AIRCRAFT LEATHER



- Passes FAR 25.853(a) Amendment 25.72 (Vertical)
- · Flameproofed during tanning
- FAA form 8110-3 certification with all shipments
- · Top grain leather
- · 100% aniline through-dyed
- · Superior selection of Austrian and South German Hides
- · Hides average 60 square feet in size
- · Technically advanced specially formulated protective finish for aircraft applications
- Exceeds 2,000 rubs for abrasion (ASTM D3884-80)
- · Produced under ISO-9001 quality standards

• AVAILABLE IN 29 COLORS




Austrian Leather

AMBASSADOR

HALF HIDES per sq ft 21.30


FULL HIDES per sq ft 18.50

CUSTOM EMBOSSED









WHAT A CROC LA GARTO - Lizard **OSTRICH SARKARA** - Alligator TEYUS - Lizard **VAQUERO** - Crocodile COLORS Average sq ft per sq ft 14 45 17.70 45 1 38.60 45 18.10 5 3 45 37.20 5 45 18,10 3 45 18.90

Delivery ime: 4 to 6 working days 2"x 4" sample sets are available

BLACK LEATHER

GENERAL CHARACTERISTICS:

- Top Grain Leather
- Vat Dyed
- · Small Pebble Grain

SUITABLE APPLICATIONS:

- Furniture
- · Automotive aftermarket

FEATURES:

- Square feet per hide: 48-50
- Flammability: FMVSS-302
- · Lightfastness: 200 hours
- Abrasion 10,000 double rubs

FULL HIDES per sq ft



9.00



MARATHON CONTRACT FABRIC

MANUFACTURED TO MEET THE FOLLOWING CODES:

- Abrasion: > 250,000 double rubs ASTM-D-4157 Wyzenbeek
- Strength retention (ASTM D 5034) exceeds 50% strength retention @ 400 hours Xenon Arc

FINISHES and TREATMENTS:

- 100% Polyolefin
- Finish: Teflon^o
- · Lightfastness: (AATCC 16E) Class 5 @ 400 hours
- · Crocking (AATCC 8)
- Wet Class 4,5 Dry Class 5
- · Soil and stain repellent
- · Class 1: Passes
- · Pattern direction: Down-the-roll

FLAME RESISTANCE:

- · California Bulletin 117, Section E, Passes
- ASTM E84, Class1
- UFAC, Class 1
- MVSS 302, Passes

SPECIFICS:

- Width: 54"
- · Weight: 16 oz. lineal yard
- 50 yard roll

CLEANING:

Use water or solvent based cleaners.



Arena



Institutions



Healthcare



Hospitality



Business



Automotive



Theater



Sky Box



Bldgs. of Worship



Public Transportation





T**efl**on^s

OIID)

Fabric Protector



31 Colors!

AMETHYST ASPEN BASIL **BLACK BRICK BROWN** CADET **CHARCOAL CHOCOLATE CLARET** COAL **DARK BLUE EARTH EMERALD FEDERAL GOLD DUST** HOLLY **INDIGO** KHAKI **LIBERTY** LILAC MAROON **MOCHA OYSTER SABLE SAPPHIRE SCARLET** SLATE **TARRAGON TUMBLEWEED** WALNUT

LIBERTY

YARD 30.50 10 YDS 28.30 25 YDS 26.30 50 YDS 23.90

212

Width: 54"



RUST

MAGIC

MANUFACTURED TO MEET THE FOLLOWING CODES:

- UFAC Class 1
- · California Technical Bulletin #117
- · Abrasion: Passes 12,000 #8 cotton duck
- · Abrasion: Passes 102,000 wire screen

YARD Width: 54" 26.90

SPECIFICS:

- Width 54'
- · Weight: 12.3 oz. lin. vd.
- Content: 100% Polyester · Cleaning code: SW

CLOUD

COPPER

FAUX SUEDE

AUBERGINE DOESKIN **BLACK DUSTY ROSE** BRICK EARTH BUCKSKIN **ESPRESSO** CAMFI FAWN **CFLFRY** GREENBAY CHARCOAL HUNTER CHESTNUT INDIGO CHOCOLATE KHAKI CINNABAR KIWI

LICHEN

LIME

MELON MICA MIDI MOSS NAVY NU MOCHA OLIVE **OYSTER PARCHMENT** PEAT

PUMPKIN

LIPSTICK

SAGE SEA **SEAFOAM** SKY STONE SUNSHINE TIDE POOL TURQUOISE WINF

CHARM

MANUFACTURED TO MEET

- · THE FOLLOWING CODES:
- UFAC Class 1
- · California Technical Bulletin #117
- · Abrasion: Passes 102,000 #8 cotton duck
- · Abrasion: Passes 15,000 wire screen

SPECIFICS:

- · Width: 54"
- · Weight: 25.6 oz. lin. yd.

Jacquard with Woven Cross

- · Content: 100% Polyester
- · Cleaning code: SW

CLASSIC CHENNILE

AQUAMIST CHOCOLATE OLIVE CINNAMON ONYX BASIL CLAY BFIGE RFD BRICK COGNAC SAGE **BRONZE EGGPLANT** SAND CAFÉ HONEY STONE CANYON INDIGO WILLOW **CHAMOIS** MOSS

YARD 48.90

ABBEY

Width: 54"

MANUFACTURED TO MEET THE FOLLOWING CODES:

- California Technical Bulletin #117 Abrasion: > 100,000 double rubs
- **UFAC Class 1**
- ASTM E-84 Class A
- Fabric protectant: Teflon
- Cleaning code: WS
- Lightfastness: > 40 Hours Crocking: Dry Class 5
- Wet Class 5

Width: 54"

YARD 35.90

Teflon Teflon®

SPECIFICS:

- Width: 54"
- · 72% Olefin / 28% Polyester
- Weight per yard: 11oz
- Repeat: 4.84"HT x 4.40"WD

25 YDS

32.40

· Pattern sampled: Railroaded

50 YDS

31.40

645 Indigo

697 Royal

766 Celery

799 Huntér

833 Sky Gray

895 Eléphant

897 Gunmetal 999 Black

For Churches and Theaters

CARDINAL RED NAVY GREEN **PURPLE** JAZZ

· Hotel lobbies · Offices · Homes



MOHAIR VELOUR

MANUFACTURED TO MEET THE FOLLOWING CODES:

- **UFAC Class 1**
- MVSS-302
- CS191-53
- California Technical Bulletin #117
- Abrasion: > 50,000 double rubs rated heavy duty
- Light fastness: 60 hours
- Cleaning Code: S

Width: 54"

SPECIFICS: · Width: 54"

• 100% Mohair pile

350 Rust 380 Crimson

10 YDS

179.80

10 YDS

34.10

390 StoneBrown

332 Tan

433 Pink

494 Merlot

645 Indigo

697 Royal

345 Pumpkin

332 Ivory

340 Maple

395 Dark Chocolate

494 Merlot

30 YDS

170.80

60 YDS 153.90



WOOL VELOUR

MANUFACTURED TO MEET THE FOLLOWING CODES:

UFAC Class 1

SPECIFICS: • Width: 54" · 100% Wool pile

MVSS-302 California Technical Bulletin #117

- CS191-53
- **BIFMA**
- Abrasion: > 50,000 double rubs rated heavy duty

Width: 54"

YARD 101.30

YARD


189.80

10 YDS 95.90

30 YDS 91.10

395 Dark Chocolate

60 YDS 86.20



Ideal For: • Symphony Halls • Auto Interiors • Theaters

765 Celery

799 Hunter 833 Gray

897 Gunmetal 999 Black





VELCRO HOOK & LOOP SEWING TAPE


PRICED PER SIDE

WIDTH	COLOR	TYPE	YARD	25 YDS	100 YDS	500 YDS
⁵ / ₈ "	Black	Hook or Loop	1.90	.70	.60	.46
5/8"	White	Hook or Loop	1.90	.70	.60	.46
3/4"	Black	Hook or Loop	2.00	.80	.70	.52
3/4"	White	Hook or Loop	2.00	.80	.70	.52
3/4"	Beige	Hook or Loop	2.00	.80	.70	.52
1"	Black	Hook or Loop	2.50	.88	.80	.56
1"	White	Hook or Loop	2.50	.88	.80	.56
1"	Beige	Hook or Loop	2.50	.88	.80	.56
1"	Silver	Hook or Loop	2.50	.88	.80	.56
1½"	Black	Hook or Loop	2.70	1.32	1.20	.84
11/2"	White	Hook or Loop	2.70	1.32	1.20	.84
11/2"	Beige	Hook or Loop	2.70	1.32	1.20	.84
2"	Black	Hook or Loop	3.00	1.74	1.60	1.12
2"	White	Hook or Loop	3.00	1.74	1.60	1.12
2"	Silver	Hook or Loop	3.00	1.74	1.60	1.12
4"	Black	Hook or Loop	5.00	3.00	2.80	2.40
4"	White	Hook or Loop	5.00	3.00	2.80	2.40



Velcro Construction: Nylon

ADDITIONAL
COLORS AVAILABLE
SPECIAL ORDER
25 YARD MINIMUM




VELCRO SPECIFICATIONS

- 1. 100% nylon woven tape
- 2. High quality thermo and cold resistant, chemical-resistant and excellent electric insulation
- 3. Heat resistance: becoming soft at 180°c and melted during 215°c-220°c
- 4. Cold resistance: usable under -30°c; the lower the termperature, the stronger the tensile force
- 5. Hook: approximately 324 hooks per square inch
- 6. Loop: approximately 740 loops per square inch
- 7. Material thickness: 1.9 to 2.1mm

	<u>DURABILITY</u>		
PEELING CYCLE	CLOSURE STRENGTH REDUCING RATE	CHANGE ON LOOP TAPE	
2,000 times	10% under	No fluffing	
5,000 times	15% under	Little fluffing	
10,000 times	20% under	Obvious fluffing	
20,000 times	30% under	Fluffing throughout	

CLOSURE STRENGTH LATERAL TENSILE STRENTH VERTICAL PEELING STRENGTH (Closure length 50 mm) (Closure length 50 mm) Width In Pounds In Kilograms In Pounds In Kilograms 0.28 above 5/8" 11.0 above 5.0 above 130g above 3/4" 15.4 above 7.0 above 0.39 above 180g above 1" 0.46 above 19.8 above 9.0 above 210g above 11/2" 26.5 above 12.0 above 0.59 above 270g above 36.4 above 16.0 above 0.70 above 320g above 68.3 above 31.0 above 1.21 above 550g above

RUBBER PRESSURE SENSITIVE TAPE SPECIFICATIONS



HB@2081 rubber pressure sensitive tape is a high temperature rubber base pressure sensitive adhesive, designed for use in applications for high tack and quick setting such as packaging, medical, toys and others.

• 90% bond strength in an hour and full strength in 24 hours

• Resists temps in range 0°F to 180°F

Recommended substrates: • ABS • Acrylic Sheet • Aluminum • Ceramic Tile • Elpo Panel • Glass • Lacquered • Raw Plywood • Polyethylene • Polypropylene • Raw Steel • Rigid Vinyl

	UNIT	AVERAGE	UNIT	AVERAGE
PEEL ADHESIVE (PSTC-1)	kg / cm	1.3	pound / inch	7.28
HOLDING POWER (PSTC-1)	MINUTE	ABOVE 4000	MINUTE	ABOVE 4000
SAFT	°C	83	°F	181.4
(500G/inch	MINUTE	109.5	MINUTE	109.5



VELCRO HOOK & LOOP ADHESIVE BACKING



PRICED PER SIDE

Velcro Construction: Nylon

ADDITIONAL COLORS AVAILABLE SPECIAL ORDER 25 YARD MINIMUM

WIDTH	COLOR	TYPE	YARD	25 YDS	100 YDS	500YD
⁵ / ₈ "	Black	Hook or Loop	2.70	1.42	1.30	.96
5/8"	White	Hook or Loop	2.70	1.42	1.30	.96
3/4"	Black	Hook or Loop	2.80	1.52	1.40	1.06
3/4"	White	Hook or Loop	2.80	1.52	1.40	1.06
3/4"	Beige	Hook or Loop	2.80	1.52	1.40	1.06
1"	Black	Hook or Loop	3.00	1.64	1.60	1.16
1"	White	Hook or Loop	3.00	1.64	1.60	1.16
1"	Beige	Hook or Loop	3.00	1.64	1.60	1.16
1½"	Black	Hook or Loop	4.00	2.62	2.40	1.95
11/2"	White	Hook or Loop	4.00	2.62	2.40	1.95
2"	Black	Hook or Loop	4.50	3.48	3.20	2.32
2"	White	Hook or Loop	4.50	3.48	3.20	2.32
4"	Black	Hook or Loop	7.80	6.00	5.60	4.80
4"	White	Hook or Loop	7.80	6.00	5.60	4.80





VELCRO HOOK & LOOP SUPER ADHESIVE



- · Velcro Contstruction: Nylon
- Particularly suited for strong bonds to metals, vinyls and other plastics
- Withstands temperatures in excess of 300° F

WIDTH	COLOR	TYPE	YARD	25 YDS	100 YDS	500 YDS
1"	Black	Hook or Loop	4.50	3.80	3.30	2.80
2"	Black	Hook or Loop	9.00	7.60	6.60	5.60

Acrylic adhesive



MARINE ADHESIVE TRANSFER SEAM TAPE

This tape has a very sticky clear strip on both sides. When rolled onto a fabric surface, another fabric may then be laid over it to which it will adhere and be ready for sewing. This eliminates slippage and helps prevent seam leakage.

Width	60 YD/ROLL	10 ROLLS
1/4"	21.50	19.90
1/2"	30.20	27.90
3/4"	45.20	41.80



3M DUAL LOCK FASTENING SYSTEM

The BEST when hundreds of closures are necessary.

- Solvent and water resistant
- · Adhesive is UV and plasticizer resistant

Good to 200°F

WIDTH COLOR YDS/ROLL YARD 50 YDS 1" Black 50 13.00 11.50

Pressure Sensitive Adhesive VERY HIGH BOND





#5 YKK CHAIN ZIPPERS

	YAKD	KOLL	2 ROLLS	
WHITE TAPE	5.96	4.16	4.02	Per yard
BLACK TAPE	5.96	4.16	4.02	Per yard
	EACH	25	100	
DOUBLE TAB PULLS	2.24	2.04	1.84	Per each
SINGLE TAB PULLS	.98	.78	.58	Per each
	BAG	2 BAGS	4 BAGS	
TOP STOPS (100)	9.16	8.16	7.16	Per bag
BOTTOM STOPS (100)	16.30	15.30	14.30	Per bag





#5	YK	KI	Δ	CK	(FT	ENI	D 7	'IP	PF	R	S
TT J		11 7	$\boldsymbol{\Box}$	•	\ L		<i>U L</i>				_

SINGLE PULL SLIDE

SIZE	EACH	12	25	
24"	4.90	4.40	3.90	Per each
36"	5.90	5.40	4.90	Per each
48"	7.00	6.50	6.00	Per each
72"	9.10	8.60	8.10	Per each
84"	10.10	9.60	9.10	Per each





MOULDED NYLON ZIPPERS

BLACK and WHITE

#10 YKK ZIPPER CHAIN

	YARD	ROLL	2 ROLLS
WHITE TAPE	9.90	8.50	7.70
BLACK TAPE	9.90	8.50	7.70
	EACH	25	100
DOUBLE TAB PULLS	4.30	3.90	3.60
SINGLE TAB PULLS	3.30	2.90	2.60
	BAG	2 BAGS	4 BAGS
TOP STOPS	12.90	11.90	10.80
BOTTOM STOPS	21.40	19.80	17.90



PUT-UP: 109 YARD ROLL

MOULDED NYLON ZIPPERS

#10 YKK JACKET END ZIPPER

SIZE	EACH	12	25
18"	10.70	9.70	8.70
24"	12.00	11.00	10.00
36"	14.60	13.60	12.60
40"	15.40	14.40	13.40
48"	17.20	16.20	15.20
54"	18.50	17.50	16.50
60"	19.70	18.70	17.70
72"	22.30	21.30	20.30
84"	24.90	23.90	22.90
96"	27.50	26.50	25.50
110"	30.50	29.50	28.50
120"	32.60	31.60	30.60

GREAT FOR:
• TENTS
• BOAT TOPS
• AWNINGS



BLACK and WHITE



MOULDED NYLON ZIPPERS WITH A DOUBLE PULL SLIDE

COMMON SENSE FASTENERS



NICKEL ON BRASS These fasteners are positive locking. Each stud is assembled with a spring attached to the knob or button which holds it under tension until turned by hand preventing accidental opening. Manufacturers of trucks, luggage, leather goods and packaging use "common sense" fasteners.

#450 CUTTING PUNCH TOOL VL-78403

#410 SINGLE TWO PRONG CLINCH VL-78332 #410A CLINCH PLATE VL-78507 1 100 1000 #410 2.24 1.74 1.66 #410A .66 .18 .16

Per each

178.60

#400 GRC #400A W #400AA W	SHER	VL-78403 VL-78505 VL-78510		
#400 #400A #400AA	1 .94 .74 .88	100 .46 .26 .40	1000 .42 .22 .36	0

#404 SINGLE WOOD SCREW VL-78324

1 100 1000
Per each 3.54 3.04 2.90

#401 SINGLE STUD VL-78322 TWO SCREW BASE

1 100 1000 Per each 2.32 1.82 1.72



#402 DOUBLE VL-78323 TWO SCREW BASE

100 1000



#9951

LIFT-THE-DOT FASTENERS

#9951 CUTTING PUNCH VL-16205

143.30 each



NICKEL ON BRASS

#608 SOCKET 7/32" LEG VL-16205 #708A BACK PLATE VL-16506

10 100 1000 #608 1.66 1.16 1.12 #708A .92 .44 .40



#952 STUD VL-16360-16 #8 1/2" STAINLESS SCREW

10 100 1000 Per each 1.94 1.44 1.38



#895 STUD 2 PRONG CLINCH VL-16349

#895A CLINCH PLATE VL-16501

#895 1.68 1.18 1.14 #895A .90 .42 .38



#882 MACHINE STUD VL-16362 8/32" MACHINE SCREW LENGTH: 3/8"


10 100 1000 Per each 1.60 1.10 1.06




PULL-THE-DOT FASTENERS


Positive locking glove-style fasteners recommended when a strong, quick-release fastener is needed for canvas, leather, rubber coated or plastic fabrics. Especially recommended for marine use on boat tops and covers, sail covers, etc., where high winds disengage the conventional fastener.

A three-sided locking snap fastener with a "built-in" locking feature, it withstands extreme pressure on three sides without unlocking, yet releases instantly on the fourth side by "pulling the dot" on the embossed side. Pull-The-Dots have no sharp edges or protrusions to tear or mar the fabric to be fastened. All parts are made of brass with a phosphur bronze spring-in socket. FINISH IS NICKEL.











NICKEL ON BRASS

DURABLE SNAP FASTENERS



670 BUTTON CAP

11/64 Barrel length VL-10128 24 Ligne



100 1,000 PER BOX 29.40 231.60

548 SOCKET

Medium action VL-10224



100 1,000 PER BOX 26.50 208.50

665 BUTTON CAP

1/4" Barrel length VL-10127 24 Ligne



100 1,000 PER BOX 33.80 266.70

548X SOCKET

Hard action VL-10224



100 1,000 PER BOX 30.10 237.30

550 STUD

Regular action VL-10370



100 1,000 PER BOX 16.90 131.70

550A EYELET

1/4" Barrel VL-10412



100 1,000 PER BOX 15.60 120.80

550DR STUD

Deep recess VL-10379



100 1,000 PER BOX 21.10 17.60

550AL EYELET

5/16" Barrel VL-10413



100 1,000 PER BOX 15.50 107.00

552 STUD

"Gypsy Stud"
Double stud
VL-10342
Special die for
Press-n-Snap on page 222.



100 PER BOX 73.10

725.90

WINDSHIELD CLIPS and STUDS

With brass / nickel stud and stainless steel clip VL-10388 3/4" x 9/16" VL-10391 7/8" x 9/16"



3/4" BOX 106.40 7/8" BOX 123.30 NICKEL ON BRASS

DURABLE SNAP FASTENERS



NICKEL ON

MILITARY BLACK SNAPS





VL-10128

VL-10370

Socket



Eyelet (Post)

VL-10224

VL-10412

TYPE	FINISH	PART #	100
CAP	BLACK	VL10128	31.20
SOCKET	BLACK	VL10224	28.40
STUD	BLACK	VL10370	17.10
EYELET	BLACK	VL10412	15.90

457 STAINLESS STEEL STUD

Self-tapping: 3/8" VL-10393-12 Self-tapping: 5/8" VL-10393-20 Self-tapping: 1" VL-10393-25 OVERSIZED: 5/8" VL-10393-20 OS



100	1,000
73.50	507.00
73.50	507.00
92.40	638.00
104.60	722.00
	73.50 73.50 92.40

561 MACHINE STUD

3/8": VL-10708-12 5/8": VL-10708-20 10/32 Thread 3/8" 10/32 Thread 5/8"




100 1,000 PFR BOX 116.40 972.00

TEK SCREW

Self-drilling

#8 x 7/16" VL-10301



STAINLESS STEEL DURABLE SNAP FASTENERS

High-grade #402 Stainless teel

SIZE: 24 Lignes = 24/40ths = 5/8"

Cap





Stud

VL-30028

VL-30070

Socket





VL-30024

VL-30014

TYPE	FINISH	PART #	100	1000
CAP	NICKEL	VL30028	41.70	348.00
SOCKET	NICKEL	VL30024	46.20	386.00
STUD	NICKEL	VL30070	20.60	172.00
EYELET	NICKEL	VL30014	21.50	179.00

BABY DURABLE SNAP FASTENERS

SIZE: 20 Lignes = 20/40ths = 1/2"

Cap







VL-12105

VL-12303

Socket



Evelet (Post)



VL-12205

VL-12402

TYPE	FINISH	PART #	100	1000
CAP	NICKEL	VL12105	26.40	216.50
SOCKET	NICKEL	VL12205	23.40	191.40
STUD	NICKEL	VL12303	15.70	127.00
EYELET	NICKEL	VL12402	13.90	111.90



DURA SNAP BUTTON

SIZES: 30 and 36

This nylon back is specifically designed to snap onto a Durable Wood Screw or Durable Stud when covered. Screw the stud into the upholstered panel and snap the covered DuraSnap over it. This economical DuraSnap provides a secure hold with little chance of rust or discoloration.



SHELL and RING

30 36 GROSS BOX 20.60 23.20

ENAMELED SNAPS

- · Colors to match Sunbrella
- · Brass posts nickel plated

 43-10 Black
 43-83 Sapphire

 43-15 Bay Brown
 43-70 Medium Gray

 43-87 Toast
 43-65 Maroon

 43-89 Neptune Blue
 43-75 Navy


 43-95 White
 43-55 Jockey Red

100 1000 PER BOX 35.60 245.00

DURABLE DOT DIES fits Handy Jr. **Button Machine** (D) ❿ (B) C 4 dies fit: #670 #548 #550 #550A Socket Stud Evelet (Post) PART 4 PART DIE SET SET 622.20 **INDIVIDUAL DIES** 186.70



PRESS-N-SNAP TOOL and DIES FOR ATTACHING SNAPS and GROMMETS to: • UPHOLSTERY • AUTO TOPS • BOAT COVERS **PART EACH** • TENTS • TARPS • CANVAS **PLUNGER** 51.10 WASHER 5.20 **EACH TOOL SET INCLUDES: #0 GROMMET DIE** 98.20 · Four part Dura-Die Set **#1 GROMMET DIE** 98.20 • #1 Grommet die **#2 GROMMET DIE** 116.90 **EACH** PART **HANDLE** 51.10 **PRESS-N-SNAP TOOL** 344.60 **LEVER** 27.00 **DIE #670** 51.90 **BENCH MOUNT** 81.30 **PART EACH DIF #548** 51.90 **BOLT & NUT** 6.20 BABY DOT DIES (set of 4) 197.80 **DIE #550** 54.80 SM. "O" RING 1.00 **PULL THE DOT DIES** (each) 64.80 **DIE #550A** 51.90 LG. "O" RING 1.00 **GYPSY DIE** 70.00





BRASS GROMMETS and WASHERS

SIZE	OD	I.D.	GROSS	5 GROSS	10 GROSS
00	7/16"	3/16"	18.30	16.90	15.30
0	9/16"	1/4"	22.40	20.80	18.70
1	11/16"	5/16"	27.10	25.00	22.60
2	13/16"	3/8"	34.90	32.30	29.20
3	1"	7/16"	55.60	51.40	46.40
4	1 1/16"	1/2"	66.40	61.40	55.40
5	1 3/16"	5/8"	110.60	102.30	92.30
6	1 4/16"	13/16"	318.80	294.90	266.20



NICKEL on BRASS GROMMETS and WASHERS

SIZE	OD	I.D.	GROSS	5 GROSS	10 GROSS
00	7/16"	3/16"	19.20	17.70	16.00
0	9/16"	1/4"	24.10	22.30	20.10
1	11/16"	5/16"	30.00	27.70	25.00
2	13/16"	3/8"	39.20	36.30	32.80
3	1"	7/16"	62.50	57.90	52.20
4	1 1/16"	1/2"	80.40	74.40	67.10
5	1 3/16"	5/8"	122.50	113.30	102.30
6	1 4/16"	13/16"	349.60	323.40	292.00



DULL BLACK FINISH ON BRASS GROMMETS and WASHERS

SIZE	OD	I.D.	GROSS	5 GROSS	10 GROSS
0	9/16"	1/4"	24.50	22.70	20.50
1	11/16"	5/16"	30.60	28.30	25.60
2	13/16"	3/8"	40.20	37.20	33.60
3	1"	7/16"	65.10	60.30	54.40
4	1 1/16"	1/2"	83.90	77.60	70.10



GROMMET HAND DIES and CUTTERS

#216 DIES		#500		
SIZE	SET	SIZE	DIA.	EACH
0	103.40	0	1/4"	52.40
1	110.00	1	5/16"	52.40
2	113.40	2	3/8"	60.30
3	131.50	3	7/16"	60.30
4	141.60	4	1/2"	71.20
5	151.60	5	5/8"	89.40
6	330.20	6	13/16"	97.20



HANDY JR. GROMMET DIES

Fits Handy Jr. Button Machine

SIZE	EACH
0	917.20
1	917.20
2	917.20
3	917.20
4	917.20
5	917.20



GROMMET KITS

A complete and inexpensive kit for household use!

Osborne K-255
Each kit contains:
 #235 Grommet Die
 #245 Cutting Punch

- Cutting board (small)
 Complete instructions
- 1 doz. grommets and washers

SIZE	EACH
0	59.00
1	62.70
2	64.80
3	66.10
4	73.10





HIDEM WELT

5/8" CRUSH GRAIN 25 Yard rolls Color cards available



Custom made Hidem available: 250 yard minimum. Ask for further details.

301	Red	318	Maroon	329	Almond
302	Royal Blue	320	Taupe	330	Firethorn
306	Saddle	321	Tobacco	331	Blue
308	Black	322	Gold	332	Oxblood
309	White	323	Green	333	Charcoal
310	Off White	324	Camel	350	Dark Brown
311	Dark Grey	325	Dark Blue	352	Slate Blue
312	Light Grey	326	Light Blue	353	Graphite
316	Turquoise	327	Willow	354	Jade

YARD 2 ROLLS **ROLL** 4 ROLLS 39.50 3.58 38.00 36.50

READY MADE 5/32 VINYL WELT CORD



UVR TREATED EXTRUDED 1/2" LIP

EW-18001	Bone White	EW-18018	Brown
EW-18005	Maroon	EW-18020	Dark Green
EW-18006	Bright Red	EW-18021	Dark Grey
EW-18008	Grey	EW-18024	White
EW-18009	Black	EW-18027	Nutmeg
EW-18010	Metallic Blue	EW-18028	Charcoal
EW-18012 FW-18013	Navy	EW-18031	Titanium
FW-18013	Buckskin	FW-18034	Medium Opa

2 ROLLS YARD **ROLL** 4 ROLLS 100 yard rolls 3.10 110.00 106.00 102.00 102.00 **REDS** 3.10 110.00 106.00

HIDEM WELT

FLOTILLA COLORS

546 HAZE

549 CARIBBEAN BLUE

550 ENSIGN BLUE 554 SNOW WHITE

568 STRATO BLUF 569 MARINE WHITE

Mildew treated

- Uv resistant
- -10 Cold crack
- · Weight: 32 oz.
- · 25 yard rolls



YARD **PER YARD** 4.36

MARINE GRADE NO-CORD

SEAQUEST COLORS

AMERICAN BEAUTY MIDNIGHT AOUA MIST BUFF NAVY **NU TEAL** CHALK **DEEP EMERALD** OYSTER DUNE PEARL **EBONY PELICAN FOREST** ROYAL **HAMPTON** RUBY LEMON **SMOKE** LOTION TEAL MARBLE WHITE ICE

COLOR CARDS AVAILABLE

25 YDS 50 YDS 2.36 2.16

LIGHTHOUSE RED

READY MADE 5/32 TINSEL WELT CORD

UVR TREATED EXTRUDED 1/2" LIP

TWO COLORS: SILVER



PER YARD

YARD 10 YD 3.18 1.98 50 YD 1.58

250 YD 1.18

LISTING

BLACK TYPAR

100 yard rolls

• SEAT COVER WIRE ROD INSERT



	SIZE	ROLL	2 ROLLS	4 ROLLS
PER ROLLS	1"	59.20	56.20	53.20
PER ROLLS	11/2"	76.40	73.40	70.40
PER ROLLS	2"	94.00	89.00	86.00

LISTING HEADLINER

WHITE TYPAR - FOLDED

100 YARD ROLLS 3" FOLDED = 1.5" WIDE

EACH PER ROLL 80.00



TRUCK SEAT WELT

STYLE: "J" SHAPE COLOR: BLACK LENGTHS: 54" STRIP



EACH 48 PER 54" STRIP 7.70 6.00 5.50 5.00

LISTING with CORD

BLACK TYPAR



			LIBO	
WIDTH	YDS/ROLL	1 ROLLS	2 ROLLS	4 ROLLS
1"	100	76.80	73.80	70.80
11/2"	100	92.20	89.20	86.20
2"	100	106.20	103.20	100.20



CARPET BINDING 11/4" SINGLE FOLD



CRUSH GRAIN

STOCK: BLACK and WHITE

Color cards available

Colors special ordered

301 RED	318 MAROON	329 ALMOND
302 ROYAL BLUE	320 TAUPE	330 FIRETHORN
306 SADDLE	321 TOBACCO	331 BLUE
308 BLACK	322 GOLD	332 OXBLOOD
309 WHITE	323 GREEN	333 CHARCOAL
310 OFF WHITE	324 CAMEL	350 DK. BROWN
311 DARK GREY	325 DARK BLUE	352 SLATE BLUE
312 LIGHT GREY	326 LIGHT BLUE	353 GRAPHITE
316 TURQUOISE	327 WILLOW	354 IADE

ROLL 4 ROLLS 50 YARD ROLLS 71.80 68.40

JIFFY TRIM

Snap-On-Trim. Vinyl covered wire for finishing panel boards, office furniture, exposed edges. Enviormentally safe vinyl. Embossed PVC extrusions with non-cadmium stabilizers.

FITS **TYPES** REGULAR 1/16" JUMBO

COLORS: BLACK OR WHITE 100 feet per carton



	COLOR	FT/RL	FOOT	ROLL	2 ROLLS	4 ROLLS
REGULAR	Black	100	3.58	158.00	152.00	146.00
REGULAR	White	100	3.90	190.00	184.00	178.00
JUMBO	Either	80	4.04	163.20	158.40	153.60

CARPET NYLON LOOP DYNAMIC

#301 DETROIT BLACK

40" WIDTH 30 YARD ROLLS



YARD 10 YDS 30 YDS 30 YARD ROLLS 30.60 28.60 27.00

CARPET NYLON CUT PILE

DORSETT

Pile height: 3/8" Secondary backing:Latex/Poly Yarn- Wt/Sq Yd:13.50oz 30 yards per roll

> #801 BLACK #851 BISCUIT

#853 METALLIC SILVER

#8070 DARK GRAY

#8275 AGATE GRAY

10 YDS 30 YDS YARD PER YARD 34.20 32.00 27.60

CARPET FASTENER

V23-103



EACH 12 50 100 Per Each 4.70 4.40 4.14 3.66 **HEEL PADS** SIZE **COLORS:** 9" X 17" **BLACK** CHARCOAL SADDLE BEIGE **EACH** SIX **DOZEN PIECE** 6.10 5.30 4.70

SPONGE ROD WINDLACE with lip CTN **YARD BOX** 2 BOXES **4 BOXES** 1/2" NO LIP 50YD 96.00 90.00 3.92 88.00 4.60 1/2" WITH LIP 50YD 130.00 123.00 120.00 3/8" NO LIP 50FT 51.00 45.00 40.60 1/4" NO LIP 50FT 37.50 42.60 33.90

SEAT-A-LATORS TRUCK SEAT SPRINGS HEAVY GAUGE SIZE **EACH** 5 Helicals: 25/8" 14" x 16" 21.90 17.50 \$2.00/Each 15" x 17" 18.60 23.10 **←**1-1/8"→ 15¼" x 50" 41.30 36.30 14¾" x 45" 48.20 42.40 16¾" x 52" 42.00 37.00 19" x 52" 43.80 38.50



CARPET BACKING

Non-slip "SNAP-BAC" backing prevents mats from slipping when glued to the back of marine or automotive accessory or throw mats

CHARACTERISTICS:

- Excellent for making throw mats
 Adds durability to throw mats

- Easy applicationSound dampeningMoisture and mildew resistant
- · Softer underfoot cushion

SPECIFICS:

- Backing color: Black Face color: white
- Face content: 00% Polypropylene
- · Width: 72"
- Standard weight: 48.5 oz per square yard
- Standard roll length: 33.33 yards



'NIB" BACK

(Marine and Automotive)

"NIB" BACK

Non-slip "NIB" backing prevents mats from slipping when glued to the back of marine or automotive accessory or throw mats.

CHARACTERISTICS:

- Excellent for making throw mats
- · Adds durability to throw mats
- Easy to apply to mats

SPECIFICATIONS:

- · Color: Black
- Width: 72"
- Standard weight: 50oz per sq yard
- · Standard roll length: 16.6 yards

RECOMMENDED ADHESIVE: PLATINUM WEB SPRAY #150 (on page 104)

		YAKD	10 YDS	KOLL
"SNAP" BACK	PER YARD	59.80	55.80	53.80
"NIB" BACK	PER YARD	52.60	48.60	46.60

XTREME SEALTM

XTREME SEAL™ edge seal is the perfect choice as an edge seal on all types of custom covers:

- Convertible tops
- Front-drop windshields
- Side curtains
- Radar arches · Deck seals
- Camper enclosures
- Windshield tops and sides

Additionally, the unique design and three-point-contact seal of $\textit{XTREME SEAL}^{\intercal}$ edge seal is ideal for many common problem areas, such as:

- Windshield wipers
- · Radar arches
- · Grab rails
- · Compound curves and angles





XTREME SEAL™ edge seal is a high-tech extrusion engineered and manufactured with the most advanced E.P.D.M.¹ material available. The profile of XTREME SEAL™ edge seal is a closed-cell, flexible material that can be glued or sewn to most materials and surfaces. The flexibility and unique design of XTREME SEAL™ edge seal creates a three point contact

Imagine the cost savings in labor and materials over vinyl tracking, vinyl welt, Velcro® flaps, and zippers! XTREME SEAL™ edge seal will make your finished product look professional, with superior performance and less hassle to you and your customers.

		FOOT	100 FT
BLACK	PER FOOT	7.02	5.02
WHITE	PER FOOT	7.80	5.80

ABS BOARD SP-9010

MEDIUM IMPACT RIGID BOARD - BLACK

TEST	CONDITION	UNITS	VALUE
Tensile strength	ASTM D638	psi	6,000
Elongation (%)	ASTM D638	%	5-25
Flexural strength	ASTM D790	psi	10,000
Hardness	ASTM D785	Rockwell R	105
Flammability rating	MVSS 302		PASS
	UL94 HB		PASS

^{* 48&}quot;x96" is a special order. Allow 3 to 5 working days.

Create custom shapes for Automobiles • Street Rods • Marine **Experimental Aircraft**

- SP-9010 is a medium impact rigid ABS sheet
- Provides good physical properties at an effective price.
- · This ABS sheet is light weight and flexible.
- It can be heated, with heat gun, and formed to various angles and shapes.
- You can sew throught it and it will hold a staple.
- · It can be glued with common PVC plumbing pipe adhesive.

	THICKNESS	THICKNESS			
SHEET SIZE	MM	INCHES	1	6	12
48" x 48"	.06	1/16"	40.50	39.50	38.50
* 48" x 96"	.06	1/16"	81.00	79.00	77.00

KOMATEX® FLEX BOARD

- Komatex Board is a PVC foam which can be heated, re-shaped and vacuum formed to create many different contours.
- · Make custom door panels, headliners, consoles and console lids, trim panel replacements, tack strips, and many other applications for custom interior work and restoration.
- · Komatex can be glued (PVC adhesive is recommended), stapled, screwed, painted, punched, routed, sanded, drummeled, and sewn.

Lightweight and flexible! Be creative!

Self-extinguishing!

- · When stapling Komatex board, use short wire type staples with a chisel point. The preferred length is 5/32" or 3/16".
- · Repair cracks and splits with a PVC adhesive. * Please note: PVC adhesive will expand with the board and not separate!
- it is always best to drill pilot holes for screw fasteners, making the holes slightly larger than the screw size.
- · Komatex Board holds up well in all conditions, but will expand in heat and contract when cold.
- Allow for slight expansion and contraction (approximately 1/16"); do not fasten ends tightly; allowing the board to float.



Flex Board

SHEET SIZE **PER CASE** 6 12 1/8"x 48"x 32" 12 37.00 33.00 30.00 1/8"x 48"x 96" 12 104.80 85.60 91.60



POLYESTER TRUNK LINING

Also can be used as speaker fabric!

SPECIFICS:

• Width: 54"

• Weight: 9oz

• Content: Polyester

• 50 yard rolls

COLORS:

BLACK

CHARCOAL

HEATHER

SILVER

YARD 25 YDS 50 YDS PER YARD 19.10 13.60 12.10



READY MADE CARPETS

- 7 Original materials
- · Over 325 original colors
- Easy installation
 Perfect fit
- · Meets or exceeds OEM specifications
- it Matching floor mats available

We offer over 15,000 styles to fit vehicles from the 1940s to the present; from cut and sewn for the early models, to precisely molded sets for later models. All are available in their original material and color. No interior restoration project is complete without an ACC carpet.

Sound deadeners, such as carpeting, helps insulate your vehicle from road noise in addition to engine heat. They are available in EVA, foil back, or mastic with jute, and are custom made to fit each model perfectly.

ACC sound deadeners meet Federal flammability standards. It is the perfect solution when replacing your carpet and it increases its durability. Two backing choices are available for molded carpet; poly backing is standard for most applications while Mass backing is an excellent upgrade option. Mass backing extends the carpet life while further insulating the interior.



Call for pricing and availability!

CARPET PADDING

PRODUCT NAME: SOUNDBLOK 20, 27, 40

CONSTRUCTION: 100% needle punched, synthetic fibers

FIBER COLOR: Gray – slight multicolor

LAMINATE COLOR: n/a

PART NUMBER: 606010 606012 606020 WEIGHT: 20 oz/sy 27 oz/sy 40 oz/sy THICKNESS: 0.281" 0.344" 0.422" **TENSILE STRENGTH:** 60 Lbs. 75 Lbs. 41 Lbs. **R-VALUE:** 1.80 2.08 2.20

WIDTH: 36" Standard

LENGTH: 75'

SOUND ABSORBTION NRC - ASTM 423-77: 0.66
SOUND ABSORBTION SAA - ASTM C423-08: 0.34
FLAMMARILITY PILL TEST DOC-FF-1-70: Pass

FLAMMABILITY PILL TEST DOC-FF-1-70: Pass FLAMMABILITY INTERIOR FMVSS 302: Pass

SMOKE DENSITY TEST NBS: Pass
INDOOR AIR QUALITY TEST CRI: Green Label Certified

TYPE: JUTE 36" WIDTH 25 YARD ROLLS



ATTRIBUTES

- Hypo-allergenic
- · Mothproof
- · Mildew and odor resistant
- Drapes easily to fit all contours
- MADE IN THE U.S.A.

	YARD	10 YDS	25 YDS
36" X 20 oz.	8.80	7.60	6.60
36" X 27 oz.	11.00	9.80	8.80
36" X 40 oz.	15.00	13.80	12.80

DOOR PANEL BOARD





	SIZE	EACH	12	25	50
#9 BLACK COWL BOARDS	39" X 65"	20.90	18.80	17.70	16.60
#7 BLACK WATER PROOF	32" X 48"	19.90	17.90	16.90	15.90
#7 BLACK WATER PROOF	39" X 65"	27.20	25.10	23.90	22.90



TOPLINE PINPOINT 114"SINGLE FOLD BINDING

GM PINPOINT GRAIN

333 CHARCOAL CRUSH 555 LIGHT TAN 515 DARK BLUE 543 BROWN 559 FIRETHORN

549 BONE WHITE 560 BEIGE/TAN 562 BUCKSKIN 552 BLACK

553 BLUE 564 MAROON

567 SADDLE

50 YARD ROLLS

YARD 3.48

close up

568 SLATE GREY 569 BRIAR BROWN **571 OXFORD WHITE**

573 CHARCOAL 576 BURGUNDY

580 MEDIUM GREY

ROLL 4 ROLLS 74.00 69.00

TOPLINE PINPOINT 3/4" DOUBLE FOLD BINDING



GM PINPOINT GRAIN

333 CHARCOAL CRUSH 555 LIGHT TAN **568 SLATE GREY** 515 DARK BLUE **569 BRIAR BROWN** 543 BROWN 559 FIRETHORN **571 OXFORD WHITE 549 BONE WHITE** 560 BEIGE/TAN 573 CHARCOAL 552 BLACK 562 BUCKSKIN **576 BURGUNDY** 553 BLUE 564 MAROON 580 MEDIUM GREY

567 SADDLE

YARD ROLL 4 ROLLS **50 YARD ROLLS** 3.30 65.00 60.00

TOPLINE CRUSH GRAIN



949 BLACK 950 OFF WHITE

50 YARD ROLLS

YARD 3.52

ROLL 76.00

4 ROLLS 71.00

BLACK • TAN

948 WHITE

TOPLINE CRUSH GRAIN 3/4" DOUBLE FOLD BINDING

950 OFF WHITE

948 WHITE

50 YARD ROLLS

949 BLACK

YARD 3.52

ROLL 76.00 4 ROLLS 71.00

STAYFAST BINDINGS

- LIGHT NEUTRAL **BIAS BINDING**
- WIRE ON **HIDEM**

PER YD 7.50

CUTS ROLLS 5.00

PER YD 7.04 4.54

34" DF

PER YD 6.06 3.56

11/4"SF PER YD


6.54 4.04

CUSHION SPRING CLIPS

Cloth-lined cushion spring clip to fasten springs to each other or to border wire.

• 7/8" long • For 1/4" or two 8 gauge wires.

100/BX **PART# 7707** 29.90



TRIM PANEL FASTENERS



#12134 (Chry: 4114785) Trim Panel Fastener

PER 50 34.40



TRIM CLIPS



#12069 Upholstery Clip

PER 50 26.80



#9416 Snap-On Trim Clip Panel range .06 - .09'

PER 100 35.70



#9417 Snap-On Trim Clip Panel range .105 - .115"

PER 100 29.30











DOOR AND PANEL FASTENERS

#1720 • Chrysler Products

Door and quarter trim panel fastener





34.60

#11406 fastener

Head diameter: 1/2" for ¼" hole





Trim panel

PER 100



16.40

#2385

 Ford Lincoln Mercury

Door trim panel fastener

PER 100



34.60

#10080 Chrysler

Radiator grille panel upper

support

PER 100



46.90

16.40

#12134 Chrysler 4114785

Trim panel fastener

PER 50



34.40

#5961 Capped Trim Fastener

PER 100



26.80

#10780 Ford



PER 100

33.90

CHRISTMAS TREE FASTENERS



#11678 Trim panel

PER 25

9.90



#11796 Trim panel

PER 50 14.90



#12909 Trim panel

PER 50 16.90



#12759 Trim panel (McDonald's booths)

PER 25 10.60



#11675 Roof headliner **GM** and Chrysler

21.20 **PER 50**



#11677 Trim panel retainer **GM and Chrysler**

PER 50 25.50



#15461 Trim panel (GM:363137)

PER 50 18.00



#15479 Trim panel (Ford: N804349S)

PER 25 16.00



#13467 Firewall insulation (GM: 7642589) (AMC: 4001 934)

12.60

PER 25



#12766 Stone Shield (GM: 22512276)

PER 25 11.00



#12731 Seat back

PER 25 10.30



#14017 Fascia retainer Ford

PER 25 16.50



#11673 Interior trim GM

PER 50

18.30



#14032 Trim panel (GM: 15588078) (McDonald's booths)

11.50

PER 10



#11671 Seat back panel (FORD: 387182S) (AMC: 4001 934)

11.50

PER 25



#14757 Eng. heat shield (Ford: N804448)

PER 25 19.40



#16818 Trim panel (GM: 21094146) (Chry: 6501301)

PER 25 14.30




#12137 Radiator shield (GM: 1619321)

PER 25 11.10



TRUCK and BOAT BOWS FIBERGLASS

72" FIBERGLASS 52.30 78" FIBERGLASS 56.50 96" FIBERGLASS 65.10 120"FIBERGLASS 78.90













STEEL and STAINLESS STEEL HOG RINGS **TYPE** SIZE GAUGE PCS/LB **ENDS** SFA-CLAMPS **SHARP POINTS** BLUNT ENDS Steel 3/4" 14 500 Sharp Stainless Steel 1/2" 575 **Blunt POUND 10 LBS 25 LBS** 50 LBS 3.94 STEEL PER LB 7.30 5.10 4.14 STAINLESS STEEL **PER LB** 22.20 19.20 17.42





HEADLINER TOOLS

Headliner Tool: Stuffs headlining in channel above doors. Stuffs upholstery & trim edges into tedious places. Blunt edge of blade cannot damage material. Easy to use around curves and near corners.

#7672

27.20

C851

C852

C856

RIGID TUCKING TOOL

623.40

145.80

366.10

For tucking headlining and upholstery around windows and above doors and other hard to reach places. A sturdy tough tool with a slightly curved blade that has finished edges and rounded corners. Comfortable wood handle with evelet hole through one end.

#13575



80.20

FLEXIBLE TUCKING TOOL

Blade is made of tough flexible plastic. Rounded smooth edges to prevent snagging of fabric. Correct wooden handle. Helps to put in headlining and to reach hard places. Blade measures: 2" x 1-3/8".

Overall length: 61/2"

#745

43.50



"EDDY" ELECTRIC HEAT TOOL

LIGHTWEIGHT

Weight: 2¾ LBS (For extended periods of use with minimum operator fatigue.)

HSGO Engel 110 Volt Hot Knife

Blade, Type 100R

Cutting Foot

Built for rugged handling with GE LEXAN housing and parts that are impact resistant and non-conductive.

OUICK-CHANGE ELEMENT

Extends life and carries an exclusive 2-year limited warranty.

Eddy Heat Tool Model #EP-5UL 4" Heating Element Kit #A1055 **AVG TEMP** 500-750

VOLTS 115

AMPS 14.0

EACH 252.90 73.50

The choice of most professional trimmers for safe, instant flameless heat...

PNEUMATIC HOG RING PLIER · Increase your productivity Top quality construction · Ideal for automotive trim shops • 15 Gauge, 34" hog ring closes to 14" | |1/4"| PART **DESCRIPTION PER BOX EACH** SR-15 34" HOG RINGS (200 50-Ring Sticks) 10M 125.70 TR-201 PNEUMATIC HOG RING GUN 1,022.00





MAG DADDY FASTENERS

The Only Universal Magnetic Fastener



UNIVERSAL



CABLE DADDY



ZIP DADDY



LOW-PROFILE













HEAVY DUTY

SPIKE DADDY

GRAND GLUE DADDY GLUE DADDY

STARTER KIT

STARTER KIT CONSISTS OF: 8 UNIVERSAL FASTENERS

6 LOW-PROFILE MAG-DADDYS

5 SPIKE-DADDYS

4 CABLE-DADDYS 3 GLUE MAG DADDYS 3 MAX-NUTS,

6 ZIP DADDYS **5 HEAVY-DUTY MAG-DADDYS**

3 GRAND GLUE DADDY

D = 4 4 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1					
DESCRIPTION	PART NO	EACH	10	20	50
Universal Magnetic Fastener	2972	4.70	4.00	3.80	3.50
Secures cables, wires, brake lines etc, fast	2794	4.70	4.00	3.80	3.50
Powerful magnet with a holder designed	3047	4.70	4.00	3.80	3.50
for a zip tie. Includes zip ties.					
Designed for a tight fit with limited space.	97603	4.70	4.00	3.80	3.50
A wider more powerful magnet.	97606	5.30	4.60	4.40	4.1
Universal rib-joint fastener for all	3031	2.70	2.00	1.80	1.50
Eliminates the need to drill holes into	97602	5.30	4.60	4.40	4.10
press board when restoring old vehicles.					
Slightly bigger than the Glue Daddy.	97604	5.30	4.60	4.40	4.10
Fast and strong exterior mounting.	71071	4.10	3.40	3.20	2.90
STARTER KIT	4859	129.40			

"TENAX" FASTENERS

The "TENAX" closure is a highly engineered, self-locking snap fastener that cannot come undone once engaged, yet releases instantly by simply pulling up on the head of the button component.

Manufactured in nickel-over-brass, the "TENAX" products include two styles of studs to accommodate both soft and hard goods applications. While often used in a number of British automotive applications, the uniqueness of the "TENAX" products has generated great interest in the marine industry as well.












31-302 COMBINATION	#11 WOOD SCREW		#34 KEY	
	1	20	100	
#31/302 COMBINATION	12.60	10.50	9.30	
#11 WOOD SCREW	2.90	2.40	2.00	
#34 KEY	2.80			



The TENAX safety fastener is easy to lock by pressing the upper part onto the lower part. Ensure the handle cap has



The TENAX safety fastener is not released by forces exerted



The locking device will not release unless the grip cap is activated, thereby, separating



PHILLIPS OVAL HEAD TAPPING SCREWS

Quive co

PART #	SIZE	HEAD	100	
1799	8 X 3/4"	6	14.70	
2710	8 X 3/4"	8	15.40	
1483	8 X 1"	6	16.50	
2713	8 X 1"	8	17.60	5-8
1932	8 X 1½"	6	26.10	
2718	8 X 1½"	8	22.20	=
2633	8 X 2"	8	24.80	
2731	10 X 1"	10	20.80	
2730	10 X 1"	8	19.20	52
3070	4 X 1"	4	13.40	F-1
2585	10 X 1½"	10	23.70	
2665	10 X 2"	10	34.10	
1421	8 X 5/8"	8	15.10	A
2802	6 X 3/8"	6	15.00	
3068	4 X 1/2"	4	12.30	

PHILLIPS OVAL HEAD CHROME PLATED COUNTER SUNK SCREWS





PART #	SIZE	HEAD	100
2771	8 X ⁵ /8"	6	23.00
2751	8 X ¾"	6	24.30
2772	8 X 1"	6	26.00
2773	8 X 1¼"	6	29.70

WASHERS

NICKEL ON BRASS



PART#	HEAD	TYPE	100
602	6	FLAT	14.50
604	8	FLAT	15.60
612	4	C/S	19.40
614	6	C/S	20.50
616	8	C/S	25.00
618	10	C/S	34.10

COUNTER SUNK and FLAT WASHERS





Counter Sunk

PHILLIPS OVAL HEAD BLACK COUNTER SUNK SCREWS





PART #	SIZE	HEAD	100
11787	8 x 5/8"	6	18.90
11788	8 x 3/4"	6	18.40
11789	8 x 1"	6	20.80
PART #	SIZE	HEAD	50
11791	10 x 3/4"	8	15.40
11792	10 x 1"	6	16.30

DIMMER SWITCH GROMMET

Top Side ID: 7/8" OD: 2"

Bottom Side OD: 21/2"



PER EACH 3.78

PHILLIPS WASHER HEAD TAPPING SCREWS



PART # SIZE HEAD 13709 10 x 3/4" 15/32"





AUDIO WRAP

FEATURES & BENEFITS

- Audio Vibration Control
- Ouieter Ride
- Made in the USA Premium sound
- •High Heat Resistance Sound deadening tape
- Butyl Adhesive, Aluminum Faced, Vibration Control Tape
- Maximum performance from your stereo



TECHNICAL SPECIFICATIONS

- Color: Black
- Thickness: 60 mils ± 5 mils
- Tensile Strength: Pass
- Pliability: Pass
- Permeance: .001 avg.
- In-Service Temperatures: -30°F(-36°C) to 250°F(121°C)
- Acoustic Loss Factor @ Temperature (Using ASTM Method E756@200Hz) .082 @ +14°F(-10°C) .300 @ +86°F(+30°C) .116 @ +32°F(+0°C) .273 @ +104°F (+40°C) .180 @ +50°F(+10°C) .273 @ +122°F(+50°C) .272 @ +68°F(+20°C) .140 @ +140°F(+60°C)
- MVSS-302: PASS
- Temperature Range (Best Performance) 14°F to 140°F (-10°C to 60°C)
- Temperature Range (Resistance) -65°F to 300°F (-54°C to 149°C)

STORAGE, HANDLING AND APPLICATION Store at room temperature.

DESCRIPTION

Audio Wrap is a self-adhering, 60-mil, high-quality, synthetic butyl rubberadhesive laminated to a heavy-duty, 4-mil Aluminum constraint layer. A siliconized release paper on the adhesive side contributes to the ease of installation. The synthetic butyl rubber adhesive assures superior conformability, excellent low-temperature adhesion and exhibits high temperature flow resistance. The butyl compound adhesive has been tested and proven not to flow at elevated temperatures up to 300°F (149°C).

APPLICATION

Audio Wrap will form a positive and immediate adhesive bond to sheet metal, glass, and wood speaker boxes.

SOUND DEADENING PROPERTIES

The Acoustic loss factor measures sound dampening. The closer to 1, the less vibration. Realistically, any rating over .25 is very significant. Sheet metal alone can measure .001 at 200 Hz. Independent testing concluded that Audio Wrap measured an average of .2465 on 4 testing points, while the best competitor measured on average 30% lower at .1717 on the same test points.

INSTALLATION

(Always insulate doors first.)

Audio Wrap is specially engineered to stick in an unheated garage.

There is no need for heat guns, as with competitors.

- 1.Remove the interior panel.
- 2.Clean the surface removing dirt and oil.
- 3. Pre-cut Audio Wrap using paper or cardboard templates.
- 4.Remove the release paper and apply directly to the sheet metal. Use of a roller is recommended to reduce air bubbles.
- 5. Reinstall the panel to manufacturer's specification.

ROLL SIZE: 15" x 10 Feet

170.60

THERMOZITE 2 SIDED FOIL

THERMAL / ACOUSTIC INSULATION: • Superior sound deflector

- Can be cut with scissors or knife
- Excellent heat barrier Can be handle without gloves
- Minimizes vibration
- Contains no irritants or carcinogens Lightweight and drapable

- Cost-effective and easy to use solution Made in the USA

APPLICATIONS:

- · Mass transit vehicles
- · Engine hatch covers
- Rv's and Trucks . Hot rods
- · Door panels and fire walls
- · Machinery enclosures
- · Boats and water sport vehicles
- · Noisy pipes and valves

PERFORMANCE SPECIFICATIONS:

- Thermal conductivity (K): 0.280
- Thermal resistance (R): 1.3
- Noise reduction co-efficient (Hz): 0.30 Federal Motor Vehicle Safety Standard 302: Pass
- Made with polyester fiber;
- not floor sweepings like many others
- Laminated scrim reinforced foil which is available on one or both sides
- Tough aluminum foil provides a radiant heat shield which may increase R values up to a factor of four, depending upon distance from heat source.
- · Complies with MVSS-302

SPECIFICS

PER YARD

- Thickness: 1/4"
- Width: 48"
- · Yards Per Roll: 25

YARD 10 YDS 52.90

47.10

25 YDS 45.50

Acoustic and heat resistant liner

For engine compartments

BLACK POLYESTER FELT WITH PSA BACKING

• Pressure Sensitive Adhesive: Acrylic • Felt Thickness: 1/16" • Width: 54"

> YARD 10 YD 25 YD **PER YARD** 60.60 54.60 52.60

PRICES SUBJECT TO CHANGE WITHOUT NOTICE





AUTOMOTIVE HEADLINING



WIDTH: 60"

THICKNESS: 3/16" Available on ALL Colors. THICKNESS: 1/8" Available on select colors.

CONTENT: 100% Polyester

Color wall charts available!

YARD 5 YARDS 10 YARDS 20.10 14.70 14.10

PHIST Token PHIST

SUEDE HEADLINING

WIDTH: 60" ROLL LENGTH: 30 yards

PER YARD

THICKNESS: 3/16" (1/8" available on select colors)

CONTENT: Face: 100% Polyester Back: 100% Polyester

ABRAISON: 30,000 Wyzenbeek (Not recommended for seating)

FLAMMABILITY: FMVSS 302 LIGHTFASTNESS: 40 hour rating

YARD 3 YARDS 10 YARDS PER YARD 34.20 30.20 29.20

ACME AUTO HEADLINERS

- · Convertible headliners
- Convertible boots
- Tonneau covers

Call for pricing and availability!

COLORS:

SUE60 ONYX

SUE61 GREY

SUE63 BEIGE

SUE62 CHARCOAL





PLASTIC PANE

Distortion free flexible PVC windows!

kal-Glas.

Kal-Glas® PVC press polished sheets were developed for automotive convertible top windows and face shields.

- Kal-Glas® 0.040" clear meets AS-6 and Mil Spec. P18080A requirements
- Kal-Glas® U.V. stabilizers added to enhance longevity and clarity
- Kal-Glas® is RF weldable, bondable and sewable

	EACH	6	12
24 x 54 x .040	72.60	67.60	62.60
27 x 62 x .040	79.90	74.90	69.90



CLEANER and

PROTECTANT

CONVERTIBLE TOP WEBBING

FOR LATE MODEL CARS:

- LE BARONS
- MUSTANGS
- GENERAL MOTORS

WIDTH	YARD
4"	12.90
6"	15.10
9"	17.60



RAGG TOPP

- CLEANER:

 Exclusively formulated for fabrics and vinyl

 Safely removes tough roof soils and some stains

 Will not harm metal, plastic, rubber or wood finishes

 Anti-oxidant Low ph No bleach formula

 Leaves no residue Non-toxic

 Environmentally friendly and biodegradable

- PROTECTANT:
 Oem patented formula protection
- Renews and extends the life of fabric topping
 Professional strength formulation without silicone
 Uv protection with uv blocker from ciba
- Restores water and stain repellency
- VOC compliant

	EACH	SIX	DOZ
FABRIC and VINYL CLEANER: 16oz	23.90	21.90	18.90
FABRIC PROTECTANT: 14oz	35.90	33.90	30.80
VINYLY PROTECTANT: 16oz	30.50	28.50	25.50

CONVERTIBLE TOP PADS

- Water repellent
- Mildew proof
- Foam insert

BLACK TOP PADS

PER SET 45.70











CONVERTIBLE AUTO TOPS



Popular Models Stocked.











Call for **Availability On** Non Inventoried Models.



READY MADE VINYL LANDAU TOPS

DOUBLE SEAM UNIVERSAL LANAU TOPS: ELK 189.00 189.00 **DOUBLE SEAM UNIVERSAL LANAU TOPS: LEVANT**

CENTER SEAM UNIVERSAL LANDAU TOPS: ELK 189.00 CENTER SEAM UNIVERSAL LANDAU TOPS: LEVANT 189.00

BY SPECIAL ORDER: CORSICA, VALINO and TUXEDO GRAINS

BY SPECIAL ORDER: OEM FITTED TOPS



VINYL LANDAU TOPPING ELK GRAIN

MEETS OEM STANDARDS:

- Weatherability
- Color fastness
- Stability

SPECIFICS:

- Width: 49"
- Elk Grain · PVC outer layer
- · Polyester fleece backing

QUALITY VINYL FOR:

- Limousine
- Landau
- Special interest
- Formal roof treatment
- Replacement
- Restoration

S9753 BRITE WHITE ELK Padded

S848 BLACK ELK Padded **S828 BUCKSKIN ELK** Padded

S7384 AUTUMN MAPLEELK Padded

DARK ROYAL BLUE ELK Padded **S7693**

S7781 SILVER ELK Padded

S7782 GUNMETAL ELK Padded

	YARD	10 YDS	25 YDS	50 YDS
COLORS	27.20	26.20	24.70	22.70
WHITE	24.30	22.30	21.80	19.80
BLACK	23.90	22.90	21.40	19.40



CONVERTIBLE TOP CABLES



	FORD 1983 - 1988 MUSTANG	60.90
90.10	1989 - 1990 MUSTANG	60.90
	Late 1990's early 1991 MUSTANG	60.90
00.10	1991 - 1993 MUSTANG	60.90
90.10	1984 - 1986 LEBARON	60.90
	1987 - 1991 LEBARON	60.90
00.10		30.00
90.10	All years CABRIOLET • RABBIT	
83.30	1967 - 1979 VOLKSWAGEN	53.30
	Rear Top Base Tension Cable Machine Screw / Nut	
66.70		
	Rear Tension Cable	130.10
76.70		
76.70	Tension Cable Rod	
76.70	UNIVERSAL	41.40
	Universal Adjustable Side Tension Cable	
76.70	• Fiat • Alfa Romeo • etc.	
	90.10 90.10 83.30 66.70 76.70	1983 - 1988 MUSTANG 90.10 1989 - 1990 MUSTANG Late 1990's early 1991 MUSTANG 1991 - 1993 MUSTANG 1984 - 1986 LEBARON 1987 - 1991 LEBARON VOLKSWAGEN 1956 - 1979 BEETLE 1957 - 1974 GHIA All years CABRIOLET • RABBIT 83.30 1967 - 1979 VOLKSWAGEN Rear Top Base Tension Cable Machine Screw / Nut 66.70 1980 - 1993 CABRIOLET • RABBIT Rear Tension Cable Machine Screw / Nut 76.70 UNIVERSAL Universal Adjustable Side Tension Cable Fits most makes and models

HAARTZ CONVERTIBLE TOPPING



FINISHES and TREATMENTS:

- Soil resistant
- Water repellent Shrink resistant

SPECIFICS:

- Width: 54" Standard weight
- GM Grain Single texture Sateen back

HALRTZ

COLORS

- White / Black
- · Beige / Beige
- Black / Black

	YARD	10 YDS	25 YDS	50 YDS
White/Black, Black/Black	37.60	35.60	34.60	33.60
Beige/Beige	39.50	37.50	36.50	35.50

HAARTZ STAY FAST Antique Convertible



SPECIFICS:

• Width: 60"

HAARTZ

COLORS

- · Black / Black
- Beige / Beige
- Lt Neutral / Tan

YARD 10 YDS 50 YDS Width: 60" 111.40 107.40 101.40



ORIGINAL AUTOMOTIVE LEATHER


- Ford grains and colors
- · General Motors grains and colors
- · Chrysler grains and colors
- · Import grains and colors
- Perforated styles available on all grains and colors

All leather manufactured by a ISO 9001 certified tannery to meet or exceed all O.E.M. specifications.

LEATHER SPECIFICATIONS:

- THICKNESS: ASTM D18131.0-1.2 mm
- WEIGHT: ASTM D3776 2.5 Oz./Sq. Ft.
- SIZE: 45-48 Sq. Ft. Avg.
- ABRASION: ASTM D3884 Weight 500g (Taber 5130) Wheels H-18 cycles 300
- COLOR CROCK: AATCC-8 Weight 4 lbs. (Crockmeter CM-5) Wet/Dry rub 10 cycles AATCC rating 4 minimum
- FLAMMABILITY: FMVSS-302
- FLEX ASTM D2097: 20,000 cycles
- LIGHTFASTNESS: 200 hours SAE 11885 AATCC rating 4 minimum
- LIGHT COMPATIBILITY: D65 daylight with UV (Data color) CWF (cool white fluor.) A tungsten light

SPECIAL ORDER PROGRAM



54" FABRIC YARDS		<u>LEATHER</u> SQUARE FEET
TARDS		SQUARE FEET
1	=	18
2	=	36
3	=	54
4	=	72
5	=	90
6	=	108
7	=	126
8	=	144
9	=	162
10	=	180

	FULL	HALF	CUT
	HIDE	HIDE	LEATHER
Plain Leather	13.40	15.40	.60
Perforated Leather			
Ford Mini	17.80	19.80	.96
Euro	17.80	19.80	.96
Ford Std, GM Small, Mezzo	17.00	19.00	.96
Chrysler Std, GM Std	17.00	19.00	.96
Chrysler Tri-Star	17.80	19.00	.96
GM Mini, GM Micro	18.70	20.70	.96

PERFORATING



PERFORATING

Leather hides and vinyl yardage can be perforated to a multitude of patterns.

- Chrysler and GM standard perf
- Ford standard GM small
- Ford mini perforate
- Euro perf
- · Chrysler tri-star perf.
- GM mini perforate

DESCRIPTION TYPE SQ FT
½ Hides Ford Std, GM Std, GSP 5.90
½ Hides GEP, GTP, GMP 6.50

- ½ Hides
 GEP, GTP, GMP
 6.50

 ½ Hides
 GMCR
 7.50
- PER YD
 Vinyl All Types Per Lineal Yard 90.00

DETROIT BOOK ORIGINALS

The Detroit Book is a compilation of information and samples for the automobile industry, including the most comprehensive inventories of fabrics, vinyls, leather and headliners, in the nation.

The Detroit Book is published annually as a convenient tool for our customers giving them the ability to match interiors at their own site.

PER YD
BODY CLOTH 59.00
BODY CLOTH 10YRS+ 79.90
VINYL 37.90
HEADLINER 33.90


ORIGINAL AUTOMOTIVE INTERIOR TRIM . . .
THE INDUSTRY STANDARD




- · Original auto leathers
- Original body cloths
- · Original headliners
- Original vinyls


Call for firm pricing on most styles!


























PER EACH: 11/2"

PER EACH: 2'



PER EACH: 1" EACH 25 100 2.44 2.24 2.04


3.36


3.16


4.14

2.96

3.94









SQUARE RING P-001 LOOP LOC BLACK DELRIN EACH 25 100 PER EACH: 1" .84 .64 .44 PER EACH: 1½" 1.00 .80 .60 PER EACH: 2" 1.14 .94 .74











SEM VINYL COATING PROUCTS

CLASSIC COAT

- · OEM matched colors
- · Excellent for leather and vinyl
- · Convenient aerosol package
- · Superior adhesion and flexibility
- · Multidirectional fan spray
- · 34 Colors

MARINE VINYL COAT

- · Flexible Coating For Restoring Vinyl Seats
- · Improved UV Resistance
- · Matches OEM Marine Colors
- · Smooth Consistent Finish, Hides Stains.
- · 25 Colors

COLOR COAT

- · Industry Standard for Vinyl & Plastic Restoration
- · Fade Resistant, Flexible Permanent
 Coating
- · Over 50 Colors





The Right Choice

DESCRIPTION	CAN	6 ASRT	CASE(6
Classic Coat	41.40	37.30	35.40
Color Coat	38.70	34.80	33.10
Marine Vinyl Coat	42.60	38.30	36.40
Marine Engine Colors	31.70	28.50	27.10
Vinyl Prep	39.70	35.80	34.00
Plastic & Leather Prep	39.70	35.80	34.00
XXX Adhesion Promoter	49.20	44.30	42.10
Tack Free	40.00	36.00	34.20
Sand Free	41.10	37.00	35.10
SEM Soap	38.80	35.00	33.20
XXX Gun Cleaner	43.00	38.70	36.80
Trim Black Paint	36.00	32.40	30.80



GRILLE-TEX

SPECIFICS:

• Width: 68"

Roll length: 50-55 yardsCal. TB #117 Sec E: PassMVSS302: Pass

• Colorfastness to light: Class 5 40 hours

• Colorfastness to crocking: Wet Class 5 Dry Class 5

· Abrasion: heavy duty

YARD 10 YARD 25 YD RLS 14.40 12.40 11.70

Automotive audio speaker cloth 100% polyester



BLACK TUNNEL TIES

ALLOWS FOR DRAW STRING CLOSURE OF:

Auto seats

PER YARD

- Machine covers
- Bags



COLORS:

PEBBLE

BLACK

CHARCOAL

34" Binding tape integrated with draw string



BLACK TUNNEL TIES

50' ROLL 25.00 150' ROLL 52.00 1,200' ROLL 216.00

50 YD RLS

11.10



NEOLINE POLYESTER CORD

Neoline cordage offers a high performance for an economical price. Neoline polyester knitted jacket and polypropylene core offer superior abrasion and UV protection. The feel is soft and still has low stretch characteristics.

APPLICATIONS:

- Marine
- Awning
- · General industrial



Free samples available.

TENSILE STRENGTH SIZE DIA FT/RL ROLL 1/8 #4 220 500 63.10 5/32" #5 370 1000 148.40 3/16" #6 460 500 113.90 1/4" #2 750 500 174.50

RESISTS:

- Rot
- Mildew
- · Many chemicals

BRAIDED POLYESTER ROPE - 1/4"

- 16 BRAID POLYESTER WITH PARALLEL CORD
- LOW STRETCH
- UV RESISTANT
- BREAKING STRENGTH OF 1,100LBS
- DOESN'T ABSORB WATER, SO IT DOESN'T ROT OVER TIME

BRAIDED ROPE

FEET/SPOOL

PER SPOOL 92.00



ALUMINUM "ADJUSTA" TOP BOAT FRAMES

EACH

321.40

350.30

2.40

4.10

These boat top kits are made with 7/8" .058 aluminum tubing pre-bent and cut into six pieces. Two crown and four outside corners (primary bends), two are tall and two are short. Four sleeves are provided for easy assembly.

INCLUDED HARDWARE:

44" HIGH X 84" WIDE

60" HIGH X 96" WIDE

Connecting Tubes

Collars

• Premiium grade marine anodized bright dipped aluminum tubing, .058" thickness, 7/8" outside diameter

6


301.30

328.40

· Hardware: Chrome die cast

KIT INCLUDES:

- 2 Eye pads
- 4 Outside eye ends
- 2 Jawslides4 Buckles
- 2 Spring straps
- 2 Mounts
- 4 Connecting tubes



96" Wide

TENT POLES ANODIZED

These telescoping cam lock support poles have die cast collars and stainless steel components, allowing them to hold a staggering 170 lbs. The aluminum tubing is light weight, anodized, and heat treated to make sure it can withstand any climate, and with the added strength of a ribbed profile this pole is designed to last. The optional swivel pad base is a great way to protect your floor from indents or marring.

SIZE	RANGE	EACH	6	12
28" POLE	19"-28"	21.30	19.20	17.80
47" POLE	28"-47"	21.80	19.70	18.30
59" POLE	34"-59"	22.40	20.20	18.80
70" POLE	39"-70"	22.80	20.60	19.10
SWIVEL PAD	N/A	17.00	15.30	14.20



PRICES SUBJECT TO CHANGE WITHOUT NOTICE



TIE-DOWN RATCHETS



The standard 1/4" ratchet has quick-release thumb trigger and will fit all 1/4" rope (page 237). Working load limit of 150 lbs.



The 1/4" QUICKIE has a built-in ratchet for quick & convenient rope tensioning. Will fit all 1/4" rope (page 237). Working load limit of 225 lbs.



The 1/8" ratchet is compact, easy to use, and virtually unbreakable. Will fit 1/8" rope (Neoline, page 237).
Working load limit of 150 lbs.

	EACH	6	12
1/4" QUICKIE	26.00	23.40	21.80
1/4" RATCHET	14.40	13.00	12.10
1/8" RATCHET	10.40	9.40	8.70

BOAT VENTS

BOAT VENT III

- Supports your cover in rain, snow, and ice.
- · Provides evenly distributed ventilation along the entire underside of the mooring cover
- · Provides a higher volume of airflow per square foot of cover
- · Design maximizes airflow across the entire underside of the mooring cover
- Changes in wind direction have no significant effect on vent performance

EACH 12 24 BLACK 20.40 18.40 17.40



newly designed teeth for an extra hold on fabric

BOAT VENT II

- · Supports your cover in rain, snow, and ice.
- · Provides evenly distributed ventilation along the entire underside of the mooring cover
- · Provides a higher volume of airflow per square foot of cover
- · Design maximizes airflow across the entire underside of the mooring cover
- Changes in wind direction have no significant effect on vent performance

	EACH	12	24
BLACK	18.50	16.50	15.50
WHITE	23.60	21.60	20.60



BOAT VENT AERO

Boat Vent AERO is Vico Marine's first sew-in vent. Great to use where tenting with the Boat Vent 2 or 3 may not be an option (i.e. cock pit cover). The louver front can be used to help prevent bees or rodents from entering the cover or just extra protection from heavy rain. For maximum venting or use with the traditional cone look, you can also install without the front. (sold separately)

- •Available in soft rubber or harder HDPE
- •White or Black options
- •Optional louver front to help protect against bees or rodents

	EACH	6	12
BLACK	8.00	7.20	6.70
WHITE	8.00	7.20	6.70

SOFT RUBBER

HARD PLASTIC

SHRINK VENT

- · New two-sided, sharper self-piercing teeth
- · Pre-installed weather resistent adhesive to stick directly on shrink wrap cover
- · Easy to use 2-piece design
- · Simply push down and twist









Abbey Fabric213
ABS Board224
Accord 83
Acme Auto Headliner233
Acrylic Binding158
Active Dac 62
Acu-Cutter146
Adhesives 100-105
Adhesives: Cyano Acrylate104
Adhesives: Guide105
Adhesives: Landau Top/Trim102
Adhesives: Quickwood Epoxy104
Adhesives: Vinyl Repair103
Adhesives: Water Based101
Adjustable Boat Frames241
Advantage Vinyl156
Aircraft Foam34, 41
Aircraft Leather211
Allante (Morbern)201
Allegro (Spradling)170
AllSport (Morbern)202
Allure (Naugahyde)200
Alpin Leather210
Aluminum Zippers 76
Amann Thread 72
Animal Hair 89
Antimicrobial Foam32-33
Antimicrobial Vinyl201
Antique Casters98
Antique Nail Remover120
Antique Nails (Brass)122
Apex (Spradling)170
Aqualon Boat Topping161
AquaSnaps220
Aqua-Tite109
Aries (Spradling)170
Armada (Enduratex)184

Aspirations (Enduratex)	184
Atmosphere (Spradling)	170
Audio Wrap	232
Auto Ripper	144
Automotive Carpet	223
Automotive Headliner	233
Automotive Vinyl (Enduratex)	195
Au-Ve-Co Parts226-22	7, 231
Awls	140



B8P Bostitch Hand Stapler114
Bags: Plastic149
Bands: Springs 92
Bantam Ripper144
Bantex Banner Vinyl153
Basketball Pillows 89
Batting61-65, 69
BeA Staples 110-112
Bean Bag Fill 44
Beluga (Spradling)171
Berry Staple Puller139
Berwick Tweed (Enduratex)185
Beveled Foam Shapes 53
Billiard Cloth154
Binding: Acrylic158
Binding: Auto226
Binding: Carpet223
Binding: Twill Tape 79
BioBred Foam 60
Black Vinyl Reference205
Blo-Gun141
Boat Bows228
Boat Canvas 160-161
Boat Frames241
Boat Top Poles241
Boat Vents242
Boat Windows163

Bobbins: Metal14	9
Bobbins: Nylon7	1
Bobbins: Polyester 7	3
Bolster Pillow Forms8	8
Boltaflex Collection Guide16	6
Bonded Fiberfill64-6	5
Bonded Foam36-3	7
Bow Sockets22	8
Bows22	8
Brads11	5
Brass Buttons12	6
British Sterling (Enduratex)18	5
Brushed Alum. (Enduratex)185, 19	5
Bubble Wrap 5	0
Buckles 238-23	9
Buckskin (Spradling)17	1
Buffed Foam Shapes 5	3
Bun Feet 129-13	0
Burlap: Jute 8	2
Burlap: Sagless8	2
Burlap: Synthetic8	2
Button Cutters12	7
Button Dies12	7
Button Drills12	7
Button Machines12	7
Button Molds 124-12	5
Button Molds 124-12	6
Button Plugs14	4
Button Service12	3
Button Twine 7	5
Button Washers12	6
Buttons 123-12	7
BW Clip Pliers13	8
BW Clips 9	0



C Clips	90
CA Adhesive1	04





Cables for Convertibles	236
Cam Press Buckles	239
Cambric 83	, 85
Caning	150
Cantina (Culp)	196
Canvas 152-	161
Canvas Treatment	109
Capitano (Nautolex)	200
Caprice (Spradling)	171
Car Cover	155
Carbon Fiber (Enduratex)186,	195
Carbon Fiber (Spradling)	171
Cardboard Tacking Strip	117
Carpet162,	223
Carpet Adhesive	102
Carpet Backing	224
Carpet Binding	223
Carpet Fastener	223
Carpet Padding: Jute	225
Carpet Padding: ReBond Foam	. 39
Carpet: Automotive	223
Casters96	-99
Castillo (Culp)	196
Cel-U-Flex	. 87
Cenery (Spradling)	172
Chain Maille (Enduratex)	186
Chair Duck	153
Chalk	145
Chamea II (Naugahyde)	201
Channel Vinyl (Nassimi)	180
Channeled Foam40, 172,	180
Charm	213
Chennile	213
China Pencils	145
Chipboard116,	150

ciii istiiias iiee rastelleis221
Clear Vinyl: Auto/Marine163
Clear Vinyl: Furniture Covers 86
ClearOn Monofilament Thread 72
Clip-On Edging 87
Clips77, 90-91
Clips: Panels148
Closed-Cell Foam41, 43
Clothbacked Foam 40
Coastal Ranch (Enduratex)186
Colorguard (Boltaflex)198
Combustion Modified Foam 34
Comforel (UltraSoft)66
Comfort-Tick154
Common Sense Fasteners217
Confor Foam 43
Connecting Links/Tubes 92
Consew Cutter146
Conso Gimp151
Contact Adhesive102
Contessa208
Contrast Thread (Top Stitch) 74
Convertible Auto Tops235
Convertible Tack Strip234
Convertible Top Cables236
Convertible Top Fabric236
Convertible Top Pads234
Convertible Top Webbing234
Convertible Windows234
Cordura154
Corinthian (Enduratex)195
Corinthian (Spradling)172
Cotton Batting69
Cotton Duck 152-153
Cotton Tape 79
Cotton Weltcord (Braided)80
Counterpane (Enduratex)187
Cowl Board225
Crazy Glue104
Crianza (Enduratex)187

ulp Collection Guide	166
urved Needles	137
ushion Eze	82
ushion Hooks	144
ushion Stuffer Machine	147
ushion Wrap Guide	61
ut to Length Zippers	216
utters: Button	127
utters: Foam	146
utters: No Sag	92
utters: Wire	138
ypress Laquer/Stains	134
- F20	



) Rings144, 238-239
Dacron61-67
Dap Spray Adhesive100
Oap Weldwood100, 102
Decking: Denim84
Decking: Hide-A-Bed95
Decorative Nail Gun120
Decorative Nail Tools120
Decorative Nails 118-122
De-Greaser108
Detroit Books237
Dies 126-127, 220-221
Oillon (Culp)196
Oimensions (CMI)201
Dimmer Switch Grommet231
Ooeskin (Enduratex)195
Oolce (Spradling)209
Door Panel Boards225
Door Panel Fasteners227
Oorsett Carpet223
Oowel Screws133
Oown 89
Oown Pillows89
Down: Svnthetic 66



Downproof Ticking	85
Drapery Grommets	123
Drapery Lining	86
Drawstring Binding	240
Dressmaker Pins	137
DriFast Foam	32-33
Drill Bits	228
Dual-Lock System (3M)	215
Duck Bill Pliers	138
Duo-Fast Staples	110-112
DuPont Dac	62-63
Durable Dot Dies	220
Durable Snap Fasteners	218-220
Dura-Snap Fasteners	126
Durasnaps	126, 220
Dust Covers	83, 85



Eclipse (Enduratex)	195
Economy Roll Edge	87
Edge Roll	87
Edge Seal	224
Edgewire	91
Edgewire Clips	90
EK Clips	91
EK Nails	91
El Capitan (Enduratex)	187
Elastic	144, 238
Elastic Webbing	77
Electric Staple Gun	114
Embossed Leathers	211
Endurasoft Auto (Enduratex) .	195
Enduratex Collection Guide	165
Engel Hot Knife	229
Epoxy Cement	103
Ester Foam	51
Etha Foam	51
Euroglaze Leather	210

Extreme Seal	.224
Extreme Seating	.203
EZ Vinyl (Spradling)	.204



Fabric Chart 254-255
Fabric Cleaner108
Fabric Cutter142
Fabric Guard109
Fabric Protector109
Fabric: Automotive 211-213
Fabric: Contract212
Fasco Staples 110-112
Fast Tack 92 Adhesive100
Fasteners217-220, 223, 227, 230
Faux Leather 206-209
Faux Leather Collection Guide167
Faux Suede213
Feather-Proof Ticking85
Felt Glides133
Felt w/ PSA Backing232
Ferrules 92
Fiber Core 68
Fiber Weltcord (Braided)80
Fiber: Bonded64-65
Fiber: Fill 63
Fiber: Reference61
Fiber: Sewn 62
Fiber: Smooth Bond 64
Fiberglass Bows228
Fiberglass Screening155
Filler Bazooka141
Finesse Leather210
Finished Nails 118-122
Firegard (Fabric)84
Fish Shanty Canvas154
Flex Pad 67
Flex-Trim117

Flotation Foam 33
Flotilla (Spradling)172
FLW Propex 82
Foam Drills147
Foam Rolls: Arm&Rail Pads 38
Foam Rolls: Clothback 40
Foam Sheets: Aircraft 34, 41
Foam Sheets: Good Quality18-23
Foam Sheets: Better Quality 24-25
Foam Sheets: Best Quality26-31
Foam Sheets: Gel 44
Foam Sheets: Latex 35
Foam Sheets: Marine32-33
Foam Sheets: ReBond36-37
Foam Sheets: Ultra-High Density 39
Foam Sheets: Visco Elastic (Memory)42
Foam: Bolsters46-48
Foam: Channeled 40
Foam: Closed-Cell41, 43
Foam: Cutters 146-147
Foam: Fabricating Ref 14,45, 52-59
Foam: Mattress Cores 42
Foam: Mattress Toppers 42
Foam: Polylaminate51
Foam: References8-17
Foam: Sculpting Discs146
Foam: Shredded44
Foam: Skins 44
Foam: Soundproofing 51
Foam: Wedges46-47
FOC Earth Leather210
Forbid Top Coat Info190
Foss Carpet162
Frame Gun114
French Gimp151
Furniture Covers149
Furniture Covers 86, 149
Furniture Polish108
Futon Core 68





G Clips 91
G Grain (Enduratex)195
G Grain (Spradling)173
Ganging Device148
GelFoam 44
Gemini (Spradling)172
Gimp151
Gimp Gun113
Gimp Staples112
Gimp Tacks115
Glide: Silicone109
Glides133
Glue 100-105
Glue Guide105
Glue Guns106
Gran Reserva (Enduratex)188
Grand Prix (Spradling)173
Grand Sierra (Boltaflex)198
Grand Vista (Enduratex)188
Grille-Tex Fabric240
Grip-Pad144
Grommet Dies 219-220
Grommet Kits221
Grommets123, 221
Gunslinger (Culp)197
Gym Mat Cover156



86
63
138
195
ex)195
220

Hand Stapler	114
Handsewing Thread	73
Handy Jr. Button Machine	127
Hanger Bolts	133
Hangers	148
Harmony (Boltaflex)	198
Headliner (Automotive)	233
Headliner Clips	
Headliner Tucking Tools	229
Healthcare Fabric	154
Heat Gun	229
Heat Liner	232
Heel Pads	223
Heidi (Enduratex)	195
Heidi (Spradling)	173
Helicals	91
Hickory Mallet	138
Hide-A-Bed Unit	95
Hidem Welt	222
Hinge Links	92
Hog Ring Pliers	138-229
Hog Rings	228
Hog/Horse Hair (Loose)	89
Honda (Enduratex)	195
Hook Buttons	126
Hooks	144, 238
Hoses & Attachments	107
Hospital Ticking	86
Hot Knife	229
Hotmelt Glue Gun	107
Hotmelt Glue Sticks	103
Hydrotuff	154



Ice Fishing Canvas	154
Ice Pick Regulator	
Independence (Enduratex)	189
Infiniss Faux Leather	208

Insul-Firm	67
Insul-Soft	67
Intes Webbing	77
Invisible Thread	72
Islander (Spradling)	.174



lacket End Zippers	216
letstream (Enduratex)	189
liffy Cleaner	136
liffy Steamers	136
liffy Trim	223
lute Webbing	78



142
234
89
73
101-102
90
140
203
224
150
100-101



Landau Tops	235
Laquer	134
Latex Foam	35
Leather	210



Leather Cleaner108
Leather Needles137
Leather Stretcher139
Leg Plates133
Levante (Boltaflex)199
Lift-The-Dot Fasteners217
Lighthouse (Enduratex)190
Listing222
Longitude (Enduratex)191
Longitude (Spradling)174
Loose Dacron 66
Lubricant149
Lunar (Enduratex)191
Luxor (Enduratex)195
M

M

Madrid (Enduratex)	195
Madrid (Spradling)	174
Mag Daddy Fasteners	230
Magic	213
Magnetic Hammer	138
Mallets	138
Mammut Leather	210
Marathon Contract Fabric	212
Marine Carpet	162
Marine Headliner	163
Marine Hidem Welt	222
Marine Rope	241
Marine Tacking Strip	117
Marine Transfer Tape	215
Marine Underlining	163
Marine Windows	163
Mariner (Nautolex)	200
Markers	145
Marlin (Spradling)	174
Marshall Units	93
Mattress Ticking	86
Mattress Toppers35,	42

Mattress: Hide-A-Bed 95
Measuring Tape141
Memory Foam42-43
Mercedes (Enduratex)195
Metal Bobbins149
Metal Glides133
Metal Legs 131-132
Metal Regulator137
Metal Ruler141
Metal Tack Strip116
Micro Down Pillow Forms 88
Midwest Duck152
Milled Pebble (Enduratex)195
Milled Pebble (Spradling)175
Misc. Vinyls Guide166
Molded Carpets225
Monofilament Thread 72
Montana (Enduratex)195
Montana (Spradling)175
Monticello (Enduratex)195
Monticello (Spradling)175
Morbern Collection Guide166
Mulsin 85



Nail Puller	.120
Nail Strip	.122
Nails 91,	115
Nassimi Collection Guide	.167
Naugahyde Collection Guide	.167
Navigator (Spradling)	.175
Needle Kit	.137
Needles137,	140
Neoline Polyester Cord	.241
Neoprene 41	, 43
New Soho (Nassimi)	.200
Nib Back	.224

Nippers	138
Nissan (Enduratex)	195
No-Fray Spray	109
Non-Slip Padding	144
No-Sag Springs	 9 1
No-Sag Tools	92
No-See-Um Screening	155
Nuance (Spradling)	176
Nuvtex	208
Nylon Glides	133
Nylon Pack Cloth	155
Nylon Tacking Strip	117
Nylon Thread 70-71,	73-74
Nylon Webbing	239



0il	149
Oregon Trail (Culp)	197
Original Automotive Leather	237
Orion (Spradling)	176
Ossie (Enduratex)	191
Outdoor Furniture Fabric	157-159
Oxen (Enduratex)	195
Oxen (Spradling)	176



-3 Bostitch Hand Stapler	114
ackaging Wrap	50
anel Chipboard	116
anel Clips	148
anel Fasteners	223
anel Nails	115
atriot Plus (Spradling)	177
attern Chipboard	150
attern Paper	150





Paul Bunyon (Enduratex)204
Pegasus (Spradling)178
Pencils & Pens145
Perforated Vinyl163, 192, 195
Perforating Service237
Permablok Top Coat Info177
Phantom (Enduratex)192
Phifertex159
Pillow Fill63, 66, 89
Pillow Forms88-89
Pillow Springs 90
Pinch Dogs140
Pincore 35
Pinpoint Binding226
Pins137
Piping80-81
Piping Tins147
Pirelli Webbing77
Plastic (Hard) Weltcord 81
Plastic (Soft) Weltcord 81
Plastic Pane Windows234
Platform Rocker Springs 94
Platinum 150 Adhesive104
Pleated Vinyl (Nassimi)180
Pleated Vinyl (Spradling)172
Pliers138
Pli-Grip117
Pneaumatic Staple Guns113
Pneumatic Lubricant149
Pneumatic Powered Ripper144
Polaris (Spradling)178
Poles241
Polish108
Polyester Cord/Rope241
Polyester Cushions 68
Polyester Fill62-63, 66
Polyester Thread72-74
Polyester Webbing241
240

Polyfelt	67
Polyflex	87
Polylaminate Foam	5
Polypropelene Webbing	239
Pool Table Cloth	154
Pooltex	153
PreFixx Top Coat Info	199
Prelude (Spradling)	178
Premier10	4, 13
Press: Upholstery	14
Press-N-Snap Tool	220
Prizm (Enduratex)	192
Profiles (Foam Ref.) 14,45,	52-59
Promotional Vinyl (Enduratex)	204
Promotional Vinyl (Spradling)	204
Prong Tufter	14
Prop 65 Information 16	8-169
Pull-The-Dot Fasteners	21
Punch Tools (Revolving)	14
PVC (Hard) Weltcord	8



Quick Nailer (I	Dec. Tack Spacer	r)	120
Quilted Vinyl		.172,	180



Ragg Topp	234
Rapper (Enduratex)	203
Ratchets	242
Rave (Spradling)	209
Rawhide Mallet	138
Razors	140
Ready Made Welt	222
Recast (Culp)	197

Rectangular Pillows	88
Recycled Leather	. 196-197
Reflex (Spradling)	179
Regulators	137
Renaissance (Spradling)	179
Revolving Punches	14
Ring-Flex	87
Ripping Chisel	139
Rocker Springs	94
Rotary Fabric Cutter	142
Rubber Bands	92
Rubber Mallet	138
Rubber Webbing	77
Rubber Webbing Stretcher	139
Rubberized Curled Hair	80
Ruffino (Spradling)	179
Rulers	14



Saws 1	46-147
Scissors 1	42-143
Screening	155
Screws	231
Scroll Gimp	151
SeaBreeze (Spradling)	180
Sealer	134
Seam Rippers	140
Seam Stretcher	141
Seam Tape	79, 215
SeaQuest (Nassimi)	180
Seat-A-Lators	223
SEM Coating Products	240
Sew Foam	40
Sewing Awl	140
Sewing Machine Needles	140
Sewing Machine Oil	149
Sewing Machine Welt Feet	149
Shear Sharpener	143



Shears 142-143	Spring Clips 91
Shellac134	Spring Connectors 92
Sheperd Casters96-97	Spring Cutter92
Shock Cord238	Spring Nails 91, 115
Shock Cord Hooks238	Spring Padding (Flex Pad) 67
Shredded Foam 44	Spring Stretcher139
Side-Release Buckles239	Spring Twine 75
Sierra (Enduratex)195	Spring Units 93
Sierra (Spradling)180	Springs90-91
Silicone109	Square Ring241
Silk Fill 66	SS Clips
Silk Film147	Stainless Steel Hog Rings228
Silver Vinyl Pen145	Stainless Steel Snaps219
Simtex (Spradling)181	Stainless Steel Staples112
Skintex208	Stake Wire Weltcord 81
Skirt Lining 83	Stakewire 91
Skive140	Staple Guns 113-114
Sling Chair Fabric159	Staple Pliers138
Slipstop203	Staple Removers139
Snap Back226	Staples 110-112
Snap Fasteners 218-220	Sta-Sof Duck152
Snap Fasteners: Colored Caps220	Stayfast Binding226
Snap Hook239	StayFast Fabric236
Snips143	Steamers136
Snowmobile Vinyls 202-203	Steel Pinch Dogs140
Soft-Seat Velcro228	Stems: Casters
Soft-Tick154	Stratosphere (Spradling)181
Soho (Enduratex)192	Stretchers139
Soho (Spradling)181	Studs218-219
Solarscreen163	Stuffing Rod/Iron140
Solvent101	Suede Headliner233
Solvent Cleaner108	Sunbrella Binding158
Spa Cover156	Sunbrella Fabric 157-158
Spectropile Carpet162	Sunbrella Plus158
Spline150	Sunbrella Sealer109
Sponge Rod223	Sunforger161
Spradling Collection Guide164	Sunguard Thread73
Spray Gun106	Surrey (Enduratex)193
Sprayway100, 108-109	Sutton (Spradling)181
Spring Bands 92	Swivel Plates
Spring Bender 92	Swivel Rocker Bases94
Spring Clip Pliers138	

Spring Clips
Spring Connectors 92
Spring Cutter92
Spring Nails 91, 115
Spring Padding (Flex Pad) 67
Spring Stretcher139
Spring Twine 75
Spring Units
Springs90-91
Square Ring241
SS Clips
Stainless Steel Hog Rings228
Stainless Steel Snaps219
Stainless Steel Staples112
Stake Wire Weltcord 81
Stakewire 91
Staple Guns 113-114
Staple Pliers138
Staple Removers139
Staples 110-112
Sta-Sof Duck152
Stayfast Binding226
StayFast Fabric236
Steamers136
Steel Pinch Dogs140
Stems: Casters
Stratosphere (Spradling)181
Stretchers139
Studs218-219
Stuffing Rod/Iron140
Suede Headliner233
Sunbrella Binding158
Sunbrella Fabric 157-158
Sunbrella Plus158
Sunbrella Sealer109
Sunforger161
Sunguard Thread73
Surrey (Enduratex)193
Sutton (Spradling)181
Swivel Plates 95

Symphony Vinyl (Nassimi) 206-2	07
Synthetic Cambric	83
Synthetic Down	66
Synthetic Jute Webbing	78
Sytex Suspension Fabric	78



T Pins	137
Tack Claw	139
Tack Hammer	138
Tack Lifters	139
Tack Strip	.116-117, 234
Tacks	.115, 118-122
Tacktite	116
Tailors Chalk	145
Tape: Twill & Binding	79
Tenax Fasteners	230
Tent Poles	241
Textile Pencils	145
Texuede Faux Leather	208
Thermobond	64
Thermozite Foil Padding	232
Thread	70-74
Thread Snips	143
Ticking	85,86
Tie-Down Ratchets	242
Tinsel Welt	222
T-Nuts	133
Tonneau Cover	156
Tonneau Insert Welt	228
Tonneau Rails	228
Top Gun	160
Top Notch	160
Topline Binding	226
Torino (Spradling)	182
Torsion Springs	90
Touch-Up Markers/Sticks	135
Toyota (Enduratex)	195





Tradewinds (Enduratex)1	93
Transfer Tape2	215
Trash Tarp1	53
Trexx (Spradling)1	82
Tri Glide2	239
Trim Adhesive100, 1	02
Trim Clips2	226
Trim-Flex	87
Truck Bows2	228
Truck Seat Welt2	222
Trunk Lining2	225
Tufting Clasps1	41
Tufting Needles1	37
Tufting Needles1	41
Tunnel Ties2	40
Tweezers1	40
Twilight1	56
Twill Tapes	79
Twine	75
Twist Pins1	37



Ultra-Soft Synthetic Down	66
Umbrella Fabric	159
Underlining	163
Upholstery Pins	137
Upholstery Press	147
Upholstery Springs	90
Upholstery Tacks	115
Urban Exotics (Culp)	197
Urethane Top Coat	134



vaquero (Enduratex)19	4
Velcro214-215, 22	8
Velcro: Clothback Foam 4	0
Velcro: Super Adhesive21	5
Velour21	3
Velstick Auto Velcro22	8
Velvet21	3
Velvet Edge Tacktite11	6
Vent Punch12	7
Ventilator Dies12	6
Ventilators12	6
Verona (Enduratex)19	4
Verona (Spradling)18	2
Versare 8	2
Vinyl & Fabric Cleaner23	4
Vinyl & Leather Cleaner10	8
Vinyl Cement10	3
Vinyl Repair10	3
Vinyl Tack Strip8	1
Vinyls 164-20	9
Volume	1



Wallaby (Enduratex)	195
Wallaby (Spradling)	182
Washers	231
Webbing Clips	77
Webbing Stretcher	139
Webbing Tacks	115
Webbing: Cotton	79
Webbing: Elastic	77
Webbing: Jute	78
Webbing: Nylon	239
Webbing: Polyester	239

Webbing: Polypropelene	239
Webbing: Rubber	77
Webbing: Steel	79
Webbing: Synthetic Jute	78
Webbing: Sytex	78
Wedges	46-47
Welt Feet	149
Welt Guard	 8 1
Weltcord	80-81
Welting	222
Wet Suit Neoprene	43
Whisper (Spradling)	183
Windlace	223
Windsong (Enduratex)	194
Wire Snap	238
Wire-On	234
Wiss Shears	143
Wollsdorf Leathers	 210-21 1
Wood Buttons	144
Wood Epoxy	104
Wood Finish/Stain	134-135
Wood Legs	128-131
Wood Plugs	144
Wood Ruler	14 1
Wooden Dowel	144
Woven Cane	150



(treme Seal	224
(treme Seating (Enduratex)	203
/ardage Chart	214-215
/KK Zippers	218
Zander (Spradling)	183
Zig-Zag Repair Kit	92
Zippers	76, 216
Zippers: Aluminum	76
ippers: Cut to Length	76, 216
Zippers: Nylon	76

DISTRIBUTORS OF UPHOLSTERY SUPPLIES SINCE 1962



Return both certificates, each properly filled out to Active Foam Products, Inc. One is for the State Department of Revenue, and one for our records.

To: Active Foam Products, Inc. The undersigned hereby certifies that all tangible property hereafter purchased by him/her is for purposes of resale, and assumes liability for payment of Retailers' Occupation Tax, Service Occupation Tax or Use Tax with respect to receipts from the resale of this property to users or consumers. This certificate shall be considered a part of each order which we shall give, unless such order otherwise specifies. Purchaser Name Date Address of Purchaser City State Zip Code Signature of Purchaser (or Authorized Agent) Certificate of Registration Number of Vendor Number of Purchaser

CERTIFICATE OF RESALE

To: Active Foam Products, Inc.		
The undersigned hereby certifies that all tangible property hereafter purchased by him/her is for purposes of resale, and assumes liability for payment of Retailers' Occupation Tax, Service Occupation Tax or Use Tax with respect to receipts from the resale of this property to users or consumers.		
This certificate shall be considered a part of each order which we shall	give, unless such order otherwise specifie	s.
Purchaser Name	Date	
Address of Purchaser		
City	State Zip Coo	de
Signature of Purchaser (or Authorized Agent)		
Certificate of Registration Number of Vendor		e of Registration r of Purchaser



COMPANY NAME _

RESALE NUMBER _

OWNER'S NAME

ADDRESS __

CITY _

CREDIT APPLICATION

The undersigned, hereby applies to Active Foam Products Inc., for permission to charge purchases on an open account; and if such charges are made, the undersigned agrees to the following terms and conditions:

- 1. To pay in full the account balance due thirty days after invoice date.
- 2. To pay a Finance Charge computed at the periodic rate of 1.5% per month beginning on the 35th day from date of invoice. (Annual percentage rate is 18%.)
- 3. To pay reasonable collection costs and attorney's fees if the account is in default.
- 4. Active Foam Products Inc. can at any time refuse to permit further purchases, or may limit the amount of items that can be purchased.
- 5. The undersigned discloses the following credit information for the purpose of obtaining open account privileges. Please fill out completely. Orders will be shipped COD-CASH until credit is approved.

PHONE __

STATE ZIP _____

TAX I.D.

FAX ___

	E-MAIL ADDRESS		WEB SITE
	TRADE REFERENCES: PLEAS	E INCLUDE FAX NUMBERS TO HI	ELP EXPEDITE THE CREDIT PROCESS.
1	FIRM NAME		PHONE
	ADDRESS		FAX
	CITY	STATE ZIP	ACCOUNT #
2	FIRM NAME		PHONE
	ADDRESS		FAX
	CITY	STATE ZIP	ACCOUNT #
3	FIRM NAME		PHONE
	ADDRESS		FAX
	CITY	STATE ZIP	ACCOUNT #
		uarantees this account in consideration en account, and will be obligated under	









BUSINESS HOURS: 8:00 to 4:30 Monday through Friday

TERMS AND CONDITIONS: Our regular terms are net 30 with approved credit. All invoices past 30 days will be subject to a service charge of 1.5% per month (annual percentage rate of 18%). We will be pleased to set up an open account for your business. Our credit department will expedite your order and contact your firm when additional information is required. Credit card, COD or prepaid options are also available.

SALES TAX: We will add sales tax as required by law. If you are tax exempt, please submit a copy of your tax exemption certificate with your order. SALES TAX is required by state law to be charged on all tools except for resale. A note will be needed for our records for this exemption.

NSF CHECKS: All checks returned to us due insufficient funds will be subject to a \$30.00 service charge.

PRICING AND AVAILABILITY: Due to raw material costs beyond our control, we reserve the right to adjust our pricing without notice. While products shown are available at the time of publication, continued availability can not be guaranteed.

OUT OF STOCK ITEMS: If an item ordered is temporarily out of stock, you will be notified when it is available and when to expect shipment.

FREIGHT TERMS: All prices are FOB (freight-on-board) from our warehouse.

LOCAL DELIVERY CHARGES: Please check with us regarding delivery scheduling and minimums for your location.

U.P.S. SHIPMENTS: Orders for stock items placed by 3:00 P.M. will be shipped same day. We do our best to ship your order the same day it is received. Please phone your orders as early as possible to assure same day service. If you need fabricated foam pieces or non-standard foam sheets, please place your order as soon as possible in order to give our cutters time to cut your foam to your specifications.

DAMAGED GOODS: Despite our best efforts, items may become damaged or lost in transit. Be sure to count the number of packages and to inspect all cartons for damage BEFORE you sign the delivery receipt, List any shortage or damage on the delivery ticket. Ask the driver to make an inspection immediately. Keep the shipping carton, packing material and merchandise intact until the claim is resolved. Contact our Customer Service Department for help in filing your claim, or to order replacement goods.

RETURNS / **EXCHANGES:** We make every effort to ship your orders correctly. If an error does occur, or you experience difficulty with any product, please call our Customer Service Department. Merchandise will be replaced or credited ONLY with proper approval. Return merchandise in original packaging when possible. Active Foam will not be responsible for damages resulting from improper customer repacking. Enclose a copy of the invoice or packing slip with an explanation in writing.

LIMITED WARRANTY: Active Foam Products, Inc. shall not be liable for any injury, loss or damage arising out of the use, or inability to use, any item sold by us. Our only obligation in lieu of all warranties expressed or implied, is to replace any item proved to be defective. The user must determine the suitability of the product for its intended use and assumes all risk in connection therewith.

SALES ASSISTANCE: Our sales staff is available for consultation and advice on technical questions, product information, and specifications. They will be happy to help you find the right product to meet your requirements.

SAMPLES: Product samples are available for many of the items we carry. Please contact a member of our sales staff if you require samples of our foam or supply products.

VACATION SCHEDULE: We will be closed on New Years Day; half day for Good Friday; Memorial Day; July 4th; Labor Day; Thanksgiving and the day after; Christmas Eve day and a half day before; and Christmas Day. Active Foam observes holidays falling on Saturdays on the preceding Friday, and holidays falling on Sunday the following Monday.

CATALOG FORMAT: This catalog is organized in six general categories: Foam, Polyester Fibers, Upholstery Supplies, Vinyls and Canvas, Automotive and Maritime Supplies, and Refinishing Supplies.

COPYRIGHT ACTIVE FOAM PRODUCTS, INC.: Original artwork and information may not be copied without written permission from Active Foam Products, Inc.









2 1/2 Yards



4 Yards



7 Yards



5 Yards



5 Yards



6 1/2 Yards



5 Yards



8 Yards



4 Yards



5 Yards



4 1/2 Yards



7 Yards



3 1/2 Yards



6 Yards



6 Yards



6 1/2 Yards



6 1/2 Yards



2 1/2 Yards



1 1/2 Yards



5 Yards



1 1/2 Yards



1 1/2 Yards



2 1/4 Yards



1 1/2 Yards



3 1/2 Yards



4 1/2 Yards



4 1/2 Yards



4 1/2 Yards



2 1/2 Yards













34 Yards

6' — 10 Yards 7' — 11 Yards 9' — 13 Yards

9' — 13 Yards

7' — 11 Yards

6' — 12 Yards 7' — 14 Yards

9' — 16 Yards











7' — 14 Yards 9' — 16 Yards

14 Yards

16 Yards

11 Yards

11 Yards











12 Yards

10 Yards

10 Yards

2 1/2 Yards

6 Yards











6 Yards

6' — 16 Yards

13 Yards

3 Yards

5 1/2 Yards











5 Yards

6 1/2 Yards

5 1/2 Yards

4 Yards

6 Yards











6 Yards

4 Yards


7 Yards

2 1/2 Yards

3 Yards









Foam Fabricating & Supplies For:

Upholstery-Automotive
Maritime-Furniture
All Same Day-UPS Service

CHICAGO

4358 South Knox Ave. Chicago, IL 60632

T: 800-728-4567

V: 773-582-5400

F: 773-582-1955

EASTPOINTE

17630 East 10 Mile Rd. Eastpointe, MI 48021

T: 866-316-4567

V: 586-778-5400

F: 586-778-5415

MILWAUKEE

6210 West Douglas Ave. Milwaukee, WI 53218

T: 800-347-3603

V: 414-462-9220

F: 414-462-9222

NORTH LIMA

12037 South Avenue North Lima, OH 44452

T: 800-788-6096

V: 330-629-9454

F: 330-629-9455